

- TOP OF ROOF  
ELEV. = 39'-1 3/4"
- LEVEL 3 - ROOF BEARING  
ELEV. = 31'-6"
- TOP OF LOWER ROOF  
ELEV. = 30'-2 1/2"
- LEVEL 3 - WINDOW HEADER  
ELEV. = 7'-0"
- LEVEL 3 - TOP OF SUB FLOOR  
ELEV. = 21'-4 1/2"
- LEVEL 2 - ROOF BEARING  
ELEV. = 20'-9 3/4"
- LEVEL 2 - WINDOW HEADER  
ELEV. = 7'-0"
- LEVEL 2 - TOP OF SUB FLOOR  
ELEV. = 10'-8 1/4"
- LEVEL 1 - WINDOW HEADER  
ELEV. = 7'-0"
- TOP OF SLAB  
ELEV. = 0'0"



- ASPHALT ROOF SHINGLES (TYP)
- GUTTER
- 1x4 TRIM BOARD
- 1x8 KDAT FASCIA
- 1x10 FRIEZE BOARD
- CEMENTITIOUS SHAKE SIDING
- PAINTED METAL RAIL
- 1x10 TRIM BOARD
- 5/4"x8 TRIM CORNER (TYP)
- 7" EXPOSURE CEMENTITIOUS SIDING
- 5/4"x6 TRIM CORNER (TYP)

**1 BLDG TYPE 4 (BUILDINGS 3, AND 6): FRONT AND REAR ELEVATIONS**  
**A2.40 SCALE 1/8"=1'**

- TOP OF ROOF  
ELEV. = 45'-4 3/4"
- LEVEL 3 - ROOF BEARING  
ELEV. = 31'-6"
- LEVEL 3 - WINDOW HEADER  
ELEV. = 7'-0"
- LEVEL 3 - TOP OF SUB FLOOR  
ELEV. = 21'-4 1/2"
- LEVEL 2 - WINDOW HEADER  
ELEV. = 7'-0"
- LEVEL 2 - TOP OF SUB FLOOR  
ELEV. = 10'-8 1/4"
- LEVEL 1 - WINDOW HEADER  
ELEV. = 7'-0"
- TOP OF SLAB  
ELEV. = 0'0"



- ASPHALT ROOF SHINGLES (TYP)
- 1x8 KDAT FASCIA
- 1x4 TRIM BOARD
- GUTTER
- 1x10 FRIEZE BOARD
- CEMENTITIOUS SHAKE SIDING
- 1x10 TRIM BOARD
- PAINTED METAL RAIL
- STANDING SEAM METAL ROOF
- 5/4"x8 TRIM CORNER (TYP)
- 7" EXPOSURE CEMENTITIOUS SIDING
- 5/4"x6 TRIM CORNER (TYP)

**2 BLDG TYPE 4 (BUILDINGS 3, AND 6): SIDE ELEVATIONS**  
**A2.40 SCALE 1/8"=1'**

SUBJECT TO REGULATORY AGENCY REVIEW AND APPROVAL