

Order Plans @


WWW.LDILine.com

- ### GENERAL PARTITION NOTES
- USE PARTITION TYPE " " UNO
  - FOR CLARITY, PARTITION TYPES DO NOT INDICATE BASE AND FLOOR FINISHES. REFER TO ROOM FINISH SCHEDULE.
  - PROVIDE THROUGH PENETRATION FIRE STOP SYSTEM AT FIRE RATED PARTITIONS, SHAFTWALLS, AND FLOOR OPENINGS. REFER TO SHEET X-XXX
  - FOR FIRE RESISTANT JOINT SYSTEM HEAD-OF-WALL DETAILS, REFER TO SHEET X-XXX
  - EXTEND FIRE RATED PARTITIONS TO EXTERIOR FACE OF BUILDING WALL. FOR BRICK OR CMF WALLS, THE EXTERIOR WALL IS THE BACKSIDE OF SHEATHING
  - CONSTRUCT FIRE RATED MASONRY PARTITIONS WITH CMU-2, TYPICAL
  - PARTITIONS WITH TYPE INDICATORS ON BOTH SIDES OF PARTITION SHALL BE CONSTRUCTED TO SATISFY BOTH CONDITIONS INDICATED
  - APPLY A CONTINUOUS BEAD OF ACOUSTICAL SEALANT AROUND ALL ELECTRICAL WALL BOXES
  - FOR NON-FIRE RATED PARTITIONS, APPLY ACOUSTICAL SEALANT TO PENETRATIONS ABOVE THE CEILING IN FULL-HEIGHT PARTITIONS, UNO
  - PROVIDE MOISTURE RESISTANT G.W.B. ON ALL TOP AND BOTTOM MET WALLS FOR CLOSET WALLS, AND MECHANICAL ROOM WALLS, UNO
  - INSTALL 1/2" CEMENT BACKER BOARD IN ALL SHOWERS THAT ARE TILED WITH CERAMIC TILE
  - PROVIDE CONTROL JOINTS AT 30' MAX. PARTITIONS LOCATE SYMMETRICALLY OR EVENLY SPACED ON WALLS IF NOT SHOWN OTHERWISE. REVEAL PROPOSED LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION.

- ### GYPSON BOARD APPLICATION
- USE REGULAR GYP. BOARD (GR-R) UNO.
  - USE MOISTURE RESISTANT GYP. BOARD (GR-M) IN TOILET ROOMS, UNO.
  - USE TILE BACKER BOARD (GR-T) IN CERAMIC TILED APPLICATIONS, UNO.
  - USE GYP. BOARD (GR-C) AT SUSPENDED GYP. BOARD CEILING, UNO.
  - USE IMPACT RESISTANT GYP. BOARD (GR-AS) FROM FLOOR LINE TO 4'-0" AFF IN CORRIDORS AND SOLLEY CLEAN WORKROOMS, UNO.

1925 Prospect Ave.  
Orlando, FL 32814  
P (407) 661-9100  
F (407) 661-9101  
www.l.dil.com

**Calacaci & Peterson**  
Architects Engineers Planners








CLIENT NAME  
**HUTTON DEVELOPMENT**  
756 Cherry Street  
Chattanooga, TN 37402

PROJECT NAME  
**ROCKLEDGE FLATS - BUILDING A**  
220 Barton Boulevard  
Rockledge, FL 32955

SHEET TITLE  
**RATED ASSEMBLIES**

1 (30x42) NON-RATED - PERPENDICULAR TO FLUTES  
1:1/2" = 1'-0"



PARTITION TYPE

PARTITION STRUCTURE WIDTH AS NOTED BELOW

INSTALL SAB

NUMERIC CHARACTER	WOOD STUD SIZE	MASONRY BLOCK SIZE
0	-	-
1	3/4"	-
2	1-1/2"	-
3	-	-
4	3-1/2"	8-5/8"
6	5-1/2"	8-5/8"
8	7-1/4"	7-5/8"
10	8-1/4" (VERT.)	9-5/8"
12	-	11-5/8"

Revision Schedule		Date
No.	Description	

PROJECT NO. 210072	DATE 11/15/2019	DESIGNER LDI	CHECKED 
-----------------------	--------------------	-----------------	-------------

G-020

GMP PRICING SET 15 NOVEMBER 2019