




FLOW AND TAMPER SWITCH CONNECTIONS
 SCALE: NONE
 ⑤ (CLASS B)
 1/8" = 1'-0"




HORN/STROBE WIRING DIAGRAM (CLASS B)
 SCALE: NONE
 ⑤ (CLASS B)
 1/8" = 1'-0"




TYPICAL ELEVATOR FIRE PROTECTION DETAIL
 SCALE: NONE
 ⑤ (CLASS B)
 1/8" = 1'-0"




STEEL PIPE THRU GYPSUM BOARD
 1. WALL ASSEMBLY - THE 1/2" OR 5/8" THICK GYPSUM WALL OR GYPSUM WALL ASSEMBLY SHALL BE CONSTRUCTED OF THE MATERIALS AND IN THE MANNER DESCRIBED IN THE SECTIONAL SPECIFICATION OR OTHER SPECIFIC WALL CONSTRUCTION DETAILS IN THE UL FIRE RESISTANCE DIRECTORY AND SHALL INCLUDE THE FOLLOWING CONSTRUCTION DETAILS:
 A. STUDS - WALL FRAMING SHALL CONSIST OF EITHER MILD STEEL FRAMING OR 2x4 OR 2x6 LUMBER FRAMING. STUDS SHALL BE 16" ON CENTER AND 1/2" THICK. STUDS SHALL BE 1/2" THICK AND 1/2" WIDE. STUDS SHALL BE 1/2" THICK AND 1/2" WIDE. STUDS SHALL BE 1/2" THICK AND 1/2" WIDE.
 B. WALL FRAMING - WALL FRAMING SHALL BE 2x4 OR 2x6 LUMBER FRAMING OR 2x4 OR 2x6 LUMBER FRAMING. WALL FRAMING SHALL BE 2x4 OR 2x6 LUMBER FRAMING OR 2x4 OR 2x6 LUMBER FRAMING. WALL FRAMING SHALL BE 2x4 OR 2x6 LUMBER FRAMING OR 2x4 OR 2x6 LUMBER FRAMING.




METAL PIPE THRU CONCRETE
 1. WALL ASSEMBLY - THE 4" THICK CONCRETE WALL SHALL BE CONSTRUCTED OF THE MATERIALS AND IN THE MANNER DESCRIBED IN THE SECTIONAL SPECIFICATION OR OTHER SPECIFIC WALL CONSTRUCTION DETAILS IN THE UL FIRE RESISTANCE DIRECTORY AND SHALL INCLUDE THE FOLLOWING CONSTRUCTION DETAILS:
 A. METAL PIPE - METAL PIPE SHALL BE 1/2" THICK AND 1/2" WIDE. METAL PIPE SHALL BE 1/2" THICK AND 1/2" WIDE. METAL PIPE SHALL BE 1/2" THICK AND 1/2" WIDE. METAL PIPE SHALL BE 1/2" THICK AND 1/2" WIDE.
 B. WALL FRAMING - WALL FRAMING SHALL BE 2x4 OR 2x6 LUMBER FRAMING OR 2x4 OR 2x6 LUMBER FRAMING. WALL FRAMING SHALL BE 2x4 OR 2x6 LUMBER FRAMING OR 2x4 OR 2x6 LUMBER FRAMING.




FIRE STOP DETAIL
 ④ (CLASS B)
 1/8" = 1'-0"




SMOKE/HEAT DETECTOR MOUNTED ON CONCRETE SLAB OR HARD CEILING
 ④ (CLASS B)
 1/8" = 1'-0"




ELEVATOR POWER SHUNT-TRIP SUPERVISORY SIGNAL DETAIL
 SCALE: NONE



FIRE SPRINKLER CONTROL VALVE AND DRAIN ASSEMBLY DETAIL
 SCALE: NONE
 ⑤ (CLASS B)
 1/8" = 1'-0"



SPEAKER/STROBE WIRING DIAGRAM (CLASS B)
 SCALE: NONE
 ⑥ (CLASS B)
 1/8" = 1'-0"



SPEAKER/STROBE WIRING DIAGRAM (CLASS B)
 SCALE: NONE
 ⑥ (CLASS B)
 1/8" = 1'-0"

Order Plans

www.lidline.com

1925 Prospect Ave.
 Orlando, FL 32814
 P (407) 661-9100
 F (407) 661-9101
 www.lidline.com



CLIENT NAME
 ROCKLEDGE MULTI-FAMILY
 220 Baron Boulevard
 Rockledge, FL 32955

PROJECT NAME
 ROCKLEDGE MULTI-FAMILY
 220 Baron Boulevard
 Rockledge, FL 32955

No.	Description	Date

PROJECT NO. 054015010
 DATE 20/01/10
 DRAWN BY
 CHECKED BY
 E902

GMP PRICING SET