



1 FLOOR 2, 3, 4 REFLECTED CEILING PLAN  
3/32" = 1'-0"

**GENERAL RCP NOTES**

- DO NOT SCALE DRAWINGS. IF DIMENSIONS CANNOT BE DETERMINED OR DOCUMENTS ARE IN CONFLICT, THE CONTRACTOR SHALL OBTAIN CLARIFICATION FROM THE ARCHITECT PRIOR TO CONTINUATION OF WORK.
- REFER TO PROJECT INFORMATION SHEET FOR MATERIAL / REFERENCE SYMBOLS AND ABBREVIATIONS
- REFER TO MECHANICAL, ELECTRICAL, FIRE SUPPRESSION & TECHNOLOGY DRAWINGS FOR QUANTITY AND TYPE OF CEILING MOUNTED FIXTURES / DEVICES
- ALL CEILING MOUNTED FIXTURES, DEVICES, ETC. ARE TO BE CENTERED WITHIN THE CEILING TILE, UNO
- WHERE PENDANT LIGHT FIXTURES ARE UTILIZED, GENERAL CONTRACTOR TO PROVIDE APPROPRIATE BLOCKING FOR FIXTURE WEIGHT AND ASSEMBLY.
- PROVIDE CONTROL JOINTS @ 30'-0" O.C. MAX AT ALL GYPSUM BOARD BULKHEADS. LOCATE TO BE EVENLY SPACED OR TO ALIGN WITH COLUMN CENTERLINES, ADJACENT WALLS, OR OTHER ARCHITECTURAL ELEMENTS. REVIEW PROPOSED LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION.
- REFERENCE MECHANICAL AND ELECTRICAL DRAWINGS FOR MOUNTING LOCATIONS OF ITEMS WHERE NO CEILING ARE REQUIRED OR INDICATED.
- REFER TO ELECTRICAL DRAWINGS FOR LIGHTING FIXTURE SCHEDULE.
- REFER TO MECHANICAL DRAWINGS FOR DIFFUSER FINISH SCHEDULE.
- SPRINKLER HEADS WITH GYPSUM BOARD CEILING SHALL BE INSTALLED WITH WHITE COVER PLAYS. SPRINKLER LOCATIONS SHOWN ARE FOR PRELIMINARY LOCATION. VERIFY LOCATION WITH FIRE MARSHALL PRIOR TO INSTALLATION.
- PROVIDE INDIVIDUAL SWITCHES FOR EACH FIXTURE WITHIN AN ENCLOSED ROOM, UNO GANG. MULTIPLE SWITCHES WITHIN A SINGLE GANG PLATE. MARKING OF SWITCHES IS NOT POSSIBLE. INDIVIDUAL SWITCHES SHALL BE EVENLY SPACED. SWITCHES SHALL BE LOCATED AT THE SAME HEIGHT AS FIF
- WHERE ACOUSTICAL CEILING IS TO BE INSTALLED, CENTER THE CEILING GRID WITHIN THE ROOM IN BOTH DIRECTIONS, UNO.
- REFER TO FINISH SCHEDULE FOR LIGHTING SPECIFICATIONS.

1925 Prospect Ave.  
Orlando, FL 32814  
P (407) 661-9100  
F (407) 661-9101  
www.r.p.com



CLIENT NAME  
**HUTTON DEVELOPMENT**

PROJECT NAME  
**ROCKLEDGE FLATS - BUILDING B**  
220 Baron Boulevard  
Rockledge, FL 32955

SHEET TITLE  
**FLOORS 2 - 4 REFLECTED CEILING PLAN**

Revision Schedule	
No.	Description

PROJECT NO. 21002	DATE 20/01/10	DRAWN N/A	CHECKED N/A
----------------------	------------------	--------------	----------------

- GYPSUM BOARD
- CEILING TYPE
- CEILING ELEVATION
- RECESSED CAN
- PENDANT
- SEMI FLUSH
- FAN
- 2X4 TROUPER
- TAPE LIGHT
- HVAC DEVICES (REFER TO MECHANICAL DRAWINGS)
- FIRE PROTECTION SPRINKLER HEAD
- FIRE ALARM PULL STATION
- ACCESS DOOR

NOV 02, 2015  
GMP PRICING SET 15 NOVEMBER 2019