

BB
FLORIDA APPROVED IMPACT RESISTANT CURTAIN WALL FRAME

CC
FLORIDA APPROVED IMPACT RESISTANT CURTAIN WALL FRAME



DD
FLORIDA APPROVED IMPACT RESISTANT ALUMINUM STOREFRONT FRAME



EE
FLORIDA APPROVED IMPACT RESISTANT ALUMINUM STOREFRONT FRAME

Order Plans @ www.LDILine.com

GLAZING LEGEND

I – INSULATED GLASS
IT – INSULATED TEMPERED GLASS

NOTES:
1. ALL INTERIOR GLAZING TO BE TEMPERED U.N.O.
2. SEE EXTERIOR ELEVATIONS FOR SPANDREL PANEL LOCATIONS.
3. PROVIDE BLINDS AT ALL (NON-SPANDREL) EXTERIOR WINDOW LOCATIONS.
4. PROVIDE "BASF MAXFLASH" LIQUID FLASHING MEMBRANE AT HEAD/JAMB/SILL OF ALL EXTERIOR WINDOW OPENINGS

0 2 4 8 16

DRAWING CREATED: – 10/25/2019 10:43 AM
LAST DRAWING UPDATE: – 10/29/2019 4:44 PM
PLOT DATE: – 5/29/2008 11:03 AM
FILE NAME: – 1908_A728.dwg
SCALE FACTOR: – 1:48

	A7.2x	A7.2x	BLK
A-MNTE	A-NAME	A-PNTT	A-GRID	A-GSHW	A-DSTT	BLACK

PRH
MEDICAL OFFICE BUILDING
NAPLES, FLORIDA

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION THAT IS PROPERTY OF DAVIS STOKES COLLABORATIVE, P.C. THE DOCUMENT AND/OR ITS INFORMATION MAY NOT BE REPRODUCED OR DISCLOSED TO OTHERS, EITHER IN WHOLE OR IN PART, WITHOUT THE WRITTEN CONSENT OF DAVIS STOKES COLLABORATIVE, P.C. COPYRIGHT 2018 ALL RIGHTS RESERVED

DAVIS STOKES COLLABORATIVE P.C.
DSC ARCHITECTS
7121 CROSSROADS BLVD
BRENTWOOD, TN 37027
TEL (615) 726-0310
MAIL dscinfo@dscarch.com
WEB www.dscarch.com

REVISIONS

NO	DATE	DESCRIPTION

WINDOW ELEVATIONS

A7.28

ISSUE DATE	JOB NUMBER
11.12.19	19020