Order Plans @ www.EDILine.com

DRAWING CREATED: 11/8/2019 10:06 AM
LAST DRAWING UPDATE: 11/11/2019 9:13 AM
PLOT DATE: 5/29/2008 11:03 AM
FILE NAME: 0607_A401.dwg
SCALE FACTOR: 1:96

DRAWING CREATED: 10/28/2019 11:48 AM
LAST DRAWING UPDATE: 11/8/2019 9:22 AM
PLOT DATE: 3/16/2010 3:52 PM
FILE NAME: 1-02_a402.dwg
SCALE FACTOR: 1:96

CANOPY BELOW
DS
OVERFLOW SCUPPER
TYP.
13 A4.51
14 A4.51
10 A4.51
C A5.02
D A5.02
B A5.01
A A6.23
8 A4.51
5 A4.51
4 A4.51
7 A4.51
RTU-1
RTU-2
RTU-3
RTU-4
CU-1-1
CU-2-1
CU-3-1
CU-4-1
O.A. INTAKE
ELEVATOR 'POP-UP'
EF-1
1/4":1'-0" STRUCTURE SLOPE
MECHANICAL SCREEN WALL
WALK-PADS, TYP.
TOP OF SCREEN WALL 72'-8" A.F.F.
TPO ROOFING MEMBRANE OVER GYPSUM FIBER ROOF BOARD OVER RIGID ROOF INSULATION (MIN. R-30) OVER METAL DECK
NOTE:
ROOF SYSTEM BASIS OF DESIGN CARLISLE TPO SINGLE PLY FL14083 SYSTEM NO. SC-102
EXHAUST LOCATION FOR 1ST FLOOR TENANT
12'-7"
2'-0"
7'-9"
117'-6"
8"
50'-10"
52'-10"
32'-6"
11'-7 3/4"
2'-2"
21'-11"
TOP OF CONCRETE PANEL 60'-6" A.F.F.
SUN SHADE BELOW
TOP OF CONCRETE PANEL 66'-6" A.F.F.
TOP OF CONCRETE PANEL 60'-5 1/2" A.F.F.
CANOPY BELOW
TOP OF CONCRETE PANEL 69'-8" A.F.F.
TOP OF CONCRETE PANEL 66'-6" A.F.F.
TOP OF CONCRETE PANEL 60'-6" A.F.F.
A6.24
A6.25
A6.22
A6.23
A5.01
A5.21

GENERAL NOTES:
1.) ROOF INSULATION TO MIN R-30
2.) SEE MECHANICAL, ELECTRICAL & PLUMBING PLANS FOR ANY ADDITIONAL PENETRATIONS.

0 2 4 8 16

A-ROOF-BASE A-ROOF-SAGE BLACK
A-ROOF-TRIM A-ROOF-ACCT OFF SLAT SLV
A-ROOF-TRIM A-ROOF-ACCT SLAT SLV
A-ROOF A-ROOF GREEN BLACK
A-FLOR A-FLOR

STATE OF FLORIDA — WILLIE D. STOKES — AR0011031 — REGISTERED ARCHITECT — 11/12/19

PRH
MEDICAL OFFICE BUILDING
NAPLES, FLORIDA

THIS DOCUMENT CONTAINS PROPRIETARY TRADE SECRETS AND CONFIDENTIAL INFORMATION THAT IS PROPRIETARY TO DAVIS STOKES COLLABORATIVE, P.C. THIS DOCUMENT AND/OR ITS CONTENTS MAY NOT BE REPRODUCED OR DISCLOSED TO OTHERS, EITHER IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF DAVIS STOKES COLLABORATIVE, P.C. COPYRIGHT 2018 ALL RIGHTS RESERVED

DAVIS STOKES COLLABORATIVE P.C.
DSC ARCHITECTS
7121 CROSSROADS BLVD
BRENTWOOD, TN 37027
TEL (615) 726-0310
MAIL dscinfo@dscarch.com
WEB www.dscarch.com

REVISIONS

NO	DATE	DESCRIPTION

ROOF PLAN

A4.01

ISSUE DATE: 11.12.19
JOB NUMBER: 1902D