


| EXISTING TREE DISPOSITION CHART                 |                         |                  |                                       |    |     |     |           |       |                              |             |                                       |
|---|-------------------------|------------------|---------------------------------------|----|-----|-----|-----------|-------|------------------------------|-------------|---------------------------------------|
| CUMBERLAND FARMS - FORT LAUDERDALE, FLORIDA     |                         |                  |                                       |    |     |     |           |       |                              |             |                                       |
| TREE NO.  | BOTANICAL NAME          | COMMON NAME      | Grey Wood/Clear Trunk (if applicable) | HT | SPR | DBH | CONDITION | CLASS | COMMENTS                     | DISPOSITION | NON-SPECIMEN DBH TO BE REPLACED (IN.) |
| 1   | Sabal palmetto          | Cabbage Palm     | 10                                    | 18 | 10  | 10  | 75%       |       | Growing in Pavement          | relocate    |                                       |
| 2   | Mangifera indica        | Mango            |                                       | 15 | 15  | 12  | 30%       | C     | OFFSITE                      | remove      | 2.16                                  |
| 3   | Sabal palmetto          | Cabbage Palm     | 2                                     | 8  | 8   | 10  | 45%       |       | OFFSITE                      | remove      |                                       |
| 4   | Quercus virginiana      | Live Oak         |                                       | 25 | 25  | 14  | 50%       | A     | Street Tree Offsite          | remove      | 7                                     |
| 5   | Bucida buceras          | Black Olive      |                                       | 30 | 30  | 14  | 50%       | C     |                              | remove      | 4.2                                   |
| 6   | Quercus virginiana      | Live Oak         |                                       | 30 | 20  | 16  | 55%       | A     | Street Tree                  | remove      | 8.8                                   |
| 7   | Cassia ssp              | Cassia           |                                       | 18 | 10  | 10  | 45%       | B     | Hurricane Damage             | remove      |                                       |
| 8   | Livistonea chinensis    | Chinese Fan Palm | 30                                    | 40 | 8   | 10  | 55%       | E     |                              | remove      |                                       |
| 9   | Sabal palmetto          | Cabbage Palm     | 5                                     | 12 | 8   | 8   | 40%       |       | Growing in Pavement          | remove      |                                       |
| 10  | Ficus benjamina         | Benjamin Fig     |                                       |    |     | 60  | 30%       | F     | Hurricane Damage             | remove      |                                       |
| 11  | Psidium littorale       | Guava            |                                       | 15 | 10  | 5   | 40%       | F     | Invasive Exotic              | remove      |                                       |
| 12  | Casuarina equisetifolia | Casuarina Pine   |                                       |    |     |     | 0%        | F     | Hurricane Damage - Destroyed | remove      |                                       |
| 13  | Casuarina equisetifolia | Casuarina Pine   |                                       |    |     |     | 0%        | F     | Hurricane Damage - Destroyed | remove      |                                       |
| 14  | Casuarina equisetifolia | Casuarina Pine   |                                       |    |     |     | 0%        | F     | Hurricane Damage - Destroyed | remove      |                                       |
| 15  | Ficus benjamina         | Benjamin Fig     |                                       | 30 | 30  | 48  | 40%       | F     | Hurricane Damage             | remove      |                                       |
| 16  | Quercus virginiana      | Live Oak         |                                       | 26 | 20  | 16  | 60%       | A     | Street Tree                  | remove      | 9.6                                   |
| 17  | Quercus virginiana      | Live Oak         |                                       | 30 | 30  | 16  | 65%       | A     | Street Tree                  | remove      |                                       |
| 18  | Sabal palmetto          | Cabbage Palm     | 2                                     | 10 | 10  | 8   | 50%       |       |                              | remove      |                                       |
| 19  | Sabal palmetto          | Cabbage Palm     | 6                                     | 16 | 10  | 8   | 70%       |       |                              | relocate    |                                       |
| 20  | Sabal palmetto          | Cabbage Palm     | 10                                    | 20 | 10  | 10  | 70%       |       |                              | REMAIN      |                                       |
| 21  | Sabal palmetto          | Cabbage Palm     | 10                                    | 20 | 10  | 10  | 70%       |       |                              | REMAIN      |                                       |
| 22  | Sabal palmetto          | Cabbage Palm     | 6                                     | 16 | 10  | 8   | 70%       |       |                              | Relocate    |                                       |
| 23  | Sabal palmetto          | Cabbage Palm     | 12                                    | 22 | 10  | 10  | 70%       |       |                              | Relocate    |                                       |
| 24  | Sabal palmetto          | Cabbage Palm     | 6                                     | 16 | 10  | 8   | 70%       |       |                              | REMAIN      |                                       |
| 25  | Sabal palmetto          | Cabbage Palm     | 6                                     | 16 | 10  | 8   | 50%       |       |                              | remove      |                                       |
| 26  | Livistonea chinensis    | Chinese Fan Palm | 24                                    | 24 | 10  | 12  | 70%       | E     |                              | remove      |                                       |
| 27  | Bucida buceras          | Black Olive      |                                       | 30 | 30  | 14  | 70%       | C     | Street Tree                  | remove      | 5.88                                  |
| 28  | Coco nucifera           | Coconut Palm     |                                       |    |     |     | 0%        |       | Hurricane Damage - Destroyed | remove      |                                       |
| 29  | Coco nucifera           | Coconut Palm     | 10                                    | 15 | 8   | 5   | 50%       |       |                              | remove      |                                       |
| TOTAL PALMS REMOVED, TO BE REPLACED @ 1:1       |                         |                  |                                       |    |     |     |           |       |                              | 9 PALMS     |                                       |
| TOTAL QUALIFIED TREES REMOVED FROM SITE         |                         |                  |                                       |    |     |     |           |       |                              | 7 TREES     |                                       |
| TOTAL DBH OF NON-SPECIMENS TO BE REPLACED (IN.) |                         |                  |                                       |    |     |     |           |       |                              | 37.64       |                                       |
| TOTAL TRUNK-FEET PALMS TO BE RELOCATED          |                         |                  |                                       |    |     |     |           |       |                              | 24 TRUNK-FT |                                       |
| TOTAL PALMS TO REMAIN ON SITE                   |                         |                  |                                       |    |     |     |           |       |                              | 6 PALMS     |                                       |
| TOTAL QUALIFIED TREES TO REMAIN ON SITE         |                         |                  |                                       |    |     |     |           |       |                              | 0 TREES     |                                       |

**GENERAL NOTES:**

- PLANT MATERIAL: All plant material shall be Florida #1 or better as established by "Grades and Standards for Nursery Plants" of the state of Florida, Department of Agriculture.
- All trees, shrubs and groundcovers shall be of the sizes as specified in the Plant List.
- Quantities listed on the Plant List are for estimating purposes. Contractor shall verify all quantities. Mulch, topsoil, fertilizer, etc. shall be included in the unit cost of the plants.
- Where there is a discrepancy either in quantities, plant names, sizes or specifications between the plan or plant list, the plan takes precedence.
- All planting beds and water basins for trees shall be covered with a 3" minimum depth of streeded eucalyptus or floorwidth grade 12" or better.
- The Planting Plan shall be installed in compliance with all existing codes and applicable deed restrictions.
- 60D: All areas not used for buildings, vehicular use areas, walks or planting beds shall be grassed. Grassing shall extend to any abutting street pavement edge and to the near waterline of any abutting canal, lake or waterway.
- PLANTING SOIL: All trees and shrubs shall be planted with a minimum of 12" topsoil around and beneath the rootball. Minimum topsoil shall be 6" for groundcover areas and 2" for sodded grass areas.
- Planting soil to be a weed-free mixture of 50% sand, 40% muck, and 10% Canadian peat. All plant material to receive planting soil as per details.
- Contractor is responsible for determining all utility locations and installing facilities so as to not conflict. All damage to existing utilities or improvements caused by Contractor shall be repaired at no additional cost to the Owner.
- Contractor to notify "Sunshine State One Call of Florida, Inc." at 1-820-432-4110 Two Full Business Days prior to digging for underground utility locations.
- Contractor shall be responsible for providing final grading of all associated planting areas.
- After final grade, area to be raked to 6" depth and all rock and foreign inorganic materials removed and disposed of properly off-site.
- All planting holes to be hand dug except where machine dug holes will not adversely affect or damage utilities or improvements (see note 8).
- No planting of any tree or palm will be accepted. All plants to be planted at the nursery grade slightly higher.
- Contractor shall stake 4 guy all trees and palms at time of planting as per the appropriate detail. Contractor is responsible for the maintenance and/or repair of all staking and guying during the entire period and removal & disposal of staking after establishment period.
- Fertilizer for grass areas shall be NPK 16-4-8 @ 125 lbs/1000 sq. ft. or 845 lbs/1000 sq. ft. unless release form & fertilizer to include secondary micronutrients.
- SUBSTITUTIONS AND CHANGES: All substitutions and changes shall be approved in writing prior to installation. Any discrepancies between plans, site and specifications shall be brought to the immediate attention of the Landscape Architect, the owner and governing municipality.
- WATERING: All plant material shall be watered in at time of planting in accordance with standard nursery practices. In addition, Contractor will continue watering of plant material until substantial completion and as needed thereafter for a period of 2 months.
- All new plant material shall be guaranteed for 1 year from time of final acceptance of project. Any plant material not in a healthy growing condition will be replaced by the Contractor at no additional cost to the Owner within 10 days of notification. For all replacement plant material, the warranty period shall be extended an additional 45 days beyond the original warranty period. All trees that lean or are blown over, caused by winds less than 15 mph will be re-set and braced by the Contractor at no additional cost to the Owner.
- The successful bidder shall furnish to the Owner a unit price breakdown for all materials. The Owner may, at its discretion, add or delete from the materials utilizing the unit price breakdown submitted.
- No plant material will be accepted showing evidence of cable, chain marks, equipment tears, or otherwise damaged.
- Plant material will not be accepted when the ball of earth surrounding its rootball has been packed, broken or otherwise damaged.
- Root-prune all trees a minimum of (10) weeks prior to planting.
- All landscaped areas will be irrigated by an underground, automatic, drip irrigation system providing 100% coverage and 100% spray overlap. The system shall be maintained in good working order and designed to minimize water on impervious surfaces and not over-spray walkways. A sensor device shall be installed to override the irrigation cycle of the system when adequate rainfall has occurred.
- All plant material planted within the sight triangle limits (see plan) shall provide unobstructed cross-visibility at a horizontal level between 30 inches and 8 feet above adjacent street grade.
- No canopy trees shall be planted within 12 feet of a light pole. No palm species shall be planted within 6 feet of a light pole.
- Ground cover plantings shall provide not less than 50 percent coverage immediately upon planting and 100 percent coverage within 90 days after planting.
- Tree protection barricades shall be provided by Landscape Contractor around existing trees that may be impacted by the proposed construction. Prior to any construction a tree protection barricade inspection shall be conducted by the Landscape Architect, owner or governing municipality. Refer to landscape detail for tree preservation barricade fencing.
- In landscaped areas, trees and palms shall be maintained to allow for clear passage at an 8 foot clear trunk diameter.
- All landscape material shall be setback a minimum of 10' from any Fire Hydrant.



Order Plans @

WWW.LDILLING.COM

**THOMAS ENGINEERING GROUP**  
 CIVIL ENGINEERS - PROJECT MANAGERS - LAND PLANNING - LANDSCAPE ARCHITECTS  
 1000 CORPORATE DR. SUITE 600 FORT LAUDERDALE, FL 33334  
 PH: (954) 202-7000 FX: (954) 202-7070  
 125 W. KENNEDY BLVD. SUITE 206 FORT LAUDERDALE, FL 33304  
 PH: (954) 202-7000 FX: (954) 202-7070

| REV. | DATE     | COMMENT                         | BY  |
|------|----------|---------------------------------|-----|
| 1    | 03/07/18 | ISSUED 75% RESUBMITTAL          | MDG |
| 2    | 09/25/18 | ISSUED 75% RESUBMITTAL          | MDG |
| 3    | 11/06/18 | RESPONSE TO 75% COMMENTS        | MAT |
| 4    | 01/04/19 | ADDRESS TRAFFIC ENG. CONDITIONS | MAT |

**811** KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG  
 It's fast. It's free. It's the law.  
 www.callsunshine.com

100% PLANS SUBMITTAL

|              |                               |
|--------------|-------------------------------|
| PROJECT No.: | F150057                       |
| DRAWN BY:    | JFV                           |
| CHECKED BY:  | MAT                           |
| DATE:        | 09/11/2019                    |
| CAD I.D.:    | F150057-TREE DISPOSITION PLAN |

PROJECT: CUMBERLAND FARMS SUNRISE BLVD. & NE 4TH AVENUE

FOR CUMBERLAND FARMS

**THOMAS ENGINEERING GROUP**  
 RADICE III  
 1000 CORPORATE DRIVE, SUITE 250  
 FORT LAUDERDALE, FL 33334  
 PH: (954) 202-7000  
 FX: (954) 202-7070  
 www.ThomasEngineeringGroup.com

**MICHAEL D. GROSSWIRTH**  
 LA 8666871  
 REGISTERED LANDSCAPE ARCHITECT  
 September 11, 2019  
 FLORIDA LICENSE No. 199571  
 FLORIDA BUSINESS REGISTRATION No. 27528

SHEET TITLE: TREE DISPOSITION PLAN  
 SHEET NUMBER: CFG08.2

Printed on Wednesday, September 11, 2019, 4:39 PM by Max McGinnis  
 C:\PROJECTS\2019\CUMBERLAND FARMS\SUNRISE BLVD & NE 4TH AVENUE\DWG\08-TREE DISPOSITION PLAN.dwg