

WALL FINISH GENERAL NOTES

- A. TOUCH UP EXISTING PAINTED SURFACES BELOW 8'-0" A.F.F. AS REQUIRED.
- B. PREPARE ALL SURFACES TO BE PAINTED AND/ OR TOUCHED UP AS PER SPECIFICATIONS.
- C. GENERAL CONTRACTOR SHALL COORDINATE WITH PUBLIX REPRESENTATIVE TO FIELD VERIFY EXISTING WALL COLOR(S) AND PAINT SCOPE.
- D. EXISTING SIGNAGE TO REMAIN UNLESS NOTED OTHERWISE. COORDINATE THE REPLACEMENT OF DAMAGED SIGNAGE WITH PUBLIX REPRESENTATIVE.
- E. COORDINATE WITH PUBLIX REPRESENTATIVE TO PROVIDE ADDITIONAL NEW SIGNAGE.

1 A2.2 FINISH PLAN

SCALE: 3/32" = 1'-0"

FLOOR PLAN LEGEND:

- REFLAKE MMA
- TOPCOAT MMA
- RESURFACE MMA
- PROFESSIONALLY CLEAN MMA BY PUBLIX
- CARPET
- VINYL COMPOSITION TILE
- QUARRY TILE
- RE-GROUT FLOOR TILE
- TERRAZZO
- INDICATES FLOOR PATCHING AT TRENCHING/REMOVED WALLS. MATCH ADJACENT FINISH FLOORING MATERIALS.
- CONCRETE

FINISH SCHEDULE GENERAL NOTES

- A. BACK AREAS SUCH AS STORAGE ROOMS, CLOSETS, ELECTRICAL ROOMS, JANITOR ROOM, RECEIVING AREAS AND SUPPLY ROOMS TO BE PAINTED IP-21, UNO. JANITOR ROOM WALL PAINT TO BE EPOXY.
- B. OFFICES SUCH AS MANAGERS AND DEPARTMENTAL OFFICES, CASH ROOM, GENERAL OFFICE, TRAINING ROOM AND EMPLOYEE LOUNGE WITH PAINTED GYP TO BE PAINTED IP-4, UNO.
- C. IN RECEIVING AND STORAGE A 2" WIDE RED STRIPE (SW B-66R38 SAFETY RED) SHALL BE PAINTED AT A HEIGHT OF 1'-6" BELOW THE EXISTING CEILING/STRUCTURE OR A MAXIMUM HEIGHT OF 12'-0" AFF (TOP OF LINE) ON WALLS WHERE STORAGE OCCURS. ABOVE THIS LINE WILL BE STENCILED, IN 3" CAPITAL LETTERS, "NO STORAGE ABOVE THIS LINE".
- D. REFER TO INTERIOR ELEVATIONS (SHEET A2.4) FOR INTERIOR PAINT SCHEME IN PERIMETER SALES AND FRONT OF STORE/CHECKOUT. FOR FLOOR FINISHES, REFERENCE FLOOR FINISH PLAN (SHEET A2.2).
- E. FLOOR FINISHES, WALL FINISHES, AND CEILING SYSTEMS ARE TO REMAIN AS EXISTING UNLESS NOTED OTHERWISE IN FINISH SCHEDULE.
- F. ALL WALL AND COLUMN FINISHES TO BE CLASS A.
- G. ALL COLUMNS IN GROCERY SALES TO BE PAINTED IP-1 ABOVE HEIGHT OF STAINLESS STEEL FINISH UNO.
- H. EXTEND WALL FINISH AND BASE 2'-0" BEHIND CASES AND SHELVING IN SALES AREA.
- I. ALL SIGNAGE SHOWN AND PROPOSED FREE STANDING LETTERS ARE TO BE PROVIDED BY PUBLIX. SEE SEPARATE PUBLIX SIGNAGE DRAWINGS.
- J. CLEAN & PAINT EXISTING TRIM & WOOD/HM DOOR AND/OR FRAME TO MATCH ADJACENT WALL FINISH.
- K. ALL "EQUAL" DIMENSIONS SHOWN APPLY TO THE SPECIFIC ELEVATION ONLY.
- L. NEW AND EXISTING WOOD TRIM OVER FREE STANDING CASES TO BE PAINTED AS INDICATED. DO NOT PAINT PREFINISHED METAL TRIM.
- M. CONTRACTOR IS TO POLISH EXISTING SS COLUMN WRAPS. VERIFY QUANTITY WITH PUBLIX ON-SITE FIELD REPRESENTATIVE.
- N. WHEN COOLER WALLS ARE DIRECTLY EXPOSED TO THE SALES FLOOR, PAINT THE COOLER TO MATCH THE SURROUNDING/ ADJACENT WALL COLOR.
- O. CLEAN AND PAINT FRP THRU OUT STORE.
- P. CONTRACTOR SHALL INCLUDE $5,000 ALLOWANCE FOR ALL FLOORING PATCH/REPAIR. CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
- Q. ALL MMA FLOOR TOP COATS SHOULD BE UNDER GC SUPERVISION DURING THE REMODEL.
- R. ALL SALES AREA FLOOR MMA REFLAKE SHOULD BE DONE BY GC AS PART OF THE REMODEL UNDER SUPERVISION OF PUBLIX CONSTRUCTION. WE SHOULD NOT MOVE GONDOLAS TO RE-FLAKE UNDER THEM - LEAVE GONDOLAS IN PLACE AND RE-FLAKE UP TO THE GOINDOLA BASE. LOCAL PUBLIX CONSTRUCTION DEPT. REPRESENTATIVE SHOULD DETERMINE ON SITE WHAT OTHER EQUIPMENT THAT CAN STAY IN PLACE (CHECKSTANDS, OFFICE COUNTERS, O3UMs, ETC. IF PLANS CALL FOR MOVING A CASE OR FIXTURE, WE SHOULD REFLAKE THE NEW LOCATION FIRST, THEN MOVE THE CASE/FIXTURE TO THE NEW LOCATION.
- S. GC TO DO MMA TOP COATS IN BACK ROOMS AND PRODUCTION AREAS DURING THE REMODEL.
- T. FACILITIES SERVICE WILL DO ALL DEEP CLEANS AFTER THE REMODEL.
- U. ALL MMA SALES FLOOR TO BE TOP COATED TO BE BUFFED.
- V. CONTRACTOR IS RESPONSIBLE FOR REMOVING, DISPOSING, AND RENDERING OLD SIGNAGE AS UNUSABLE WHEN PLACING IT IN TRASH RECEPTACLES. SEE PUBLIX REPRESENTATIVE.
- W. ALL WALL PAINT TO BE SEMI-GLOSS BELOW 8'-0" AND FLAT ABOVE 8'-0" (OR AT NEAREST HORIZONTAL TRANSITION AS APPLICABLE).
- X. ANY NEW BASE TRIM REQUIRED SHALL BE INSTALLED AFTER ALL PAINTING HAS BEEN COMPLETED.
- Y. PAINTING CONTRACTOR TO CONTACT PUBLIX CONSTRUCTION REPRESENTATIVE TO PROVIDE PAINTING SCOPE FOR DUCTWORK AND DRIP PANS VISIBLE IN GROCERY SALES.
- Z. PAINT ALL RETURN AND SUPPLY GRILLES USING ADJACENT WALL COLOR AND APPROPRIATE PAINT TYPE.
- AA. PAINT ALL EXPOSED UTILITY DROPS SUCH AS PLUMBING LINES, REFRIGERATION LINES, ELECTRICAL CONDUIT, DUCTS & COLUMNS TO MATCH ADJACENT WALL SURFACE. WHEN MORE THAN ONE COLOR IS USED ON WALL, MATCH COLOR CHANGES AT EXACT SAME HEIGHTS.
- BB. THE PAINT COLOR INDICATED FOR THE FACE OF BUMP-OUTS, BANDS, AND SOFFITS SHALL WRAP ALL SIDES AND BOTTOM, UNO.
- CC. THE EXPOSED BACKSIDE VERTICAL FACE OF ALL SOFFITS IS TO BE PAINTED SW 7006 "EXTRA WHITE", UNO.
- DD. ALL FACES OF THE SOFFIT(S) ABOVE THE GENERAL SALES FOR ARE TO BE PAINTED SW 6102 "PORTABELLO", UNO.
- EE. PAINT EDGE OF SIDEWALK ALONG THE FRONT FACADE- SHERWIN WILLIAMS: PRO-PARK- COLOR: YELLOW.
- FF. ALL FERROUS AND NON-FERROUS METALS, INCLUDING ARMOR-FLEX, TO BE PREPARED AND PRIMED WITH DTM BONDING PRIMER AND THEN PAINTED WITH APPLICABLE ADJACENT COLOR.
- GG. ALL SURFACES BEHIND CASES, WALK-IN COOLER, OR FREEZERS SHALL JUST RECEIVE PRIMER OR BLOCK FILLER. ALL EXPOSED SURFACES ABOVE THE CASES, WALK-IN COOLERS, OR FREEZERS SHALL ALSO RECEIVE THE FINISH COAT OF PAINT.
- HH. APPLY BLOCK FILLER TO ALL MASONRY TO RECEIVE PAINT.
- II. ALL GAS PIPING TO BE PAINTED SAFETY YELLOW.
- JJ. NOT ALL COLORS OR FINISHES MAY BE USED ON THIS PROTOTYPE.
- KK. GENERAL CONTRACTOR SHALL PREPARE ALL SURFACES FOR PAINTING OR AS REQUIRED TO RECEIVE NEW DECOR. PUBLIX SHALL PAINT ALL INTERIOR (NEW AND EXISTING) SURFACES NOTED TO BE PAINTED, AS PER SPECIFICATIONS OR TO MATCH EXISTING. PAINT SCHEME IN SPECIALTY SALES TO BE CONFIRMED WITH PUBLIX REPRESENTATIVE PRIOR TO PAINTING.

FINISH SCHEDULE KEY NOTES

1. USE UNSANDED LATEX PORTLAND CEMENT GROUT, EQUAL TO LATICRETE 1642 PLATINUM, UNO.
2. USE EPOXY GROUT, S-400/961 GRAY BY SUMMITVILLE.
3. REFER TO INTERIOR ELEVATIONS FOR INTERIOR PAINT SCHEME (SEE A07).
4. INSTALL THERMAL INSULATION BATT WITH FOIL BACKED PAPER, R-13 VALUE ABOVE THE CEILING TILES
5. INSTALL THERMAL INSULATION BATT WITH FOIL BACKED PAPER, R-19 VALUE ABOVE THE CEILING TILES.
6. PAINT GYP BOARD CEILING (FINISH CODE IP-22).
7. REMOVE EXISTING BASE AS REQUIRED TO ACCOMMODATE INSTALLATION OF NEW WALL FINISH, REINSTALL EXISTING OR NEW AS REQUIRED TO MATCH.
8. CLEAN EXISTING WALL FINISH.
9. PATCH CEILING W/ SALVAGED AND/OR NEW TILES AS REQUIRED, INCLUDE $2,000 ALLOWANCE. CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
10. CLEAN CEILING SYSTEM (BY PUBLIX).
11. STEAM PRESSURE CLEAN EXISTING SLAB.
12. WALL PAINT TO BE SEMI-GLOSS.
13. PROVIDE PLYWOOD TO MATCH EXISTING THICKNESS FROM TOP OF EXISTING, TO CEILING ABOVE FOR UNIFORM SUBSTRATE. INSTALL KEMLITE OVER PLYWOOD FROM FLOOR TO CEILING.
14. SELECTIVELY REPLACE DAMAGED WALL PANELS TO MATCH EXISTING, REPLACE BASE TO MATCH EXISTING AS REQUIRED.
15. REPLACE AND/OR RE-GROUT MISSING, LOOSE OR CRACKED TILE AS REQUIRED, SEE NOTE 21 FOR ALLOWANCE. CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
16. REPLACE DAMAGED WOOD BASE.
17. FIELD CONFIRM IF EXISTING DAMAGED PANELS ARE TO BE REPLACED.
18. INSTALL "SIKATOP" '122 PLUS' LEVELING COMPOUND AS REQUIRED FOLLOWING MANUFACTURER'S RECOMMENDATION.
19. REPLACE MISSING, LOOSE OR CRACKED VINYL COMPOSITION TILE AS REQUIRED. CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
20. REFER TO DETAILS ON THIS SHEET FOR SEAMLESS MMA RESIN SYSTEM BASE CONDITION AS APPLICABLE.
21. CONTRACTOR SHALL PATCH AND REPAIR TERRAZZO FLOORING, THEN REGRIND AND CLEAN EXISTING WHERE CASES/EQUIPMENT WERE REMOVED OR RELOCATED, AND AT ALL LOCATIONS FIELD VERIFIED W/ PUBLIX REP. INCLUDE $5,000 ALLOWANCE FOR ALL FLOORING PATCH/REPAIR (INCLUDING HARD FLOOR TILE AND VCT). CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
22. PROVIDE 2" RED STRIPE (FINISH CODE IP-18) WITH TOP OF STRIPE AT ELEVATION (-) 1'-6" BELOW FINISHED CEILING IN ALL STORAGE AREAS TO DENOTE HEIGHT OF STACKING LIMIT. IN ALL AREAS WHERE CEILING IS EXPOSED, PROVIDE STRIPE 1'-6" BELOW LOWEST CEILING MOUNTED EQUIPMENT. IN ALL CONDITIONS, MAXIMUM HEIGHT OR STRIPING SHALL NOT EXCEED 12'-0".
23. WALL PAINT TO BE EPOXY.
24. WHERE EXISTING, REMOVE WALL COVERING AND PREPARE WALL FOR NEW FINISH, INCLUDE $5,000 ALLOWANCE. CONSULT PUBLIX SUPERVISOR ON SITE FOR EXTENT OF WORK.
25. PATCH WALL AND FLOOR FINISH WHERE EXISTING WALLS AND FIXTURES WERE REMOVED AND AT NEW WALL & FIXTURE LOCATIONS. MATCH ADJACENT FINISHES.
26. PROVIDE WALL PANEL ON EXPOSED SURFACES ONLY.
27. DELAMINATED WALL PANELS ARE TO REMAIN / BE FASTENED IN PLACE AND GLUED TO SUBSTRATE USING SYRINGES. PANELS THAT ARE DAMAGED OR REMOVED FOR INSPECTION OF HIDDEN CONDITIONS SHALL BE REPLACED WITH NEW MATCHING PANELS.
28. PROFESSIONALLY CLEAN EXISTING FLOOR FINISH AS REQUIRED.
29. ALL DOOR PLASTIC LAMINATE TO BE WILSONART KENSINGTON MAPLE.
30. MOP SINK TO BE PATCHED AND REPAIRED AS REQUIRED. COORDINATE EXTENT OF WORK WITH PUBLIX ON-SITE REPRESENTATIVE.
31. PAINT OVER EXPOSED WALL PANELS, REFER TO INTERIOR ELEVATIONS FOR PAINT SCHEME (SEE A2.4).
32. CERAMIC & FLOOR TILE PATTERN - SEE CORRESPONDING DETAIL IN PUBLIX TILE PATTERN MANUAL AT http://corporate.publix.com/business/design-and-construction. CONFIRM WITH PUBLIX ON-SITE REPRESENTATIVE FOR FINAL TILE SELECTION.
33. CEILING SYSTEM TO HAVE PROFESSIONALLY DEEP CLEANING.
34. FOR TP-18 ONLY, USE EPOXY GROUT 'BUTTERCREAM' 81 BY LATICRETE.
35. ALL ASSOCIATE LOUNGE WALLS: FRP-1 UP TO 48" AFF WITH PAINT ABOVE.
36. USE EPOXY GROUT PRISM SURE GROUT #521.
37. CONFIRM STABILITY OF EXISTING QUARRY TILE FLOORING AS ACCEPTABLE SUBSURFACE FOR NEW MMA FLOORING. INSTALLER SHALL BE IN AGREEMENT WITH PUBLIX ON-SITE FIELD REPRESENTATIVE REGARDING REQUIRED PREPARATION. NOTIFY ARCHITECT IF QUARRY TILE IS IN NEED OF REMOVAL.
38. NEW CEILING TILES. EXISTING CEILING GRID TO REMAIN.
39. STAINLESS STEEL WALL FINISH TO EXTEND ENTIRE LENGTH OF HOOD ABOVE.
40. USE PRISM GROUT COLOR #09 NATURAL GREY.
41. SEAMLESS MMA RESIN SYSTEM WITH ALUM. OXIDE GRIT.
42. RE-FLAKE SEAMLESS MMA RESIN FLAKE SYSTEM. REF. SPECS.
43. TOP-COATED SEAMLESS MMA RESIN FLAKE SYSTEM. REF SPECS.
44. RESURFACED SEAMLESS MMA RESIN QUARTZ SYSTEM. REF SPECS.
45. TOP-COATED SEAMLESS MMA RESIN QUARTZ SYSTEM. REF. SPECS.
46. SEAMLESS MMA RESIN QUARTS SYSTEM W/ AGGREGATE ON FLOOR OF WORK AREA ONLY. DO NOT APPLY AGGREGATE TO BASIN AREA.
47. PAINT (IP-12) OVER EXPOSED WALL PANELS.
48. ALL EXIST. FINISHES, MATERIALS, ETC. THAT REMAIN ARE TO BE CLEANED AND REPAIRED AS REQUIRED.
49. NEW PAINT ON FLOOR (SAFETY YELLOW): 6" WIDE STRIPES AT 2'-0" O.C. AS SHOWN INDICATING EGRESS PATH THROUGH STORAGE AREA (TO MEET CODE).
50. FOR CT-7, USE EPOXY GROUT 'PLATINUM SANDED' #542 BY LATICRETE. (AT NEW AREAS ONLY)
51. RESEAL CONCRETE FLOOR.
52. WALL VINYL BAND BY PUBLIX - GC SHALL COORDINATE THE REMOVAL AND RE-INSTALLATION OF ALL DEVICES, EQUIPMENT, DISPENSERS, ETC. THAT ARE IN THE AREAS TO RECEIVE WALL VINYL BANDS. GC SHALL TAKE CARE TO AVOID DAMAGE OF WALL BANDS DURING THE WALL VINYL BAND INSTALLATION AND THROUGH THE REMAINDER OF CONSTRUCTION.
53. RE-GROUT FLOOR TILE.
54. REPLACE VINYL BASE THROUGHOUT SALES FLOOR WHERE EXISTING.
55. NEW COVE BASE, REF. WALL FINISHES ON A2.1

FLOOR FINISH PLAN NOTES:

NOTES:

1. HATCHES INDICATE APPROXIMATE EXTENT OF THE AREAS THAT ARE TO RECEIVE FLOOR FINISHES. VERIFY FLOORING SCOPE WITH PUBLIX CONSTRUCTION REPRESENTATIVE PRIOR TO COMMENCEMENT OF WORK.
2. REFER TO SHEETS A2.1 AND A2.4 FOR ADDITIONAL FINISH INFORMATION.

FINISH KEY

WALL FINISHES

TAG # HEXAGON ON FLOOR PLAN — TAG # ELLIPSE ON ELEVATION

FINISH CODE	FINISH TYPE	DESCRIPTION	MANUFACTURER	NOTES
CT-1	CERAMIC TILE	K176 ICE GREY (4"x4")	DALTILE	1, 3
CT-2	CERAMIC TILE	D190 ARCTIC WHITE (4"x4")	DALTILE	1, 3
CT-3	CERAMIC TILE	K112 TIMBERLINE (4"x4")	DALTILE	1, 3
CT-4	CERAMIC TILE	X735 MATTE ALMOND (3"x6")	DALTILE	42
CT-5	CERAMIC TILE	0790 MATTE ARCTIC WHITE (3"x6")	DALTILE	42
CT-6	GLASS TILE	P666 RAIN FOREST MARACAS GLASS SERIES GLOSSY BLEND	DALTILE	42
CT-7	CERAMIC TILE	0100 WHITE STANDARD (3"x3")	DALTILE	45
CT-E	CERAMIC TILE	EXISTING CERAMIC TILE TO REMAIN		8, 15
CT-M	CERAMIC TILE	MATCH EXIST ADJACENT TILE WORK		
CW-A	COOLER WALL/ FREEZER PANEL	EMBOSSED ALUMINUM FINISH		
CW-S	COOLER WALL/ FREEZER PANEL	STAINLESS STEEL FINISH		
CW-W	COOLER WALL/ FREEZER PANEL	WHITE FINISH		
CW-E	COOLER WALL/ FREEZER PANEL	EXISTING TO REMAIN		
IP-1	PAINT	SW 6102 PORTABELLO	SHERWIN WILLIAMS	24
IP-2	PAINT	SW 0042 RUSKIN ROOM GREEN	SHERWIN WILLIAMS	24
IP-3	PAINT	NOT USED	SHERWIN WILLIAMS	24
IP-4	PAINT	SW 6119 ANTIQUE WHITE	SHERWIN WILLIAMS	24
IP-5	PAINT	SW 6674 JONQUIL	SHERWIN WILLIAMS	24
IP-6	PAINT	SW 6516 DOWN POUR	SHERWIN WILLIAMS	24
IP-7	PAINT	SW 6360 FOLKSY GOLD	SHERWIN WILLIAMS	24
IP-8	PAINT	SW 6431 LEAP FROG	SHERWIN WILLIAMS	24
IP-9	PAINT	NOT USED	SHERWIN WILLIAMS	24
IP-10	PAINT	SW 6716 DANCING GREEN	SHERWIN WILLIAMS	24
IP-11	PAINT	SW 6228 REFUGE	SHERWIN WILLIAMS	24
IP-12	PAINT	SW 6206 OYSTER BAY	SHERWIN WILLIAMS	24
IP-13	PAINT	SW 6321 RED BAY	SHERWIN WILLIAMS	24
IP-14	PAINT	SW 7069 IRON ORE	SHERWIN WILLIAMS	24
IP-15	PAINT	SW 6116 TATAMI TAN	SHERWIN WILLIAMS	24
IP-16	PAINT	NOT USED	SHERWIN WILLIAMS	24
IP-17	PAINT	SW 6307 FINE WINE	SHERWIN WILLIAMS	24
IP-18	PAINT	SW 6340 BAKED CLAY	SHERWIN WILLIAMS	24
IP-19	PAINT	SW 66R38 SAFETY RED	SHERWIN WILLIAMS	24
IP-20	PAINT	ALKYD PRIMER	SHERWIN WILLIAMS	24
IP-21	PAINT	SW 6524 LAZY GRAY	SHERWIN WILLIAMS	24
IP-22	PAINT	SW 7006 EXTRA WHITE	SHERWIN WILLIAMS	24
IP-23	PAINT	NOT USED	SHERWIN WILLIAMS	24
IP-24	PAINT	SW 0011 CREWEL TAN	SHERWIN WILLIAMS	24
IP-25	PAINT	NOT USED	SHERWIN WILLIAMS/	24
IP-26	PAINT	NOT USED	SHERWIN WILLIAMS	24
IP-27	PAINT	SW 6515 LEISURE BLUE	SHERWIN WILLIAMS	24
IP-28	PAINT	SW 6527 BLISSFUL BLUE	SHERWIN WILLIAMS	24
IP-E	PAINT	EXISTING PAINT FINISH TO REMAIN		
IP-M	PAINT	MATCH EXISTING ADJACENT COLOR		
TP-	CERAMIC TILE	TILE PATTERN 1-17		1, 24, 32
TP-18	CERAMIC TILE	TILE PATTERN 18		1, 24, 32, 34
TP-	CERAMIC TILE	TILE PATTERN 19-23		1, 24, 32
TP-M	CERAMIC TILE	MATCH EXIST ADJACENT TILE WORK		
TP-E	CERAMIC TILE	EXISTING TILE PATTERN TO REMAIN		
VB-1	VINYL BASE	6" COVE- #49 BEIGE OR EQUAL	JOHNSONITE	
VB-2	VINYL BASE	4" COVE (MEDIUM GRAY)	SEE SPECS	
VB-3	VINYL BASE	6" COVE (MEDIUM GRAY)	SEE SPECS	
VB-E	VINYL BASE	EXISTING VINYL BASE TO REMAIN		8
VB-M	VINYL BASE	MATCH EXISTING VINYL BASE		
WB-1	NEW WOOD BASE	WOOD BASE- 4" (MEDIUM GRAY)		
MB-1	MMA	NEW 6" MMA BASE		
NB-M	BASE	NEW BASE TO MATCH EXIST ADJACENT		
WC-E	WALL COVERING	EXISTING WALL COVERING TO REMAIN		
WC-M	WALL COVERING	MATCH EXIST ADJACENT WALL COVERING, PAINT IP-4 IF NOT AVAILABLE		
WD-1	TONGUE AND GROOVE PLANKING	1/2" THICK BY 4" WIDE V-JOINT LONGLEAF SOUTHERN PINE, S4S FINISH-MINWAX WOOD FINISH- "GOLDEN PECAN 245"		
WD-2		NOT USED		
FRP-1	FIBERGLASS REINFORCED PLASTIC	SEQUENTIA "STRUCTOGLAS FRP" - "ALMOND" MARLITE "STANDARD FRP" - "IVORY" GLASTEEL "GLASLINER FRP" - "IVORY" KEMLITE "FIRE-X GLASBORD" - "COLONIAL WHITE"	KEMLITE	24
FRP-2	FIBERGLASS REINFORCED PLASTIC	SEQUENTIA "STRUCTOGLAS FRP" - "WHITE" MARLITE "STANDARD FRP" - "WHITE" GLASTEEL "GLASLINER FRP" - "BRIGHT WHITE" KEMLITE "FIRE-X GLASBORD" - "WHITE"	KEMLITE	24
FRP-3	FIBERGLASS REINFORCED PLASTIC	SEQUENTIA "STRUCTOGLAS FRP" - "GRAY" MARLITE "STANDARD FRP" - "LIGHT GRAY" GLASTEEL "GLASLINER FRP" - "LIGHT GRAY" KEMLITE "FIRE-X GLASBORD" - "PEARL GRAY"	KEMLITE	24
FRP-E	FIBERGLASS WALL PANEL	EXISTING FIBERGLASS REINFORCED POLYESTER PANELS TO REMAIN		
FRP-M	FIBERGLASS WALL PANEL	NEW FIBERGLASS REINFORCED POLYESTER PANELS TO MATCH EXIST		
PL-1	PLASTIC LAMINATE	NOT USED		
PL-2	PLASTIC LAMINATE	NOT USED		
PL-3	PLASTIC LAMINATE	NOT USED	WILSONART	
PL-4	PLASTIC LAMINATE	7939K-18 "BLOND ECHO"	WILSONART	
PL-5	PLASTIC LAMINATE	7951K-18 "ASIAN SUN"	WILSONART	
PL-6	PLASTIC LAMINATE	NOT USED		
PL-7	PLASTIC LAMINATE	7209K-78 "NEPAL TEAK"	WILSONART	
PL-8	PLASTIC LAMINATE	4673-60 "SAFFRON TIGRIS"	WILSONART	
PL-9	PLASTIC LAMINATE	4912-38 "GILDED MESH"	WILSONART	
PL-10	PLASTIC LAMINATE	4588-07 "KALAHARI TOPAZ"	WILSONART	
PL-11	PLASTIC LAMINATE	7962K-18 "ALOE"	WILSONART	
PL-12	PLASTIC LAMINATE	"BRUSHED ALUMINUM" EDGE BANDING	WILSONART	
PL-13	PLASTIC LAMINATE	7941K-18 "TAN ECHO"	WILSONART	
PL-14	PLASTIC LAMINATE	ACROVYN CHAMELEON WALL PROTECTION - #410 "BRUSHED SILVER"	WILSONART	
PL-E	PLASTIC LAMINATE	EXISTING PLASTIC LAMINATE TO REMAIN	WILSONART	
PL-M	PLASTIC LAMINATE	NEW PLASTIC LAMINATE TO MATCH EXISTING		
PP-1	PAINTED PLYWOOD	5/8" PLYWOOD OVER GYP	SHERWIN WILLIAMS SW 6524 (LAZY GRAY)	
SS-1	STAINLESS STEEL	STAINLESS STEEL		
SS-E	STAINLESS STEEL	EXISTING STAINLESS STEEL FINISH TO REMAIN		
WV-MT	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
WV-SF	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
WV-PR	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
WV-BK	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
WV-DL	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
WV-VE	WALL VINYL ACCENT	SERVICE DEPTMENT WALL VINYL ACCENT BAND (OF-OI)	SEE PUBLIX REPRESENTATIVE FOR MORE INFORMATION	
GL-1	METAL FINISHES	GALVANIZED STEEL		
TBD	PAINT	COLOR SELECTED BY PUBLIX REP		
FROST	FROSTED GLASS DECORATIVE FILM	3M FASARA GLASS FINISH-CIELO		
QZ-1	QUARTZ RESIN SOLID SURFACE	CAMBRIA, DESERT COLLECTION, CHERRY BROOK (3CM THICK - MITRED EDGE)	CAMBRIA	
AM-1	ACCENT MATERIAL	ACCENT MATERIAL PROVIDED BY PUBLIX, SEE PUBLIX REP. FOR MORE INFO		

FINISH KEY

FLOOR FINISHES

TAG # RECTANGLE ON FLOOR PLAN

FINISH CODE	FINISH TYPE	DESCRIPTION	MANUFACTURER	NOTES
CO-1	CONCRETE	SMOOTH TROWEL W/ SEALER		REF SPECS
CO-2	CONCRETE	BROOM FINISH		
CO-E	CONCRETE	EXISTING CONCRETE TO REMAIN		11
CO-M	CONCRETE	NEW CONCRETE TO MATCH EXISTING		
CP-1	CARPET	SERIES: SENATOR (SOFT-STEP) WITH ANTI-FATIGUE BACKING) COLOR: OAK CHARCOAL	CHARLES VAN GELDER IMPORTERS, INC.	18 AS REQ'D
CP-2	CARPET	NOT USED		
CP-3	CARPET	SERIES: DOMINATOR COLOR: MID-GRAY	CHARLES VAN GELDER IMPORTERS, INC.	18 AS REQ'D
CP-E	EXISTING CARPET TO REMAIN			
CT-E	EXISTING CERAMIC TILE TO REMAIN			28
CT-1	CERAMIC TILE	B928 6"x6" URBAN PUTTY	DALTILE	41
EP-1	EPOXY PAINT	"PUBLIX GRAY" W/ NO GRIT	LAMBERT CORPORATION	11
FP-1	EPOXY PAINT	"SAFETY YELLOW" STRIPING W/ GRIT	SHERWIN WILLIAMS, OR SIM.	40
FT-1	QUARRY TILE	FOR CURRENT QUARRY TILE SPECS. REF. PUBLIX TILE PATTERN BOOK	DALTILE QUARRY TEXTURE	32
FT-2	QUARRY TILE	FOR CURRENT QUARRY TILE SPECS. REF. PUBLIX TILE PATTERN BOOK	DALTILE QUARRY TEXTURE	32
FT-3	QUARRY TILE	FOR CURRENT QUARRY TILE SPECS. REF. PUBLIX TILE PATTERN BOOK	CERAMIC TECHNIQUES	32
FT-4	QUARRY TILE	FOR CURRENT QUARRY TILE SPECS. REF. PUBLIX TILE PATTERN BOOK	DALTILE QUARRY TEXTURE	32
FT-E	EXIST. QUARRY TILE (PAVERS)	TO REMAIN		15
FT-M	NEW QUARRY TILE (PAVERS)	TO MATCH EXISTING		18 AS REQ'D
RST-1	RUBBER STAIR TREAD	STDARD PROFILE - RAISED CIRCULAR 150 CHARCOAL GRAY	ROPPE	
RST-E	EXISTING RUBBER STAIR TREAD			
SQ-1	SEAMLESS MMA RESIN SYSTEM	"PUBLIX GREY" W/ ALUM OXIDE GRIT	SILIKAL RESIN SYSTEMS WATERBURY, CT	20
SQ-2	SEAMLESS MMA RESIN SYSTEM	"PUBLIX GREY"	SILIKAL RESIN SYSTEMS WATERBURY, CT	20
SQ-3	SEAMLESS MMA RESIN SYSTEM	"PUBLIX BEIGE" W/ ALUM OXIDE GRIT	SILIKAL RESIN SYSTEMS WATERBURY, CT	20
SQ-4	SEAMLESS MMA RESIN SYSTEM	"PUBLIX BEIGE"	SILIKAL RESIN SYSTEMS WATERBURY, CT	20
SQ-E	EXISTING SEAMLESS MMA RESIN SYSTEM	TO REMAIN		28
SQ-M	SEAMLESS MMA RESIN SYSTEM	TO MATCH EXISTING	SILIKAL RESIN SYSTEMS WATERBURY, CT	20
STRDK	STARDEK CEMENTITIOUS TYPE	BRISTOL BASE, CARMEL AND SAHARA ACCENT DOTS	CREATIVE CONCRETE COATINGS	
TZ-1	TERRAZZO	3/8" THICK MONOLITHIC TERRAZZO: 20% CARDIFF GREEN, 80% GEORGIA WHITE WITH WHITE CEMENT		
TZ-2	TERRAZZO	3/8" THICK MONOLITHIC TERRAZZO: 80% CARDIFF GREEN, 20% GEORGIA WHITE WITH WHITE CEMENT		
TZ-E	EXIST. TERRAZZO	TO REMAIN		21, 28
TZ-M	NEW TERRAZZO	TO MATCH EXISTING		
VT-1	VINYL COMPOSITION TILE	51911 CLASSIC WHITE 12"x12"x1/8" GAUGE	ARMSTRONG	18 AS REQ'D
VT-E	EXIST. VCT TO REMAIN			19, 28
VT-M	NEW VINYL TILE TO MATCH ADJACENT TILE			18 AS REQ'D SEE 21 FOR ALLOWANCE
VT-P	VINYL COMPOSITION TILE PATTERN	60% VT-1 40% VT-2	ARMSTRONG	18, RANDOM PATTERN

NORTH

LITTLE
DIVERSIFIED ARCHITECTURAL CONSULTING

615 South College Street, Suite 1600 Charlotte, NC 28202
T: 704.525.6350 F: 704.561.8700

www.littleonline.com

This drawing and the design shown are the property of Little Diversified Architectural Consulting. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

© Little 2019

Publix

CORPORATE OFFICES - FACILITIES DESIGN
PHYSICAL ADDRESS:
3300 PUBLIX CORPORATE PKWY., LAKELAND, FL 33811-3311
MAILING ADDRESS:
BOX 407, LAKELAND, FL 33802
(863) 863-7407

BRIAN T. MORRISON REGISTERED ARCHITECT 5137 CHARLOTTE, N.C.

10/08/19

LITTLE DIVERSIFIED ARCHITECTURAL CONSULTING, INC. CERT. NO. 50033 NORTH CAROLINA CHARLOTTE NC

ARCHITECT OF RECORD:
BRIAN T. MORRISON
NORTH CAROLINA REGISTRATION # 5137

STRUCTURAL ENGINEER OF RECORD:
DANIEL P. WRAY
NORTH CAROLINA REGISTRATION # 025879

PLUMBING ENGINEER OF RECORD:
JOHN PARKER
NORTH CAROLINA REGISTRATION # 27092

FIRE PROTECTION ENGINEER OF RECORD:
FADI GHUMRAWI
NORTH CAROLINA REGISTRATION # 039930

MECHANICAL ENGINEER OF RECORD:
JOHN PARKER
NORTH CAROLINA REGISTRATION # 27092

ELECTRICAL ENGINEER OF RECORD:
R. KNOX. STACY
NORTH CAROLINA REGISTRATION # 28549

REFRIGERATION ENGINEER OF RECORD:
ERIC KEVIN ICH
NORTH CAROLINA REGISTRATION # 040697

ISSUE FOR: 100% FOR CONSTRUCTION

ISSUE DATE: 10/08/2019

REVISIONS

NO.	REASON	DATE

PROJECT TEAM
PRINCIPAL IN CHARGE: Brian T. Morrison, AIA
PROJECT MANAGER: Miguel Vazquez/Heather Nifong
DESIGN TEAM: DD

PROJECT NAME: PUBLIX 1484 Remodel MCKEE FARMS 3110 Fincher Farm Rd. Matthews, NC 28105 (APP)

PROJECT NUMBER: 122.11235.00

SHEET TITLE: FINISH PLAN

SHEET NUMBER: A2.2

Order Plans @ WWW.LDILine.com