

SIGN TO BE MOUNTED @ 80" MINIMUM A.F.F. WHEN POSSIBLE. SIGN MUST BE MOUNTED AT A VISIBLY PROMINENT LOCATION.

N

SIGN TO BE MOUNTED ON WALL AT 72" - 80" TO THE BOTTOM OF SIGN ABOVE SHOPPING CARTS WHEN POSSIBLE MUST BE MOUNTED AT A VISIBLY PROMINENT LOCATION.

P



"R SIGN TEXT - LEGEND:		
R	LINE 1	LINE 2
R1	DELI/BAKERY	MANAGER
R2	BAKATOR	———
R3	PRODUCE/GROCERY/MEAT	MANAGER
R4	PHARMACY	———
R5	LOUNGE 1	———
R6	COMMUNICATION	ROOM
R7	STORAGE	———
R8	TRAINING	ROOM
R9	GENERAL	OFFICE
R10	STORE	MANAGER
R11	CASH	———

R-__ SIGNAGE LAYOUT FOR "ROOM" SIGNS - SEE EQ1.1

Q



SIGN MOUNTING ILLUSTRATION



TIME CLOCK MOUNTING ILLUSTRATION

SIGN SPECIFICATION:

SIGNS SUPPLIED AND INSTALLED BY PUBLIX

PANEL: 1/8" THK. ACRYLIC PANEL, BACKGROUND COLOR TO BE BRIGHT BLUE, SIZE AND LAYOUT AS DETAILED HEREON.

COPY: 1" WHITE, RAISED (NOT LESS THAN 1/32"), ADA COMPLIANT LETTERING, PERMANENTLY MOUNTED TO FACE PANEL.

GRAPHICS: WHITE, RAISED (NOT LESS THAN 1/32"), ADA COMPLIANT, UNIVERSAL SYMBOLS, PERMANENTLY MOUNTED TO FACE PANEL.

BRAILLE: IMBED GRADE 2, WITH A DOT DIAMETER OF 0.059 INCHES, IN BACKGROUND FACE PANEL.

MOUNTING: SECURE SIGN TO WALL w/ [illegible] BOND, DOUBLE SIDED TAPE.

SIGN NOTES:

1. SEE PLANS FOR LOCATIONS AND QUANTITIES. THE QUANTITIES SHOWN MAY BE REVISED.
2. TYPICAL, UNLESS NOTED OTHERWISE, MOUNTING HEIGHT IS 48" AT CENTER OF THE BASELINE OF THE LOWEST TACTILE CHARACTER, 60" A.F.F. MAX. AT BASELINE OF HIGHEST TACTILE CHARACTER. MOUNTING ILLUSTRATIONS THIS SHEET FOR ADDITIONAL INFORMATION.
3. ENSURE THAT SIGNS WITH DIRECTIONAL ARROWS ARE FURNISHED AND INSTALLED WITH THE ARROWS POINTING TOWARDS THE ACCESSIBLE AREA.
4. ENSURE "BRAILLE TEXT" SHOWN ON THE ABOVE LAYOUTS IS FOR LAYOUT PURPOSES ONLY. THE APPROPRIATE BRAILLE TEXT SHALL BE USED ON ALL ACTUAL SIGNS.
5. WHEN INDICATING NON-ACCESSIBLE RESTROOM, PROVIDE SIGN AND WITH ADDITIONAL SIGN INDICATING LOCATION OF ACCESSIBLE RESTROOM, "FOR REMODEL ONLY."
6. ALL THE ADA SIGNS NOTED WILL BE SUPPLIED AND INSTALLED BY PUBLIX. THE CODE NUMBERS FURNISHED ARE FOR CONSTRUCTION ASSOCIATES TO ORDER FROM PRINTING SERVICES. THE OTHERS ARE INVENTORIED IN FACILITY SERVICES AND INSTALLED BY THEIR TEAMS.

1 ADA.2 ADA COMPLIANT - STANDARD SIGNAGE

SCALE: NONE



2 ADA.2 MANEUVERING CLEARANCES

SCALE: NONE



3 ADA.2 ADA COMPLIANT - STANDARD CHECK-OUT STAND

SCALE: ½" = 1'-0"

Order Plans @ WWW.LDLine.com

NOTE:
DETAILS ON THIS SHEET MAY NOT OCCUR ON THIS JOB. SEE PLAN FOR ITEMS THAT APPLY.

LITTLE
INTEGRATED ARCHITECTURAL CONSULTING
815 South College Street, Suite 100 Charlotte, NC 28202
t: 704.525.6350 f: 704.561.8700
www.littleonline.com

This drawing and the design shown are the property of Little Diversified Architectural Consulting. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.
© Little 2019

Publix
CORPORATE OFFICES - FACILITIES DESIGN
3300 Publix Corporate Parkway
Lakeland, FL 33811-3311
863-688-1188 (MAIN) 863-802-7000 (FAX)
(NO VISITORS)

BRIAN T. MORRISON
NORTH CAROLINA
REGISTERED
ARCHITECT
5197
SEAL
10/08/19

REGISTERED ARCHITECTURAL CORPORATION
CERT. NO. C-0833
NORTH CAROLINA

ARCHITECT OF RECORD:
BRIAN T. MORRISON
NORTH CAROLINA REGISTRATION # 5197

STRUCTURAL ENGINEER OF RECORD:
[illegible]
NORTH CAROLINA REGISTRATION # 026579

PLUMBING ENGINEER OF RECORD:
[illegible]
NORTH CAROLINA REGISTRATION # 27552

FIRE PROTECTION ENGINEER OF RECORD:
FRED CHAPMAN
NORTH CAROLINA REGISTRATION # 33918

MECHANICAL ENGINEER OF RECORD:
[illegible]
NORTH CAROLINA REGISTRATION # 27552

ELECTRICAL ENGINEER OF RECORD:
R. KNOX STACK
NORTH CAROLINA REGISTRATION # 20349

REFRIGERATION ENGINEER OF RECORD:
[illegible]
NORTH CAROLINA REGISTRATION # 049897

ISSUE FOR
100% FOR CONSTRUCTION

ISSUE DATE
10/08/2019

REVISIONS

NO.	REVISION	DATE

PROJECT TEAM
PRINCIPAL IN CHARGE
Brian T. Morrison, AIA
PROJECT MANAGER
Miguel Vazquez/Heather Nilfong
DESIGN TEAM
DD

PROJECT NAME
PUBLIX 1484 Remodel
MCKEE FARMS
3110 Fincher Farm Rd.
Matthews, NC 28105
(APP)

PROJECT NUMBER
122.11235.00

SHEET TITLE
ADA COMPLIANT STANDARD DETAILS

SHEET NUMBER
ADA.2