

SIGN TO BE MOUNTED @ 80" MINIMUM A.F.F. WHEN POSSIBLE. SIGN MUST BE MOUNTED AT A VISIBLY PROMINENT LOCATION.

N

SIGN TO BE MOUNTED ON WALL AT 72" - 80" TO THE BOTTOM OF SIGN ABOVE SHOPPING CARTS WHEN POSSIBLE MUST BE MOUNTED AT A VISIBLY PROMINENT LOCATION.

P



"R SIGN TEXT - LEGEND:		
R	LINE 1	LINE 2
R1	DELI/BAKERY	MANAGER
R2	JANITOR	-----
R3	PRODUCE/FLORIST/MEAT	MANAGER
R4	PHARMACY	-----
R5	LOUNGE 1	-----
R6	COMMUNICATION	ROOM
R7	STORAGE	-----
R8	TRAINING	ROOM
R9	GENERAL	OFFICE
R10	STORE	MANAGER
R11	CASH	-----

R-__ SIGNAGE LAYOUT FOR "ROOM" SIGNS - SEE EQ1.1

Q



SIGN MOUNTING ILLUSTRATION



TIME CLOCK MOUNTING ILLUSTRATION

SIGN SPECIFICATION:

SIGNS SUPPLIED AND INSTALLED BY PUBLIX

PANEL: 1/16" ACRYLIC PANEL, BACKGROUND COLOR TO BE BRIGHT BLUE SIZE AND LAYOUT AS DETAILED HEREON.

COPY: 1" WHITE, RAISED (NOT LESS THAN 1/32") ADA COMPLIANT LETTERING, PERMANENTLY MOUNTED TO FACE PANEL.

GRAPHICS: WHITE, RAISED (NOT LESS THAN 1/32") ADA COMPLIANT, UNIVERSAL SYMBOLS, PERMANENTLY MOUNTED TO FACE PANEL.

BRAILLE: IMBED, GRADE 2, WITH A DOT DIAMETER OF 0.059 INCHES, IN BACKGROUND FACE PANEL.

MOUNTING: SECURE SIGN TO WALL W/ [illegible] BOND, DOUBLE SIDED TAPE.

SIGN NOTES:

1. SEE PLANS FOR [illegible] QUANTITIES. ANY QUANTITIES THAT NOT SHOWN MAY BE VERIFIED WITH ALL PARTIES.
2. TYPICAL, UNLESS [illegible] THERMISER SHALL BE MOUNTED AT 48" AT CENTER TO THE BASELINE OF THE LOWEST OF [illegible] AND 60" A.F.F. MAX. TO THE BASELINE OF THE HIGHEST TACTILE CHARACTER. MAINTAIN [illegible] MOUNTING ILLUSTRATIONS THIS SHEET FOR ADDITIONAL INFORMATION.
3. ENSURE THAT SIGNS WITH DIRECTIONAL ARROWS ARE FURNISHED AND INSTALLED WITH THE ARROWS POINTING TOWARDS THE ACCESSIBLE AREA.
4. BRAILLE: "BRAILLE TEXT" SHOWN ON THE ABOVE LAYOUTS IS FOR LAYOUT PURPOSES ONLY. THE APPROPRIATE BRAILLE TEXT SHALL BE USED ON ALL ACTUAL SIGNS.
5. WHEN INDICATING NON-ACCESSIBLE RESTROOM, PROVIDE SIGN B AND SIGN H ADDITIONAL SIGN INDICATING LOCATION OF ACCESSIBLE RESTROOM. "FOR REMODEL ONLY."
6. ALL THE ADA SIGNS NOTED WILL BE SUPPLIED AND INSTALLED BY PUBLIX. THE CODE NUMBERS FURNISHED ARE FOR CONSTRUCTION ASSOCIATES TO ORDER FROM PRINTING SERVICES. THE OTHERS ARE INVENTORIED IN FACILITY SERVICES AND INSTALLED BY THEIR TEAMS.

1 ADA.2 ADA COMPLIANT - STANDARD SIGNAGE
SCALE: NONE



2 ADA.2 MANEUVERING CLEARANCES
SCALE: NONE



3 ADA.2 ADA COMPLIANT - STANDARD CHECK-OUT STAND
SCALE: ½" = 1'-0"



MASONRY

4 ADA-2 ATM WRITTING SHELF
SCALE: 1½"=1'-0"

NOTE:
DETAILS ON THIS SHEET MAY NOT OCCUR ON THIS JOB.
SEE PLAN FOR ITEMS THAT APPLY.

Order Plans @ WWW.LDLine.com

LITTLE
INTERIORS ARCHITECTURAL CONSULTING
815 South College Street, Suite 1801 Charlotte, NC 28202
t: 704.525.6350 f: 704.561.8700
www.littleonline.com

This drawing and the design shown are the property of Little Interiors Architectural Consulting. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.
© Little 2019

Publix

CORPORATE OFFICES - FACILITIES DESIGN
3300 Publix Corporate Parkway
Lakeland, FL 33811-3311
800-242-1227 ext. 8113
(863) 851-7967

SIENNA LITE DECOR

ARCHITECT OF RECORD:
TIM MORRISON
SOUTH CAROLINA REGISTRATION # 5667

STRUCTURAL ENGINEER OF RECORD:
JOHN HARPER
SOUTH CAROLINA REGISTRATION # 20599

PLUMBING ENGINEER OF RECORD:
JOHN PARKER
SOUTH CAROLINA REGISTRATION # 22573

FIRE PROTECTION ENGINEER OF RECORD:
PATI CHUMPIUM
SOUTH CAROLINA REGISTRATION # 26997

MECHANICAL ENGINEER OF RECORD:
JOHN PARKER
SOUTH CAROLINA REGISTRATION # 22573

ELECTRICAL ENGINEER OF RECORD:
ROBERT A. STACY
SOUTH CAROLINA REGISTRATION # 33579

REFRIGERATION ENGINEER OF RECORD:
SCOTT T. ERCOLE
SOUTH CAROLINA REGISTRATION # 34153

ISSUE FOR:
100% FOR CONSTRUCTION

ISSUE DATE:
10/16/2019

REVISIONS

NO.	REASON	DATE

PROJECT TEAM

PRINCIPAL IN CHARGE
Tim Morrison, AIA

PROJECT MANAGER
Miguel Vazquez/Heather Nfong

DESIGN TEAM
HV

PROJECT NAME
PUBLIX 1485 Remodel
Village at Cherry Road
2186 N. Cherry Road
Rock Hill, SC 29732

PROJECT NUMBER
122.12061.00

SHEET TITLE
ADA COMPLIANT STANDARD DETAILS

SHEET NUMBER
ADA.2