

SPECIAL NOTE

- ALL NEW PLUMBING SOIL-WASTE LINES SHALL HAVE A STARTING INVERT OF (-) 1'-0" BELOW FINISHED FLOOR WHERE POSSIBLE, COORDINATE THROUGH PUBLIX REPRESENTATIVE TO INSURE LOWEST POSSIBLE INVERTS FOR FUTURE REMODELING.
- WHERE NEW FLOOR SINKS ARE NOT ALLOWED BY CODE, SUBSTITUTE WITH FLOOR DRAINS, SEE DRAIN SCHEDULE WHERE APPLICABLE.
- IF NEW VTR'S ARE WITHIN 10' FROM ANY O.A. INTAKE, EXTEND TWO FEET HIGHER OR RELOCATE.
- ALL EXISTING INFORMATION NOTED ON PLANS BASED ON EXISTING DOCUMENTS, DATED ON 02-07-2007 AND VISUAL SITE INSPECTION.
- STORE TO REMAIN OPEN DURING CONSTRUCTION. CONTRACTOR TO COORDINATE WORK WITH G.C. AND STORE TO ALLOW AREAS OF WORK AND STORE TO REMAIN OPEN.
- UTILITY SINKS: WASTE ROUGH IN AT 8" ABOVE FINISHED FLOOR. HOT AND COLD WATER ROUGH IN 12" ABOVE FINISHED FLOOR. SEE SINK DETAILS ON DRAWINGS. ALL RISERS FROM STOP AND SINK FITTINGS TO BE 1/2" HARD COPPER.
- NEW MATERIALS EXPOSED IN PLENUMS SHALL BE NON-COMBUSTIBLE, OR SHALL HAVE A FLAME-SPREAD INDEX OF NOT MORE THAN 25 AND A SMOKE DEVELOPED INDEX OF NOT MORE THAN [illegible] WHEN TESTED IN ACCORDANCE WITH ASTM 84.
- IN AREAS REQUIRING FIXTURES TO BE REMOVED AND REINSTALLED IN ORDER TO ALLOW REQUIRED FLOORING, PIPE NEW INDIRECT WASTE PIPING ABOVE FLOOR TO EXISTING/NEW FLOOR SINK AS REQUIRED.
- WHERE MMA IN RESTROOMS IS BEING REFLAKED, RESURFACED, OR REPAIRED CONTRACTOR TO REINSTALL TOILETS AFTER FLOORING IS COMPLETED AS REQUIRED.

DRAWING NOTES-PLUMBING

1. ALL FLOOR DRAINS (D) CONNECT TO 3" W UNLESS OTHERWISE NOTED.
2. WATER SAVER TRAP PRIMER TO FLOOR DRAIN OR FLOOR SINK FROM NEAREST LAVATORY, HAND SINK. REFER TO DETAIL [illegible]/P4.1.
3. CONNECT NEW 4" SANITARY WASTE TO EXISTING SANITARY WASTE BELOW FLOOR AS INDICATED.
4. WCO TO BE MOUNTED @ [illegible] A.F.F.
5. CONNECT NEW 2" VENT TO EXISTING VENT AT HUB JOINT AS INDICATED.
6. CONNECT NEW 3" WASTE TO EXISTING WASTE/GREASE WASTE BELOW FLOOR AS INDICATED.
7. PIPE INDIRECT WASTE FROM NEW PROOF BOX/OVEN/WATER CHILLER TO EXISTING CD/FS AS REQUIRED.
8. PIPE COPPER WASTE FROM SINK/DISHMACHINE INDIRECT TO EXISTING/NEW FS AS REQUIRED.
9. CONNECT INDIRECT WASTE FROM NEW/EXISTING EVAP'S TO EXISTING/NEW AS REQUIRED. PIPE INDIRECT WASTE TO NEW/EXISTING CD-1. REFER TO REFRIGERATION DRAWINGS FOR ROUTING OF CONDENSATE LINES. (REFER TO DETAIL 17/P4.1.)
15. [illegible] STEAM VENT THROUGH ROOF C/W GOOSENECK
16. ALL VTR MUST BE A MINIMUM OF 3' FROM PARAPET AND 10' AWAY FROM RTU UNIT OA. INTAKE OR SUPPLY FAN INTAKE.
17. RUN INDIRECT WASTE FROM BEVERAGE CENTER TO CD AS REQUIRED.
18. CONNECT ALL NEW/RELOCATED FIXTURES TO EXISTING WASTE CONNECTIONS WHERE FIXTURES WERE REMOVED. PROVIDE NEW TRAPS ON SINKS/LAVATORIES. CONNECT TRAP PRIMERS WHERE APPLICABLE.

1/P2.1 SANITARY WASTE PLUMBING RENOVATION PLAN

SCALE: 1/8"=1'-0"

Order Plans @ WWW.LDHLine.com

LITTLE
DIVERSIFIED ARCHITECTURAL CONSULTING
615 South College Street, Suit 1600 Charlotte NC, 28202
T: 704.525.6350 F: 704.561.8700
www.littleonline.com

This drawing and the design shown are the property of Little Diversified Architectural Consulting. The reproduction, copying or other use of this drawing without their written consent is prohibited and any infringement will be subject to legal action.
© Little 2019

Publix
CORPORATE OFFICES - FACILITIES DESIGN
PHYSICAL ADDRESS:
3300 PUBLIX CORPORATE PKWY, LAKELAND, FL 33811-3311
MAILING ADDRESS:
BOX 407, LAKELAND, FL 33802
(863) 863-7407

SOUTH CAROLINA BRANDT ENGINEERING, INC. No. 1442 CERTIFICATE OF AUTHORIZATION
EXPIRES: 03/31/2021

Digitally Signed 2019.11.18 12:07:08-05'00'

SIENNA LITE DECOR

ARCHITECT OF RECORD:
TIM MORRISON
SOUTH CAROLINA REGISTRATION # 5687
STRUCTURAL ENGINEER OF RECORD:
DANIEL P. WRAY
SOUTH CAROLINA REGISTRATION # 23588
PLUMBING ENGINEER OF RECORD:
JOHN PARKER
SOUTH CAROLINA REGISTRATION # 22973
FIRE PROTECTION ENGINEER OF RECORD:
FADI GHUMRAWI
SOUTH CAROLINA REGISTRATION # 28987
MECHANICAL ENGINEER OF RECORD:
JOHN PARKER
SOUTH CAROLINA REGISTRATION # 22973
ELECTRICAL ENGINEER OF RECORD:
ROBERT K. STACY
SOUTH CAROLINA REGISTRATION # 33879
REFRIGERATION ENGINEER OF RECORD:
SCOTT T. ERCOLE
SOUTH CAROLINA REGISTRATION # 34783

ISSUE FOR: 100% FOR CONSTRUCTION

ISSUE DATE: 10/16/2019

REVISIONS

NO.	REASON	DATE

PROJECT TEAM
PRINCIPAL IN CHARGE: John Parker, PE
PROJECT MANAGER: Perry Morrow
DESIGN TEAM: Steve Haraway

PROJECT NAME: PUBLIX 1485 Remodel
Village at Cherry Road
2186 N. Cherry Road
Rock Hill, SC 29732

PROJECT NUMBER: 122.12061.00

SHEET TITLE: SANITARY WASTE PLUMBING RENOVATION PLAN

NOTE: THIS DOCUMENT MAY HAVE BEEN ELECTRONICALLY TRANSMITTED. IF UNSIGNED, IT CANNOT BE FILED FOR PUBLIC RECORD. PUBLIC RECORD FILINGS REQUIRE SIGNED AND SEALED DOCUMENTS.

SHEET NUMBER: P2.1