


- NOTES:**
- 1) EPT-10 TO BE INSTALLED BY CARPENTER OR DOOR HARDWARE CONTRACTOR
 - 2) POWER SUPPLY, CONDUITS AND BOXES W/STRING AND COVERS TO BE INSTALLED BY ELECTRICAL CONTRACTOR. POWER SUPPLY TO BE PROVIDED BY DOOR HARDWARE SUPPLIER
 - 3) IF POWER SUPPLY IS MOUNTED ABOVE A HARD OR FIXED CEILING THEN PROVIDE AN ACCESS OPENING
 - 4) CARD READER TO BE MOUNTED AT ADA REQUIRED HEIGHT.




EXTERIOR BOX
 4 11/16 x 4 11/16 x 2 1/8 INCH FLUSH MOUNTED BOX W/ SINGLE GANG MUD RING AND WEATHERPROOF COVERS, MOUNTED W/ THE OPENING VERTICAL AT ALL DESIGNATED CARD READER LOCATIONS. LOCATE TO THE RIGHT SIDE OF ENTRY DOOR CENTERED 44 INCH ABOVE FINISHED FLOOR.

INTERIOR BOX
 SAME AS EXTERIOR EXCEPT NON WEATHERPROOF COVERS TO BE USED

1 CARD ACCESS DETAIL FOR SCHOOL DISTRICT
 ES.15

SCALE: NONE




NOTE:
 N.O. = ELEVATOR LOCK CONTROL
 N.C. = ELEVATOR CALL BUTTON

WORK BY ELEVATOR VENDOR WORK BY CARD ACCESS VENDOR

2 TYPICAL CARD ACCESS/ELEVATOR INTERFACE DETAIL
 ES.15

SCALE: NONE



3 TYPICAL MAIN ENTRANCE
 ES.15

SCALE: NONE

Order Plans

WWW.LDILINE.COM

K-8 FACILITY (MM) FOR:
 ST. JOHNS COUNTY SCHOOL DISTRICT - BID # 2019-34
 PINE ISLAND ROAD
 NOCATEE, FLORIDA

Comm. No: 16017.00
 Date: 12-20-19
 Drawn: MAC/JPP
 Revised:

COPYRIGHT: 2019
 ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM HARVARD • JOLLY ARCHITECTURE.