



1 ENLARGED TOILET PLAN  
SCALE: 1/2" = 1'-0"

TOILET ROOM COMPONENT SCHEDULE						
MARK	ITEM	MODEL #	EXIST. TO REMAIN	RELOCATE	NEW (ADD/REPLACE)	NOTES
A	TOILET	SEE MECHANICAL PLANS	-	-	2	
B	TOILET SEAT	SEE MECHANICAL PLANS	-	-	2	
C	SINK	SEE MECHANICAL PLANS	-	-	2	
D	LEVER HANDLE FAUCET	SEE MECHANICAL PLANS	-	-	2	
E	PIPE WRAP	SEE MECHANICAL PLANS	-	-	2	
F	GRAB BARS (SET)	BRADLEY 812 SET - 1 1/2" Ø (1) 36", (1) 42", & (1) 18"	-	-	2	
G	MIRROR	BRADLEY 781-18"W X30"H	-	-	2	
H	PAPER TOWEL HOLDER	BRADLEY 250-15	-	-	2	
I	TOILET PAPER HOLDER	BRADLEY 524	-	-	2	
J	TOILET PAPER HOLDER	BRADLEY 524	-	-	2	
K	SERVICE SINK	SEE MECHANICAL PLANS	-	-	1	
L	WATER FOUNTAIN	SEE MECHANICAL PLANS	-	-	1	
M	WALL ORGANIZER	CRAWFORD SMART RACK STORAGE ORGANIZER - SR18	-	-	1	

- GENERAL TOILET ROOM NOTES**
- GC SHALL FURNISH & INSTALL ALL TOILET ROOM COMPONENTS LISTED ON SCHEDULE.
  - GC SHALL FURNISH & INSTALL NEW ACCESSORIES IF EXISTING ACCESSORIES TO BE REUSED ARE NOT IN ACCORDANCE WITH CURRENT ADA REGULATIONS AND/OR DO NOT MEET REQUIREMENTS OF DRAWINGS.
  - GC SHALL FURNISH & INSTALL GRAB BARS SO THAT THEY DO NOT ROTATE AND THERE IS TO BE NO SHARP CORNER OR CURVED ELEMENTS ON OR ADJACENT TO THEM. EDGES ARE TO HAVE A MINIMUM 1/4" RADIUS.
  - GC SHALL ENSURE THAT GRAB BAR BACKING AND ATTACHMENT SHALL BE CONSTRUCTED FOR A 250 POUND POINT LOAD.
  - GC SHALL INSULATE OR COVER ALL HOT WATER AND DRAIN PIPES UNDER LAVATORY. NO SHARP OR CORROSIVE SURFACES ALLOWED UNDER LAVATORY.
  - GC SHALL ENSURE THAT FAUCET CONTROLS AND OPERATING MECHANISMS ARE EASILY OPERATED BY ONE HAND AND MUST NOT REQUIRE GRASPING, PINCHING, OR TWISTING OF THE WRIST. FORCE REQUIRED TO OPERATE CONTROLS SHALL NOT EXCEED 5 LBS. FOR LEVER OPERATED OR 15 LBS. FOR PUSH TYPE.
  - GC SHALL FURNISH & INSTALL SOLID BLOCKING IN WALL FOR ADULTILET ACCESSORIES.
  - TOILET FLUSH HANDLE TO BE INSTALLED ON ADULTILET SIDE OF TOILET.
  - GC SHALL FURNISH & INSTALL MOISTURE RESISTANT GRAB BAR ATTACHMENTS.



2 TOILET ROOM ELEVATIONS  
SCALE: 1/2" = 1'-0"



3 INTERIOR ELEVATION  
SCALE: 1/2" = 1'-0"

4 MOP SINK ELEVATION  
SCALE: 1/2" = 1'-0"

5 RESTROOM SIGN DETAILS  
SCALE: 1 1/2" = 1'-0"

6" X 9" SIGNAGE W/ 4" HANDICAP PICTOGRAM, 3/4" COPY, GRADE II BRILLE MOUNT ON LATCH SIDE OF DOOR.

WOMEN 24"-30"  
MEN 24"-30"



NO.	DATE	DESCRIPTION

Order Plans @

WWW.DTLR.COM