



A NEW POLICE FACILITY FOR
ABERDEEN POLICE DEPARTMENT

804 N. Sandhills Blvd.
Aberdeen, NC 28315

REFLECTED CEILING PLAN

DATE: 11-22-2019
PROJECT NO: 18062

REVISIONS
NO. DATE DESCRIPTION:

THIS DRAWING IS THE PROPERTY OF ADW ARCHITECTS, P.A. AND SHALL NOT BE REPRODUCED OR COPIED IN WHOLE OR PART. IT SHALL NOT BE USED ON ANY OTHER PROJECT OR GIVEN TO ANY OTHER COMPANY OR AGENCY WITHOUT THE CONSENT OF ADW ARCHITECTS, P.A.



SHEET NUMBER

A800

REFLECTED CEILING PLAN SYMBOL LEGEND:	GENERAL NOTES:
	1.) ALL CEILING HEIGHTS ARE RELATIVE TO FINISH FLOOR ELEVATION UNLESS OTHERWISE NOTED.
	2.) SEE ELECTRICAL DRAWINGS FOR LOCATION OF ALL NEW EMERGENCY LIGHTS, EXIT SIGNS, HORNS, STROBES, & PULL STATIONS
	3.) ALL LIGHT FIXTURES, SPEAKERS, ETC. IN CEILING TYPES ARE TO HAVE WHITE TRIM OR COVERS U.N.O.
	4.) THE SPRINKLER HEAD LOCATIONS ARE SHOWN ON THIS DRAWING FOR REFERENCE. SEE SPRINKLER HEAD, SEE SHOP DRAWINGS
	5.) ALL CEILINGS ARE TO BE INSTALLED AS REQUIRED BY ASCE 7-05 CHAPTER 13 SEISMIC DESIGN FOR NONSTRUCTURAL COMPONENTS
	6.) ALL CEILINGS ARE TO BE CONSTRUCTED AS REQUIRED BY ASCE 7 CHAPTER 13 AND ANCHORED PER NCSCBC SECTION 1613 FOR SEISMIC DESIGN CATEGORY C.
CEILING TYPES:	
TYPE #1:	ACT-1: 24"x24"x5/8" LAY-IN ACOUSTICAL CEILING - WHITE w/ WHITE ALUM. GRID
TYPE #2:	ACT-2: 24"x24"x5/8" LAY-IN ACOUSTICAL CEILING (VINYL COATED) - WHITE w/ WHITE ALUM. GRID
TYPE #3:	GYP. BOARD CEILING/SOFFIT - PAINTED (PROVIDE MOIST. RESIST. GYP. BD. AND EPOXY PAINT AT ALL WET LOCATIONS U.N.O.)
TYPE #4:	OPEN TO STRUCTURE - NOT PAINTED
TYPE #5:	OPEN TO STRUCTURE - ALL METAL DECK SURFACES TO RECEIVE 2" ACOUSTICAL SPRAY INSULATION. PAINT ALL EXPOSED SURFACES TO MATCH ACOUSTICAL SPRAY COLOR
TYPE #6:	2 LAYERS IMPACT RESISTANT MOISTURE RESISTANT GWB - SPRAY PAINTED
TYPE #7:	GYP. BOARD CEILING/SOFFIT - PAINTED
TYPE #8:	EXTERIOR GYP. BOARD CEILING - PAINTED (PROVIDE MOIST. RESIST. GYP. BD. AND EPOXY PAINT AT ALL WET LOCATIONS U.N.O.)

