



WLA
 WATTS LEAF ARCHITECTS, PA
 101 North McDowell Street, Suite 112
 Charlotte, North Carolina 28204
 PH 704 376 1200 FX 704 376 5114


CRABTREE NORTH APTS.
 2251 Charles Drive
 Raleigh, North Carolina
 EYC COMPANIES



3 ELEVATOR 1 - 288.69' LEV. ENLARGED PLAN
 A3.01 1/4"=1'-0"



2 ELEVATOR 1 - 288.69' LEV. ENLARGED PLAN
 A3.01 LEVELS 300.37', 312.05' & 323.75' SIMILAR 1/4"=1'-0"




1 ELEVATOR 1 - 277.00' LEV. ENLARGED PLAN
 A3.01 1/4"=1'-0"


GENERAL NOTES
 The Architectural drawings must be used in conjunction with the Civil, Structural, MEP, Fire Protection drawings and specifications. The Contractor is responsible for all coordination between the drawings. Discrepancies should be brought to the attention of the architect.
 The Contractor is advised that the available space for routing all electrical, mechanical, plumbing, fire protection and communications piping, conduit, trays and ductwork may be limited in many locations. The Contractor shall coordinate all of the trades work and make adjustments, with the Architect's approval, to the routing of these items as required. Any rework resulting from the failure to coordinate will be performed by the Contractor at no additional cost.
 All dimensions are from face of stud, u.n.o.
 All penetrations of fire rated assemblies shall be fire blocked and sealed per UL approved methods.
 All concealed fire rated assemblies shall be provided with signage indicating the type of assembly and the fire rating in hours in letters no smaller than 2" high. See 101.2.

FIRE RATING LEGEND


THREE HOUR RATED ASSEMBLIES		
3 HOUR RATED FIRE HALL	3FW	3FW
6A ASH 2600 3-HR FIREHALL SEPARATING TYPE 2A FIRE AREA - NC502 T21 J1	6A	6A
3 HOUR RATED CONCRETE SLABS		
SEE N.C.S.B.C. SECTION 12.01		
SLABS BETWEEN STORAGE LEVEL AND APT. UNITS ABOVE (BUILDING #2 ONLY)		
3 HOUR RATED CONCRETE COLUMN		
SEE N.C.S.B.C. SECTION 12.01		
COLUMNS SUPPORTING 3 HOUR RATED SLABS		
TWO HOUR RATED ASSEMBLIES		
2 HOUR RATED FIRE HALL	2FW	2FW
UL U-210 2-HR FIREHALL SEPARATING TYPE 2A FIRE AREA	UL	UL
2 HOUR RATED FIRE BARRIER	2FB	2FB
UL OS - ELEVATOR AND STAIR MECH. SHAFTS	UL	UL
2 HOUR RATED CONCRETE SLABS		
SEE N.C.S.B.C. SECTION 12.01		
SLABS BETWEEN STORAGE LEVEL AND APT. UNITS ABOVE (BUILDING #4 ONLY)		
2 HOUR RATED CONCRETE COLUMN		
SEE N.C.S.B.C. TABLE 12.01		
COLUMNS SUPPORTING 2 HOUR RATED SLABS		
ONE HOUR RATED ASSEMBLIES		
1 HOUR RATED FIRE BARRIER	1FB	1FB
UL U-305 1-HR FIRE BARRIER ADJACENT TO EXPOSED GARAGE WALLS	UL	UL
1 HOUR RATED FIRE PARTITION	1FP	1FP
UL U-341 1-HR TENANT SEPARATION WALLS	UL	UL
UL U-305 1-HR CORRIDOR WALLS - BUILT TO ACTIVE FIRE RATING PER REQ. LISTED IN I.L. INCL. FURRING CHANNELS/CLIPS ON CORRIDOR SIDE OF ASSEMBLY. USB PANELS TO BE PLACED BETWEEN STUD ENDS AND CLIPS AT SHEAR WALL LOCATIONS. COORDINATE WITH THE STRUCTURAL		
1 HOUR RATED STRUCTURAL AND NON-STRUCTURAL ELEMENTS	1HR	1HR
UL U-356 1-HR RATED EXTERIOR BEARING WALL	UL	UL
UL U-305 1-HR RATED UNIT INTERIOR BEARING WALL AND ELEVATOR LOBBIES	UL	UL
1-HR RATED ROOF/CEILING ASSEMBLY, SEE A.O.U.T. SYMBLUM ASSOCIATION FILE NO. RG 2605		
UL L-525 1-HR RATED FLOOR/CEILING ASSEMBLY	UL	UL



6 GARAGE STAIR #1 - 335.44' LEVEL PLAN
 A3.01 1/4"=1'-0"




5 GARAGE STAIR #1 - 288.69' LEVEL PLAN
 A3.01 LEVELS 300.37', 312.05' & 323.75' SIMILAR 1/4"=1'-0"




4 GARAGE STAIR #1 - 277.00' LEVEL PLAN
 A3.01 1/4"=1'-0"


- DECK OPENING
- 8" CONC. DECK WALL
- BOLLARDS AT 72" O.C., MAX., SEE SHEET A4.01
- 8" C.M.U. BLOCK WALL
- CONCRETE STAIRS
- TOTAL RISE BETWEEN FLOORS IS 11'-8 1/4", V.I.F.
- 4'-5" BETWEEN HANDRAILS ON EACH SIDE OF STAIRS, TYP. EVERY LEVEL OF BOTH GARAGE STAIRS
- 1 1/2" DIA. GUARDRAILS @ 42", TYP., 1 1/2" DIA. HANDRAILS @ 36", TYP.




9 GARAGE STAIR #2 - 335.44' LEVEL PLAN
 A3.01 1/4"=1'-0"



9 GARAGE STAIR #2 - 335.44' LEVEL PLAN
 A3.01 1/4"=1'-0"



8 GARAGE STAIR #2 - 294.53' MID LEVEL PLAN
 A3.01 MID LEVELS 306.21' & 317.84' SIMILAR 1/4"=1'-0"



7 GARAGE STAIR #2 - 282.84' MID LEVEL PLAN
 A3.01 1/4"=1'-0"

Order Plans

PROJECT	1915
DATE	03FEB20
DRAWN BY	WJP
CHECKED BY	CMW

STAIRS GS1 AND GS2 AND ELEVATOR 1 ENLARGED PLANS

A3.01