



GENERAL NOTES

The Architectural drawings must be used in conjunction with the Civil, Structural, MEP, Fire Protection drawings and specifications. The Contractor is responsible for all coordination between the drawings. Discrepancies should be brought to the attention of the architect.

The Contractor is advised that the available space for routing all electrical, mechanical, plumbing, fire protection and communications piping, conduit, trays and ductwork may be limited in many locations. The Contractor shall coordinate all of the trades work and make adjustments, with the Architect's approval, to the routing of these items as required. Any rework resulting from the failure to coordinate will be performed by the Contractor at no additional cost.

All dimensions are from face of stud, u.n.o.

All penetrations of fire rated assemblies shall be fire blocked and sealed per UL approved methods.

All concealed fire rated assemblies shall be provided with signage indicating the type of assembly and the fire rating in hours in letters no smaller than 2" high. See 101.2 approved methods.

FIRE RATINGS LEGEND

THREE HOUR RATED ASSEMBLIES:

- 3 HOUR RATED FIRE HALL
 - 3FW
- 3 HOUR RATED CONCRETE SLABS
 - SEE NC.S.B.C. SECTION 721.01
 - SLABS BETWEEN STORAGE LEVEL AND APT. UNITS ABOVE BUILDING #3 ONLY.
- 3 HOUR RATED CONCRETE COLUMNS
 - SEE NC.S.B.C. SECTION 721.01
 - COLUMNS SUPPORTING 3 HOUR RATED SLABS

TWO HOUR RATED ASSEMBLIES:

- 2 HOUR RATED FIRE HALL
 - 2FW
- 2 HOUR RATED CONCRETE SLABS
 - SEE NC.S.B.C. SECTION 721.01
 - SLABS BETWEEN STORAGE LEVEL AND APT. UNITS ABOVE BUILDING #4 ONLY.
- 2 HOUR RATED CONCRETE COLUMNS
 - SEE NC.S.B.C. TABLE 721.01
 - COLUMNS SUPPORTING 2 HOUR RATED SLABS

ONE HOUR RATED ASSEMBLIES:

- 1 HOUR RATED FIRE BARRIER
 - 1FB
- 1 HOUR RATED FIRE PARTITION
 - 1FP
- 1 HOUR RATED STRUCTURAL AND NON-STRUCTURAL ELEMENTS
 - 1HR

1 FIRST LEVEL PARTIAL PLAN (312.05') - BUILDING #3
 1/8" = 1'-0"

Order Plans @ WWA.com

CRABTREE NORTH APTS.
 2251 Charles Drive
 Raleigh, North Carolina
 EYC COMPANIES

WLA
 WATTS LEAF ARCHITECTS, PA
 101 North McDowell Street, Suite 112
 Charlotte, North Carolina 28204
 PH 704 376 1200 FX 704 376 5111

PROJECT	1915
DATE	29JAN20
DRAWN BY	WJP
CHECKED BY	CMW
FIRST LEVEL PARTIAL PLAN - BUILDING #3	
A4.22	