



THIS ELEVATION FACES A PUBLIC ROAD AND IS REQUIRED TO HAVE 80% MASONRY.

**1 CHARLES DRIVE - RIGHT WING ELEVATION**  
 THIS ELEVATION FACES A PUBLIC ROAD AND IS REQUIRED TO HAVE 80% MASONRY. 1/8"=1'-0"  
 TOTAL WALL AREA = 2190 SF TOTAL BRICK AREA = 1743 SF 1743 / 2190 = 80% MASONRY




**2 CHARLES DRIVE - RIGHT WING ELEVATION (RIGHT SIDE)**  
 THIS ELEVATION DOES NOT FACE A PUBLIC ROAD AND IS REQUIRED TO HAVE 50% MASONRY. 1/8"=1'-0"  
 TOTAL WALL AREA = 3379 SF TOTAL BRICK AREA = 1804 SF 1804 / 3379 = 53% MASONRY



**3 CHARLES DRIVE - RIGHT WING ELEV. (REAR)**  
 THIS ELEVATION DOES NOT FACE A PUBLIC ROAD AND IS REQUIRED TO HAVE 50% MASONRY. 1/8"=1'-0"  
 TOTAL WALL AREA = 2891 SF TOTAL BRICK AREA = 1533 SF 1043 / 2042 = 53% MASONRY



**4 CHARLES DRIVE - RIGHT WING ELEV. (POOL)**  
 THIS ELEVATION DOES NOT FACE A PUBLIC ROAD AND IS REQUIRED TO HAVE 50% MASONRY. 1/8"=1'-0"  
 TOTAL WALL AREA = 2909 SF TOTAL BRICK AREA = 1862 SF 815 / 1509 = 64% MASONRY



**CRABTREE NORTH APTS.**  
 2251 Charles Drive  
 Raleigh, North Carolina  
 EYC COMPANIES

PROJECT	1915
DATE	09JAN20
DRAWN BY	WJP
CHECKED BY	CMW
EXTERIOR ELEVATIONS	
<b>A5.02</b>	