





Structural Consulting Group, LLC  
 6250 shiloh road - suite 20 - alpharetta, ga 30005  
 phone (678) 513-4242 fax (678) 513-4232  
 SCG Project No. 191003  
 N.C. C.O.A.: P-0573



**CRABTREE NORTH APTS.**  
 2251 Charles Drive  
 Raleigh, North Carolina  
 EYC COMPANIES


WWW.LDILine.com

Wall Type	WALL SCHEDULE					
	Supporting Roof		Supporting 1 Floor + roof	Supporting 2 Floors + roof	Supporting 3 Floors + roof	Supporting 4 Floors + roof
	(12'-1 1/2" ceiling max.)	(10'-1 1/2" ceiling max.)	(10'-1 1/2" ceiling max.)	(10'-1 1/2" ceiling max.)	(10'-1 1/2" ceiling max.)	(10'-1 1/2" ceiling max.)
WN-1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1
WN-2	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 2
WN-3	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 3	2x6 - CONDITION 4
EN-1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1	2x6 - CONDITION 1
All exterior walls to be EN-1, unless noted otherwise						
Refer to stud schedule elevations below (V51.0.3) for additional requirements						
All studs to be Spruce Pine Fir #2, unless noted otherwise						




STUD SCHEDULE KEY


Order Plans




CONDITION 1



CONDITION 2



CONDITION 3



CONDITION 4

1 STUD SPACING ELEVATIONS  
 NOT TO SCALE

03FEB20  
 PRICING  
 SET

PROJECT 1915  
 DATE 06NOV19  
 DRAWN BY SCG  
 CHECKED BY F80

WALL SCHEDULES

S1.0.3