

Order Plans @ www.LDILine.com

### KEYNOTES

### SHEET NOTES

- DIMENSIONS OF REFRIGERATED CASES ARE TO THE OUTERMOST POINTS OF THE CASES. ENDCAPS AND BUMPERS ARE CONSIDERED PART OF THE CASE, WHERE THEY OCCUR. DIMENSIONS ON THE FUTURE PLANS ARE FOR LAYOUT OF OWNER FURNISHED ITEMS ONLY AND ARE NOT TO BE USED FOR LOCATION OF WALLS AND OTHER CONTRACTOR-BUILT ITEMS
- PROVIDE GALVANIZED STEEL CLOSURE PANELS AT ALL VERTICAL GAPS AND HORIZONTAL GAPS 52" OR LOWER BETWEEN REFRIGERATED CASES AND OTHER REFRIGERATED CASES, WALLS, OR EQUIPMENT
- ALL FIXED (NON-MOVEABLE) EQUIPMENT INCLUDING SINKS, OVENS, AND REFRIGERATED EQUIPMENT SHALL BE SEALED TO THE WALLS. BASE OR LEGS SHALL BE SET IN A BED OF SEALANT WITH EXCESS REMOVED. MOVEABLE EQUIPMENT SHALL NOT BE SEALED.
- ALL COOLER BOX MODIFICATIONS TO BE PERFORMED BY COOLER/REFREEZER MANUFACTURER- RELATED SLAB WORK.

**178 RECEIVING-GM, 179 STOCKROOM-GM, 816 STOCKROOM-GR, 920 RECEIVING-GR**

**WALLS**

- REPAIR ALL DAMAGED GYPSUM BOARD THAT IS VISIBLE.

**CEILING**

- OPEN TO STRUCTURE. CLEAN JOISTS, JOIST GIRDERS, DECKING, CONDUIT, SPRINKLER PIPES, AIR GRILLES/DIFFUSERS, AND SECURITY GLOBES.
- LAY-IN REF CEILING ALLOWANCE SCHEDULE ON N1.

**COMPACTOR**

- REMOVE FRP AROUND COMPACTOR OPENING AND CLEAN SURFACE. INFILL OPENING IF NO LONGER IN USE.
- COMPACTOR DOOR OPENING: PAINT 9'-0" WIDE STRIP CENTERED ON OPENING WITH P-16 EPOXY PAINT TO P-16 AFF.

CONTRACTOR TO NOTIFY THE WALMART CONSTRUCTION MANAGER IF ANY EXISTING TO REMAIN BOXES DO NOT HAVE EDGE PROTECTION NETTING INSTALLED ABOVE THE WALK-IN BOXES PRIOR TO COMMENCEMENT OF THE PROJECT.

**900 GROCERY SALES**

**WALLS**

- GYP BD. PAINT P131 TO CEILING IF EXISTING OR FULL HEIGHT WHERE OPEN TO STRUCTURE. INSTALL PS7 WAINSCOT AND DBS BASE UNO. EXTEND WAINSCOT AND BASE AT EXPOSED WALL TO NEAREST MERCHANDISE RACK, REF 3-A3.
- CMU: PAINT P131 TO CEILING IF EXISTING OR FULL HEIGHT WHERE OPEN TO STRUCTURE. WHERE BASE IS EXISTING, REPLACE WITH DBS BASE WHEN DAMAGED.
- SOFFITS AND BULKHEADS: PAINT P131 FULL HEIGHT UNO.

**FLOOR**

- VCT: SPOT REPLACE VCT AS DIRECTED BY CM TO MATCH EXISTING.
- ICC: ETR

**CEILING**

- OPEN TO STRUCTURE. CLEAN AND PAINT EXPOSED HVAC DUCT WORK AND FLENUMS TO MATCH PAINTED STRUCTURE. CLEAN JOISTS, JOIST GIRDERS, DECKING, CONDUIT, SPRINKLER PIPES, AIR GRILLES/DIFFUSERS AND SECURITY GLOBES.
- LAY-IN REF CEILING ALLOWANCE SCHEDULE ON N1.
- GYP BD. REF CEILING ALLOWANCE SCHEDULE ON N1. PAINT CEILING P131.

**COLUMNS**

- REF DETAILS 2-A1, 3-A1.
- PAINT OTHER STRUCTURAL ELEMENTS ADJACENT TO WALLS P131.

**STIPULATION FOR REUSE**

THIS DRAWING IS THE PROPERTY OF SGA DESIGN GROUP, P.C. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, EITHER WHOLLY OR IN PART, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE EXPRESS WRITTEN PERMISSION OF SGA DESIGN GROUP, P.C.

**CONSULTANTS**

**Walmart**

**SYLVA, NC**

STORE NO: 2440, 237

JOB NUMBER: 19246011 | PROJECT: 1301 SC

2020 SPRB

**ISSUE BLOCK**

NO.	DATE	DESCRIPTION

**CHECKED BY:** \_\_\_\_\_ **Checker**

**DRAWN BY:** \_\_\_\_\_ **Author**

**PROTO CYCLE:** 12/22/19

**DOCUMENT DATE:** 2/24/20

THIS REDUCED COPY OF THE DRAWING IS LOANED AT THE OFFICE OF THE DESIGN GROUP. THIS ELECTRONIC DOCUMENT IS REPRODUCED FOR THE PURPOSE OF PROVIDING CONSTRUCTION AND/OR FACILITY MANAGEMENT. THIS DRAWING SHALL NOT BE CONSIDERED FINAL OR COMPLETE UNLESS IT IS SIGNED AND SEALED BY THE PROJECT'S DESIGNER.

**REAR GROCERY PLAN**

**SHEET: GA2**