

NOTES:

1. PLEASE SEE SINGLE PLY FLASHING SPECIFICATIONS FOR A FULL DESCRIPTION OF INSTALLATION INSTRUCTIONS AND REQUIREMENTS WHICH ARE CONSIDERED A PART OF THIS DETAIL.
2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL.

DRAWING NO.		
T-FW-T2	PRESTO LOCK COPING SYSTEM OVER TPO	
RELEASED FOR:	ASSEMBLY TYPE: TPO	
SCALE: N.T.S.	ISSUE DATE: 10-16-15	

3 A5.19 T-FW-T2
SCALE: 12" = 1'-0"



NOTES:

1. PLEASE SEE SINGLE PLY FLASHING SPECIFICATIONS FOR A FULL DESCRIPTION OF INSTALLATION INSTRUCTIONS AND REQUIREMENTS WHICH ARE CONSIDERED A PART OF THIS DETAIL.
2. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL.

DRAWING NO.		
T-PT-10	GREASE TRAP	
RELEASED FOR:	ASSEMBLY TYPE: - TPO	
SCALE: N.T.S.	ISSUE DATE: 7-14-17	

2 A5.19 T-PT-10
SCALE: 12" = 1'-0"



NOTES:

2. PLEASE SEE SINGLE PLY FLASHING SPECIFICATIONS FOR A FULL DESCRIPTION OF INSTALLATION INSTRUCTIONS AND REQUIREMENTS WHICH ARE CONSIDERED A PART OF THIS DETAIL.
3. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL.
4. [illegible] SEALANT IS REQUIRED AT ALL CUT OR NON-ENCAPSULATED EDGES OF REINFORCED MEMBRANE. R-105 INCLUDES EXPOSED CUT MEMBRANE.
5. CLEAN MEMBRANE SURFACES PRIOR TO WALKPAD INSTALLATION WITH TPO MEMBRANE CLEANER.
6. DO NOT INSTALL WALKPADS OVER MEMBRANE SEAMS.
7. - SPECIFIC NOTES FOR ADHERING TPO WALKPADS ARE - LUCK MEMBRANE ADHESIVE (TPO & FPDM). - MEMBRANE BONDING ADHESIVE (TPU & EPDM) AND - TPO WATER BASED MEMBRANE ADHESIVE.

DRAWING NO.		
T-PT-05	TPO WALKPADS OVER ADHERED TPO MEMBRANE	
RELEASED FOR:	ASSEMBLY TYPE: TPO	
SCALE: N.T.S.	ISSUE DATE: 7-14-17	

1 A5.19 T-PT-05
SCALE: 12" = 1'-0"

Order Plans @ WWW.LDInline.com

COOPER CARRY
THE CENTER FOR CONNECTIVE ARCHITECTURE
191 Peachtree Street NE
Suite 2400
Atlanta, GA 30303-1770
(404) 237-2000
coopercarry.com

©2019 COOPER CARRY

SCOPE DOCUMENTS

The Contract Documents issued for [Conceptual Design, Schematic Design, Design Development, Partial Construction Documents or Other Issuance up to Issued for Construction] are intended to be at that level of development and as such, may be neither complete nor coordinated. The [Construction Manager, Contractor, Design/Builder] is responsible for complete and coordinated pricing (and execution) of the Work, and shall include items necessary for the proper execution and completion of the Work, as shown, specified, reasonably inferred or required for a complete Project. For Work of delegated designs; systems, assemblies, components and materials shall comply with national, state and local code requirements. The [Construction Manager, Contractor, Design/Builder] shall inform the Owner and Architect, in timely fashion, of any discovered omissions, inconsistencies or errors in the Contract Documents.

ISSUANCES		
No.	Drawing Issue Description	Date
1	DESIGN DEVELOPMENT	3/18/20

GADOE CODE: 5066
FTE - 450
EXISTING IU - 38
PROPOSED IU - 33

BARACK & MICHELLE OBAMA ACADEMY

970 Martin St SE, Atlanta, GA 30315

ATLANTA PUBLIC SCHOOLS

ROOF DETAILS

ROBERT A. JUST Principal-in-Charge	20190109 Project No.
S. TARKHAN Project Manager	03/18/20 Date
B. FERREN Project Architect	
M. WALKER Staff Architect	A5.19
B. FERREN / G. HAHN Interior Design	Drawing No.

NOT ISSUED FOR CONSTRUCTION

PROJECT NUMBER: 20190109 PROJECT NAME: BARACK & MICHELLE OBAMA ACADEMY
PLOT DATE: 3/17/2020 7:51:07 AM
DRAWING NAME: C:\Revit\Users\20190109_Barack and Michelle Obama Central_feren
3/17/2020 6:50:11 PM