

Order Plans @ WWWW@DILine

FINISH SCHEDULE				
ID	MANUFACTURER	MATERIAL	FINISH	COMMENTS
BASE				
B-2	DALTILE	5"x6" QUARRY TEXTURES - ASHEN GRAY - OT03 Q-3565		GROUT G-1
B-10	DALTILE	6"x12" VOLUME 1 - ACCENT BROWN BASE - VL78 P-36C9T		GROUT G-1
B-11	DALTILE	1"x6" VOLUME 1 - ACCENT BROWN BASE CORNER - VL78 P-36C9T		GROUT G-1
CARPET				
C-1	--	ANTIFATIGUE MAT		FURNISHED BY RACETRAC. FLAME SPREAD AND SMOKE DEVELOPMENT TO MEET 'CLASS A'
CEILING				
CL-1	ARMSTRONG	24"x48" #2712 DUNE SECOND LOOK	WHITE	15/16" WHITE GRID- ASTM E84 FLAME SPREAD INDEX 25 OR LESS, SMOKE DEVELOPED INDEX 50 OR LESS
CL-2	ARMSTRONG	24"x48" #793 GEORGIAN - HIGH WASHABILITY	WHITE	15/16" WHITE GRID- ASTM E84 FLAME SPREAD INDEX 25 OR LESS, SMOKE DEVELOPED INDEX 50 OR LESS
CL-3	--	GREENBOARD WITH PAINTED FINISH		GYPSUM BOARD SELECTED MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'
PAINT				
IP-4	SHERWIN WILLIAMS	7007 CEILING BRIGHT WHITE, BRILLIANCE HIGH PERFORMANCE	FLAT	GYPSUM BOARD SELECTED FOR INTERIOR FINISHES MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'
IP-7	SHERWIN WILLIAMS	7014 EIDER WHITE	SEMI-GLOSS	GYPSUM BOARD SELECTED FOR INTERIOR FINISHES MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'
IP-10	SHERWIN WILLIAMS	7015 REPOSE GREY	SEMI-GLOSS	GYPSUM BOARD SELECTED FOR INTERIOR FINISHES MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'
IP-12	SHERWIN WILLIAMS	7017 DORIAN GRAY	SEMI-GLOSS	GYPSUM BOARD SELECTED FOR INTERIOR FINISHES MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'
IP-14	SHERWIN WILLIAMS	RACETRAC RED (CUSTOM COLOR)	EGGSHELL	GYPSUM BOARD SELECTED FOR INTERIOR FINISHES MUST MEET FLAME SPREAD AND SMOKE DEVELOPMENT 'CLASS A'. PROMAR ZERO VOC INTERIOR LATEX EGG-SHELL BASE. B2002658 (REAL RED) 1 GALLON FORMULA. ADD: Y1-YELLOW (1.00% PER GALLON)
IP-15	SHERWIN WILLIAMS	7018 DOVETAIL	EGGSHELL	PAINT BY GC
TILE				
FT-2	DALTILE	6"x6" QUARRY TEXTURES - ASHEN GRAY - OT03		INSTALLED AT 90 DEGREES WITH 3/8" SPACING GROUT G-1
FT-10	DALTILE	12"x24" VOLUME 1 - ACCENT BROWN - VL78		INSTALL PLANKS IN STRAIGHT STACKED PATTERN. 3/16" GROUT LINE. GROUT G-1
WT-5	DALTILE	3"x6" RITTENHOUSE SQUARE - WHITE - 0100		INSTALL TILE IN RUNNING BOND PATTERN. 1/8" GROUT LINE. GROUT G-1
WT-7	DALTILE	12"x24" MULTITUDE - ORIGAMI WHITE WAVE - MU16		STRAIGHT LAY TILE PATTERN. 1/8" GROUT LINE. GROUT G-1
WT-9	DALTILE	12"x24" VOLUME 1 - REVERB ASH - VL74		INSTALL IN STRAIGHT STACKED PATTERN. GROUT G-2. 3/16" GROUT LINE
WALL CLADDING				
FRP-1	MARLITE	P100 WHITE	WHITE	
WALL COVERING				
WC-8	--	COOLER WALL COVERINGS - BUBBLE		MANUFACTURER, PRODUCT LINE, PROVIDED BY RACETRAC. FLAME SPREAD AND SMOKE DEVELOPMENT TO MEET 'CLASS A'
WC-9	--	BEER/WINE GRAPE WALL COVERING		MANUFACTURER, PRODUCT LINE, PROVIDED BY RACETRAC. FLAME SPREAD AND SMOKE DEVELOPMENT TO MEET 'CLASS A'
WC-10	--	WOODGRAIN GRAPHIC WALL COVERING		MANUFACTURER, PRODUCT LINE, PROVIDED BY RACETRAC. FLAME SPREAD AND SMOKE DEVELOPMENT TO MEET 'CLASS A'
WINDOW FILM				
WF-1		WINDOW FILM. 3M PRESTIGE 70 CLEAR FILM		SEE A600 FOR WINDOW FILM LOCATIONS
WF-2		WINDOW FILM. OPAQUE		SEE A600 FOR WINDOW FILM LOCATIONS
FLASHING/WEEPS				
FL-1		UNLASS STEEL THROUGH WALL FLASHING	COLOR TO MATCH BR-1	INSTALL AT ALL THROUGH WALL FLASHING LOCATIONS AND UNLESS NOTED OTHERWISE
FL-2		ANODIZED ALUMINUM SILL FLASHING AND TRIM	ANODIZED BRONZE TO MATCH STOREFRONT	INSTALL AT ALL WINDOW SILL S AND LOCATIONS ADJACENT TO ACM PANELS
WF-1	HOHMANN AND BARNARD, INC.	WV-QUADRO VENT	CLEAR	1/4" WIDTH, SEE SHEET C100. USE FOR EXTERIOR BRICK MORTAR
EXTERIOR SHEATHING				
ES-1	GELOM PACIFIC GYPSUM	5/8" DENSGLOSS EXTERIOR SHEATHING		SCREW SIZE TO MATCH MANUFACTURER SPECIFICATIONS: # 6 x 1/4" BUNGLE HEAD SCREW
ES-2		5/8" EXT. GRADE CDX PLYWOOD SHEATHING - #10 TEKS SCREW @ 6" O.C.		NOTES: PROJECTS MUST ADHERE TO THE FOLLOWING REQUIREMENTS: 1. 5/8" THICK DENSGLOSS MINIMUM. 2. 18 GAUGE STUD (MIN). 3. 16" O.C. STUD SPACING. 4. SCREWS DETERMINED BY MANUFACTURER. 5. SEE BUILDING WIND DESIGN FOR WIND SPEED. 6. WIND SPEED DETERMINED
MASONRY TIES				
MT-1	HOHMANN & BARNARD, INC.	HB-213 ADJUSTABLE VENEER ANCHOR		BRICK/CMU TO STUD
MT-2	HOHMANN & BARNARD, INC.	#170-2X LOX-ALL ADJUSTABLE TRUSS EYE-WIRE LADDER REINFORCEMENT		BRICK TO CMU
MT-3	HECKMAN	POS-I-TIE VENEER ANCHOR		CULTURED STONE VENEER ANCHOR ORIENTED VERTICALLY.
BUILDING INSULATION - BASIS OF DESIGN				
INS-1	JOHNS MANSVILLE	ROOF INSULATION - RIGID INSULATION R-20 FLAME SPREAD 25 OR LESS, SMOKE DEVELOPED OF 0-450		
INS-2	JOHNS MANSVILLE	EXTERIOR WALL INSULATION - BATT INS. R-19 FLAME SPREAD 25 OR LESS		
WEATHER BARRIER				
WB-1	STO	STO GUARD GOLD COAT VAPOR PERMEABLE FLUID-APPLIED WATER BARRIER MEMBRANE WITH PVC STARTER STRIP/WEEP AND METAL FLASHING AS RECOMMENDED BY MANUFACTURER		
GROUT				
G-1	LATICRETE	PERMACOLOR HIGH PERFORMANCE GROUT - #22 MIDNIGHT BLACK		FLOORS AND WALLS
G-2	LATICRETE	PERMACOLOR HIGH PERFORMANCE GROUT - #85 ATMOND		BATHROOMS WALLS
G-4	LATICRETE	PERMACOLOR HIGH PERFORMANCE GROUT - #44 BRIGHT WHITE		YOGURT WALLS
SEALANT				
SL-1	DOW CORNING	#790 SILICONE SEALANT 'LIMESTONE'		
SL-2	TREMCO	SPECTREM #3 LOW-MODULUS SILICONE SEALANT 'LIGHT BRONZE'		USE AT EXPANSION JOINTS
SL-3	DOW CORNING	NEUTRAL CURE 'CLEAR'		USE AT ALL EIFS PENETRATIONS
SL-5	PROSOCO SURE KLEAN	WEATHER SEAL SILOXANE PD WATER REPELLENT		USE AT CAST STONE
SL-6	DOW	DOWSIL GENERAL PURPOSE SILICONE SEALANT 'CLEAR'		USE AT MOP SINK

RaceTrac.
COPYRIGHT NOTICE
 THESE PLANS ARE SUBJECT TO FEDERAL
 COPYRIGHT LAWS; ANY USE OF SAME
 WITHOUT THE EXPRESSED WRITTEN
 PERMISSION OF RACETRAC PETROLEUM,
 INC. IS PROHIBITED. 2016 RACETRAC
 PETROLEUM INC.



ISSUE/REVISION RECORD	
DATE	DESCRIPTION
01/25/19	PERMIT SET
03/16/20	REFRESH TO 2020.0113

RaceTrac
RACETRAC PETROLEUM, INC.
 200 GALLERIA PARKWAY SOUTHEAST
 SUITE 900
 ATLANTA, GEORGIA 30339
 (770) 431-7600

PROJECT NAME
HWY 316 @ 81

**BETHLEHEM
 GA 30620
 839 LOGANVILLE HWY**

RACETRAC STORE NUMBER
#1304

PROTOTYPE SERIES 5.5K 2.0
2018 LH MO 0405

PLAN MODIFICATION NOTICE
 SPB NO. 0405 DATE 12/18/18

STANDARD PLAN BULLETINS (SPB) MODIFY THE
 PROTOTYPE SERIES SET NOTED ABOVE. THE
 LISTED SPB REPRESENTS THE LATEST
 MODIFICATION INCORPORATED TO THIS
 PROTOTYPE SERIES SET AT ORIGINAL RELEASE.
 THE ISSUE/REVISION RECORD COLUMN ABOVE
 LISTS ANY REVISIONS OR SPB INCORPORATED IN
 THIS SET AFTER THE ORIGINAL RELEASE.
 CONTACT RACETRAC ENGINEERING AND
 CONSTRUCTION FOR ANY SUBSEQUENT
 BULLETINS NOT INCORPORATED HEREIN.

PROFESSIONAL SEAL

PROJECT NUMBER
 2018157.19

SHEET TITLE
**ROOM FINISH AND
 MATERIAL
 SCHEDULES**

SHEET NUMBER
A500