

1 60 in. DIAMETER CIRCULAR TURNING SPACE
Section 304.3.1



2 T-SHAPED TURNING SPACE
Figure 304.3.2



3 CLEAR FLOOR OR GROUND SPACE
Figure 305.3



4 LAVATORY CLEARANCES
Section 606



ACCESIBLE DRINKING FOUNTAIN: SPOUT 36" AFF
STANDING PERSON DRINKING FOUNTAIN: SPOUT 38"-43" AFF
FIGURE 306.2 AND 306.3 APPLY

5 DRINKING FOUNTAIN SPOUT LOCATION
Figure 602.5



6 TOE CLEARANCE
Figure 306.2



7 KNEE CLEARANCE
Figure 306.3



8 CONTROL REACH LIMITATIONS
Figure A8 (Ga 120-3-20)



9 UNOBSTRUCTED FORWARD REACH
Figure 308.2.1

10 OBSTRUCTED HIGH FORWARD REACH
Figure 308.2.2



11 UNOBSTRUCTED SIDE REACH
Figure 308.3.1



12 OBSTRUCTED HIGH SIDE REACH
Figure 308.3.2



13 WATER CLOSET LOCATION
Figure 604.2



14 SIZE OF CLEARANCE AT WATER CLOSET
Figure 604.3.1



15 SIDE WALL GRAB BAR AT WATER CLOSET
Figure 604.5.1 + 604.9 table



16 REAR WALL GRAB BAR AT WATER CLOSET
Figure 604.5.2 + 604.9 table



17 DISPENSER OUTLET LOCATION
Figure 604.7



18 HEIGHT AND DEPTH OF URINALS
Figure 605.2

19 HEIGHT OF RAISED CHARACTERS
Figure 703.2.5



20 BRAILLE MEASUREMENT
Figure 703.3.1

AREA OF REFUGE REQUIREMENTS:

IDENTIFYING SIGNAGE: (IBC 1007.9)
EACH DOOR PROVIDING ACCESS TO AN AREA OF REFUGE FROM AN ADJACENT FLOOR AREA SHALL BE IDENTIFIED BY A SIGN STATING "AREA OF REFUGE".

DIRECTIONAL SIGNAGE: (IBC 1007.10)
SIGNAGE INDICATING THE LOCATION OF THE OTHER MEANS OF EGRESS AND WHICH ARE ACCESSIBLE MEANS OF EGRESS SHALL BE PROVIDED AT THE FOLLOWING: 1) AT EXITS SERVING A REQUIRED ACCESSIBLE SPACE BUT NOT PROVIDING AN APPROVED ACCESSIBLE MEANS OF EGRESS. 2) AT ELEVATOR LANDINGS. 3) WITHIN AREAS OF REFUGE.

INSTRUCTIONAL SIGNAGE: (IBC 1007.11)
IN AREAS OF RESCUE PROVIDE INSTRUCTIONS ON THE USE OF THE AREA UNDER EMERGENCY CONDITIONS SHALL BE POSTED. THE INSTRUCTIONS TO INCLUDE:

1) PERSONS ABLE TO USE THE EXIT STAIRWAY DO SO AS SOON AS POSSIBLE UNLESS THEY ARE ASSISTING OTHERS.
2) INFORMATION ON PLANNED AVAILABILITY OF ASSISTANCE IN THE USE OF STAIRS OR SUPERVISED OPERATION OF ELEVATORS AND HOW TO SUMMON SUCH ASSISTANCE.
3) DIRECTIONS FOR USE OF THE TWO WAY COMMUNICATION SYSTEM WHERE PROVIDED.

21 POSITION OF BRAILLE
Figure 703.3.2

22 HEIGHT OF TACTILE CHARACTERS ABOVE FINISH FLOOR OR GROUND
Figure 703.4.1

23 LOCATION OF TACTILE SIGNS AT DOORS
Figure 703.4.2

24 PICTOGRAM FIELD
Figure 703.6.1

25 INTERNATIONAL SYMBOL OF ACCESIBILITY
Figure 703.7.2.1

20 GRAPHIC CONVENTION FOR FIGURES
Figure 104

2010 ADA STANDARDS FOR ACCESSIBLE DESIGN DIAGRAMS, NOTES AND ILLUSTRATIONS REPRINTED ON THIS SHEET WITH PERMISSION FROM DEPARTMENT OF JUSTICE .

REFER TO SHEETS A-202 & A-203 FOR ADDITIONAL TOILET ROOM INFORMATION

Order Plans @ WWW.DILine.com

JBG
JEFFERSON BROWNE GRESHAM ARCHITECTS
150 HUDDLESTON ROAD, SUITE 1000
PEACHTREE CITY, GEORGIA 30269
770 - 632 - 9945
JEFFERSONBROWNEARCHITECTS.COM

REVISIONS

NO.	DESCRIPTION

RENEWED MEDICAL BUILDING
CORE & SHELL ONLY

SOUTH FULTON, GEORGIA
PROJECT #19-2883

PROJECT

STATE OF GEORGIA
PAUL LEE GRESHAM
CERTIFICATE NO. 031911
REGISTERED ARCHITECT
3/27/2020

SEAL

MARCH 27, 2020

PERMIT SET

RELEASE DATE

A.D.A. ACCESSIBILITY DETAILS

DRAWING TITLE

© COPYRIGHT 2020 JEFFERSON BROWNE GRESHAM ARCHITECTS, INC. THIS DOCUMENT AS AN INSTRUMENT OF SERVICE REMAINS THE PROPERTY OF JEFFERSON BROWNE GRESHAM ARCHITECTS AND NO PART THEREOF MAY BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM JEFFERSON BROWNE GRESHAM ARCHITECTS.

Drawn By: JC
Checked By: RGL JJB
PROJECT # 19-2883

A-201

SHEET 14 of 37