



**Co - CRUSHED STONE CONSTRUCTION EXIT**




- NOTES:**
1. AVOID LOCATING ON STEEP SLOPES OR AT CURVES ON PUBLIC ROADS.
  2. REMOVE ALL VEGETATION AND OTHER UNSUITABLE MATERIAL FROM THE FOUNDATION AREA, GRADE, AND CROWN FOR POSITIVE DRAINAGE.
  3. AGGREGATE SIZE SHALL BE IN ACCORDANCE WITH NATIONAL STONE ASSOCIATION R-2 (1.5"-3.5" STONE).
  4. GRAVEL PAD SHALL HAVE A MINIMUM THICKNESS OF 6".
  5. PAD WIDTH SHALL BE EQUAL FULL WIDTH AT ALL POINTS OF VEHICULAR EGRESS, BUT NO LESS THAN 20'.
  6. A DIVERSION RIDGE SHOULD BE CONSTRUCTED WHEN GRADE TOWARD PAVED AREA IS GREATER THAN 2%.
  7. INSTALL PIPE UNDER THE ENTRANCE IF NEEDED TO MAINTAIN DRAINAGE DITCHES.
  8. WHEN WASHING IS REQUIRED, IT SHOULD BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN (DIVERT ALL SURFACE RUNOFF AND DRAINAGE FROM THE ENTRANCE TO A SEDIMENT CONTROL DEVICE).
  9. WASHRACKS AND/OR TIRE WASHERS MAY BE REQUIRED DEPENDING ON SCALE AND CIRCUMSTANCE. IF NECESSARY, WASHRACK DESIGN MAY CONSIST OF ANY MATERIAL SUITABLE FOR TRUCK TRAFFIC THAT REMOVE MUD AND DIRT.
  10. MAINTAIN AREA IN A WAY THAT PREVENTS TRACKING AND/OR FLOW OF MUD ONTO PUBLIC RIGHTS-OF-WAYS. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.

**Sd1 - SILT FENCE - TYPE SENSITIVE**




- NOTES:**
1. USE STEEL OR WOOD POSTS OR AS SPECIFIED BY THE EROSION, SEDIMENTATION AND POLLUTION CONTROL PLAN.
  2. HEIGHT (\*) IS TO BE SHOWN ON THE EROSION, SEDIMENTATION, AND POLLUTION CONTROL PLAN.

**Sd1 - FASTENERS FOR SILT FENCES**




- NOTES:**
1. THE FABRIC AND WIRE SHOULD BE SECURELY FASTENED TO POSTS AND FABRIC ENDS MUST BE OVERLAPPED A MINIMUM OF 18" OR WRAPPED TOGETHER AROUND A POST TO PROVIDE A CONTINUOUS FABRIC BARRIER AROUND THE INLET.


**Sd3 - TEMPORARY SEDIMENT BASIN**



**Sd3 - SEDIMENT BASIN BAFFLES**



**Sd3 - SEDIMENT BASIN BAFFLES CONT'D**




24-HOUR CONTACT  
TRAVIS MEYER  
(850) 660-1917

NO.	REVISIONS DESCRIPTION	DATE
0	ISSUED FOR PERMITTING	4/17/2020

**ES&PCP DETAILS**  
**FAST FOOD RESTAURANT**  
GEORGIA HIGHWAY 48 & CANE RIVER DRIVE  
BYRON, GEORGIA  
**30AIP BYRON, LLC**  
SANTA ROSA BEACH, FLORIDA  
DWN. BY M. SIMS, PE  
CHK. BY J. DANIEL, PE  
SCALE NTS  
DATE 4/19/2020

**GONZALEZ - STRENGTH & ASSOCIATES, INC.**  
CIVIL ENGINEERING - TRANSPORTATION ENGINEERING - LAND SURVEYING  
LAND PLANNING - LANDSCAPE ARCHITECTURE  
1550 WOODS OF RIVERCHASE DRIVE SUITE 200  
HOOPER, ALABAMA 35024  
PHONE: (205) 445-5056  
FAX: (205) 445-5058  
www.Gonzalez-Strength.com  
© Copyright 2020



GSWCC LEVEL II # 0000063346  
DWG. NO. C4.6  
PROJECT 20-0135

Order Plans @ [www.LDILine.com](http://www.LDILine.com)