

NOTES:

1. ACTUAL LAYOUT DETERMINED IN THE FIELD
2. THE CONRETE WASHOUT SIGN SHALL BE INSTALLED WITHIN 30' OF THE TEMPORARY CONCRETE WASHOUT FACILITY.
3. MATERIALS USED TO CONSTRUCT TEMPORARY CONCRETE WASHOUT FACILITIES SHALL BE REMOVED FROM THE SITE OF THE WORK AND DISPOSED OF OR RECYCLED.
4. HOLES, DEPRESSIONS OR ORHER GROUND DISTURBANCE CAUSED BY THE REMOVAL OF THE TEMPORARY CONCRETE WASHOUT FACILITIES SHALL BE BACKFILLED, REPAIRED, AND STABILIZED TO PREVENT EROSION.

1. WASHOUT FACILITIES MUST BE CLEANED, OR NEW FACILITIES MUST BE CONSTRUCTED AND READY TO USE ONCE THE WASHOUT IS 75% FULL.
2. IF THE WASHOUT IS NEARING CAPACITY, VACUUM AND DISPOSE OF THE WASTE MATERIAL IN AN APPROVED MANNER.
3. DO NOT DISCHARGE LIQUID OR SLURRY TO WATERWAYS, STORM DRAINS OR DIRECTLY ONTO GROUND.
4. DO NOT USE SANITARY SEWER WITHOUT LOCAL APPROVAL.
5. PLACE A SECURE, NON-COLLAPSING, NON-WATER COLLECTING COVER OVER THE CONCRETE WASHOUT FACILITY PRIOR TO PREDICTED WET WEATHER TO PREVENT ACCUMULATION AND OVERFLOW OF PRECIPITATION.
6. REMOVE AND DISPOSE OF HARDENED CONCRETE AND RETURN THE STRUCTURE TO A FUNCTIONAL CONDITION. CONCRETE MAY BE REUSED ONSITE OR HAULED AWAY FOR RECYCLING OR DISPOSAL IN A LEGAL MANNER.
7. AFTER CLEANOUT CHECK THE STRUCTURE FOR LEAKS AND DAMAGE AND REPAIR STRUCTURE OR REPLACE LINER AS NECESSARY.

CONCRETE WASHOUT **N.T.S.**

24-HOUR CONTACT
TRAVIS MEYER
(850) 660-1917

Order Plans @ www.LDILine.com

REVISIONS		
NO.	DESCRIPTION	DATE
0	ISSUED FOR PERMITTING	4/21/2020

ES&PCP DETAILS

FAST FOOD RESTAURANT

GEORGIA HIGHWAY 46 & CANE RIVER DRIVE
BYRON, GEORGIA

30AIP BYRON, LLC

SANTA ROSA BEACH, FLORIDA

DWN. BY: M. SIMMS, PE
CKD. BY: J. DANIEL, PE
SCALE: NTS
DATE: 4/6/2020

GONZALEZ - STRENGTH & ASSOCIATES, INC.
CIVIL ENGINEERING - TRANSPORTATION ENGINEERING - LAND SURVEYING
LAND PLANNING - LANDSCAPE ARCHITECTURE
1560 WOODLANDS PARKWAY, SUITE 200
HOOVER, ALABAMA 35244
PHONE: (205) 942-2486
FAX: (205) 942-3033
www.Gonzalez-Strength.com

© Copyright 2020
THIS DRAWING IS THE PROPERTY OF GONZALEZ - STRENGTH AND ASSOCIATES, INC., AND IS NOT TO BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE WRITTEN APPROVAL OF GONZALEZ - STRENGTH AND ASSOCIATES, INC. ANY UNAUTHORIZED USE SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY TO GONZALEZ - STRENGTH AND ASSOCIATES, INC. AND THE USER SHALL INDEMNIFY AND HOLD HARMLESS GONZALEZ - STRENGTH AND ASSOCIATES, INC. FROM ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES ARISING OUT OF OR RESULTING THEREFROM.

GEORGIA REGISTERED No. PE036975 PROFESSIONAL ENGINEER JAMES C. DANIEL

NOT VALID UNLESS SIGNATURE IS SHOWN

GSWCC LEVEL II # 0000063346

DWG.NO.
C4.9

PROJECT
20-0135

N:\0200 Projects\Southeastern Retail Development\20-0135_Popeye's Restaurant_Byron GA\Engineering\Construction Documents\20-0135-C.dwg Apr 23,2020 - 7:41 am