


**GENERAL NOTES**

- 1) INFORM ARCHITECT OF ANY (E) CONDITION NOT NOTED PRIOR TO CONSTRUCTION.
- 2) SEE ADDITIONAL BACKING PLATE REQUIREMENTS • EQUIPMENT SCHEDULE AND/OR CAS WORK SEE SHEET A.
- 3) SEE SHEET A FOR PARTITION TYPE INFORMATION.
- 4) WHERE EXISTING CORRIDOR PARTITIONS ARE NOT RATED, UPGRADE TO 1 HOUR CONSTRUCTION.

**SHEET NOTES**

- 1) BRICK AND/OR STUCCO, WITH 1" AIR SPACE (BRICK ONLY) ON 8" CMU BLOCK WALL, GROUT CELLS @ 32". (SEE EXTERIOR ELEVATIONS FOR CONFIGURATION)
- 2) BRICK AND/OR STUCCO, WITH 1" AIR SPACE (BRICK ONLY) ON 8" CMU BLOCK WALL, GROUT CELLS @ 32", 3-5/8" 256A METAL STUDS AT 16" O.C. AND 3/8" GYP. BD. ON FINISHED WALL SIDE, FILL WALL CAVITY W/ R-13 BATT INSULATION. (SEE EXTERIOR ELEVATIONS FOR CONFIGURATION)
- 3) BRICK AND/OR STUCCO, WITH 1" AIR SPACE (BRICK ONLY) ON 8" CMU BLOCK WALL, GROUT CELLS @ 32", 3-5/8" 256A METAL STUDS AT 16" O.C., W/ 3/8" HARDIE BACKER BOARD W/ FULL HEIGHT RESTROOM TILE ON FINISHED WALL SIDE, FILL WALL CAVITY W/ R-13 BATT INSULATION. (SEE RESTROOM ELEVATIONS FOR CONFIGURATION AND FINISHES ON SHEET A-TBD)
- 4) 3-5/8" 256A METAL STUDS @ 16" O.C. W/ 3/8" GYP. BD. ON BOTH SIDES, FILL CAVITY WITH R-13 BATT INSULATION.
- 5) 3-5/8" 256A METAL STUDS @ 16" O.C. W/ 3/8" GYP. BD. ON FINISHED SIDE OF WALL SIDE, 3/8" HARDIE BACKER BOARD W/ FULL HEIGHT RESTROOM TILE ON FINISHED WALL SIDE, FILL CAVITY W/ R-13 BATT INSULATION. (SEE WALL SECTIONS FOR DETAILS)
- 6) NOT USED
- 7) 24" DEEP QUARTZ COUNTERTOP.
- 8) ATM - BY OTHERS
- 9) METAL CABINET
- 10) POINT OF SALE/CASHIER COUNTER
- 11) WOOD SWING GATE
- 12) 42"H - LOW PARTITION (TYP.)
- 13) 42"H QUARTZ SHELF (TYP.)
- 14) COFFEE BAR
- 15) SOFT DRINKS AND SODA DISPENSER.
- 16) 4' X 8' CONDIMENT BAR.
- 17) 2' METAL END SHELVES.
- 18) 4' GONDOLA SHELVING (TYP.)
- 19) 12'X 54" S/S HOOD



Order Plans @ WWW.LDILINE.COM

general contractor  
 engineering consultant  
 ARCHITECTURAL PLAN (MARKET) & 2ND FLOOR OFFICE  
 WILD WOLF - COMMERCIAL DEVELOPMENT  
 BOYD MORRIS ROAD & GA HWY 293 SPUR  
 BARTOW COUNTY, GEORGIA 30120  
 A-2  
 06/16/20