

EROSION CONTROL NOTES


- NO TREES ARE TO BE REMOVED AND/OR VEGETATION DISTURBED EXCEPT AS NECESSARY FOR GRADING PURPOSES.
- TOPSOIL IS TO BE STRIPPED FROM ALL CUT AND FILL AREAS, STOCKPILED, AND REDISTRIBUTED OVER ALL GRADED AREAS TO A MINIMUM OF 4". ALL AREAS NOT COVERED BY BUILDINGS OR PAVING TO RECEIVE TOPSOIL.
- ALL GRADED AREAS INCLUDING SLOPES ARE TO BE STABILIZED WITHIN 14 DAYS AFTER GRADING IS COMPLETED. COORDINATE WITH LANDSCAPING DRAWINGS AS TO TYPE OF PERMANENT GROUND COVER TO BE USED. AT A MINIMUM, ALL DISTURBED AREAS ARE TO BE SEEDED AND MULCHED.
- CUT AND FILL SLOPES ARE NOT TO EXCEED 3:1 UNLESS OTHERWISE NOTED.
- CONSTRUCT EROSION CONTROL DEVICES AS SHOWN AND WHERE DESIGNATED BY THE ENGINEER.
- ALL NEW STRUCTURES AND EXISTING STRUCTURES SHALL HAVE ALL SEDIMENT CONTROL DEVICES SHALL BE SUBJECT TO ADJUSTMENT AS NECESSARY TO BE EFFECTIVE.
- ALL DIMENSIONS AND LOCATIONS OF TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL DEVICES SHALL BE SUBJECT TO ADJUSTMENT AS NECESSARY TO BE EFFECTIVE.
- WHEN THE TEMPORARY SOIL EROSION AND WATER POLLUTION CONTROL DEVICES ARE NO LONGER REQUIRED FOR THE INTENDED PURPOSE THEY SHALL BE REMOVED.
- SILT FENCES ARE TO BE REPLACED WITH EFFECTIVENESS SIGNIFICANTLY REDUCED, OR AS DIRECTED.
- EROSION CONTROL MEASURES SHALL EXCEED MINIMUM CRITERIA, STANDARDS AND SPECIFICATIONS SET BY MARION COUNTY.
- CONTRACTOR SHALL INSURE THAT ALL EROSION CONTROL MEASURES DO NOT CAUSE WATER TO ENTER ONTO ROADWAY.
- CONTRACTOR IS RESPONSIBLE TO PERFORM ALL REQUIRED INSPECTIONS AND TO SUBMIT ALL REQUIRED DOCUMENTATION TO THE LOCAL AUTHORITY.
- TOPSOIL MATERIAL SEEDING
 - TOPSOIL MATERIAL HAS BEEN SAVED FOR USE IN FINISH GRADING. AFTER SIFTING OUT ALL PLANT GROWTH, RUBBISH, AND STONES, USE FOR AREAS DESIGNATED TO RECEIVE GRASS. IF STOCKPILED TOPSOIL IS NOT SUFFICIENT QUANTITY TO COMPLETE WORK, FURNISH ACCEPTABLE TOPSOIL FOR GRASS AREAS UNLESS NOTED OTHERWISE ON THE DRAWINGS. GRASS AREAS SHALL BE DEFINED AS THAT GRADED AREA DISTURBED DURING CONSTRUCTION NOT TO BE PAVED OR BUILT UPON.
 - ACCEPTABLE TOPSOIL MATERIAL SHALL BE DEFINED AS NATURAL FERTILE, AGRICULTURAL SOIL, CAPABLE FOR SUSTAINING VIGOROUS PLANT GROWTH, UNIFORM COMPOSITION THROUGHOUT, WITHOUT ADMIXTURE OF SUBSOIL, FREE OF STONES, LUMPS, PLANTS AND THEIR ROOTS, STICKS, OR OTHER EXTRANEUS MATTER; DO NOT DELIVER WHILE IN A FROZEN OR MUDDY CONDITION.
 - GRASS SEED SHALL BE OF THE PREVIOUS SEASON'S CROP AND THE DATE OF ANALYSIS SHOWN ON EACH BAG FOR TESTING. GRADING CONTRACTOR SHALL HIRE A QUALIFIED LANDSCAPE CONTRACTOR TO PREP FOR AND PERFORM ALL PERMANENT SEEDING.
 - THE SEED SHALL COMPLY WITH ALL PROVISIONS OF THE U.S. DEPARTMENT OF AGRICULTURE AS TO LABELING, PURITY, AND GERMINATION.
 - PERMANENT STAND OF GRASS SHALL BE ESTABLISHED 30 DAYS PRIOR TO GRAND OPENING. ALL WATERING, MAINTENANCE, MOWING, ETC. SHALL BE PERFORMED BY THE SITE CONTRACTOR WITH ACCEPTANCE BY OWNER.
- SEE SHEET C-09 FOR ADDITIONAL DETAILS ON EROSION AND SEDIMENT CONTROL.

EROSION CONTROL LEGEND	
CE	TEMPORARY GRAVEL CONSTRUCTION EXIT
SF-A	SILT FENCE (TYPE A, NON-WIRE BACKED)
SF-C	(TYPE C, WIRE BACKED)
RR	RIP RAP (6" PERMANENT)
MAT	EROSION CONTROL MATTING
CW	CONCRETE TRUCK WASH OUT AREA
IP-FR	INLET PROTECTION (FILTER RING)
LIMITS OF DISTURBANCE (2.0± ACRES)	

CIVIL ENGINEER:
BERRY ENGINEERS LLC
 355 KEITH ST NW, SUITE 109
 CLEVELAND, TN 37312
 TEL: (623) 790-5880
 CERTIFICATE OF AUTHORIZATION #0885

DEVELOPER:
BELTERRA PARTNERS
 728 SHADES CREEK PKWY
 SUITE 130
 BIRMINGHAM, AL 35209

PROJECT:
MAJOR SITE PLAN
O'REILLY AUTO PARTS
 SW HWY 484
 MARION COUNTY, FL



BENJAMIN M. BERRY, STATE OF FLORIDA, PROFESSIONAL ENGINEER, LICENSE NO. 76300
 THIS ITEM HAS BEEN ELECTRONICALLY SIGNED AND SEALED BY BENJAMIN M. BERRY, PE ON DATE AND/OR TIME STAMP SHOWN USING A DIGITAL SIGNATURE.
 PRINTED COPIES OF THE DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

REVISIONS	
1	
2	
3	
4	
5	

SHEET NAME:
SITE EROSION CONTROL PLAN

DATE: 05/04/2020
 DRAWN BY: BMB
 CHECKED BY: CMB
 PROJECT NO: 19078
 SHEET NUMBER:
C-04

