



KEYED ROOF NOTES

- 01 METAL FLASHING OVER STEP-FLASHING AND SHINGLES @ TRANSITION MIN 6" VERT.
- 02 4" x 3" PRE-FINISHED METAL DOWNSPOUTS. DISCHARGE INTO UNDERGROUND STORM DRAINAGE SYSTEM SEE CIVIL DRAWINGS FOR CONT. PROVIDE VERTICAL BAFFLE AT ALL VALLEY GUTTERS.
- 03 TYP. VENTED RIDGE CAP - START ALL RIDGE VENTS (MAXIMUM) 2'-0" FROM FASCIA EDGE OR INTERSECTION OF OTHER ROOF PLANES.
- 04 PROVIDE "GAF-ELK" SELF SEALING WEATHER WATCH" STORM GUARD LEAK BARRIER TYPICAL ALL AROUND PERIMETER AND VALLEYS. SEE ROOF PLAN FOR LOCATIONS.
- 05 "GAF" "TIMBERLINE HD" 1/2" THICK 30 YEAR WOOD COLOR ASPHALT ARCH. SHINGLES OVER 30 ROOFING FELT MIN 20% OVERLAP. INSTALL FOR 125 MPH WIND ZONE.
- 06 CONTINUE LEAK BARRIER 12" VERT. BEHIND SHINGLES UNDER STEP-FLASHING @ VERTICAL TRANSITION.
- 07 PROVIDE 18" MIN. METAL VALLEY FLASHING OVER IC WATER SHIELD.
- 08 EXISTING ROOF.
- 09 METRIC POWER VENT "BROAN" 350" LOW PROFILE OR EQUAL - SEE ELECT. DWG'S

ARCHITECT
TIMOTHY
KURMASKIE
AIA, NCARB

1030 Washington Street
Raleigh, NC 27605
Phone: 919-846-1600
Fax: 919-846-9404
TIM@ARCHITECTSKT.COM

THE DRAWINGS AND DESIGN SHOWN ARE THE PROPERTY OF ARCHITECT TIMOTHY KURMASKIE, AIA, NCARB. THE REPRODUCTION OR USE OF THIS PROPERTY WITHOUT THE WRITTEN CONSENT FROM THE ARCHITECT IS PROHIBITED AND ANY INFRINGEMENT OF THESE RIGHTS IS SUBJECT TO LEGAL ACTION.

COPYRIGHT 2019
ARCHITECT TIMOTHY KURMASKIE, AIA, NCARB



DN: C=Timothy Kurmaskie, OU=Architects, CN=Timothy Kurmaskie, email=tim@architectskt.com, o=Architects, ou=United States, cn=Timothy Kurmaskie, email=tim@architectskt.com, ou=United States, cn=Timothy Kurmaskie, email=tim@architectskt.com, ou=United States, cn=Timothy Kurmaskie, email=tim@architectskt.com

ALTERATION & ADDITION TO:
PruittHealth Savannah
12825 WHITE BLUFF ROAD
SAVANNAH, GA 31419

Project Reference Numbers
Architect's Project No. 180017

Drawn By: NK/WMB

REVISIONS

DATES	
PHASE	ISSUED
PERMIT SET	04/12/2019

AREA A
ROOF PLAN

SHEET NUMBER



AREA A
roof plan
SCALE: 1/8"= 1'-0"

01 A11.1

