





Plotted By: Anderson, Sarah - Sheet Set: 147654001 - Seminole Public Storage - Layout: C-101 - MISCELLANEOUS DETAILS - 147654001 - June 11, 2020 06:28:03.m - k:\VBR_LDEV\147654001 - Public Storage - Seminole County\CAD\PlanSheets\C-100 OVERALL SITE PLAN - 147654001.dwg
 This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Review of and approval of this document without written authorization and adaptation by Kimley-Horn and Associates, Inc. shall be without liability to Kimley-Horn and Associates, Inc.



- NOTES:
1. ALL SIGNS SHALL CONFORM WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND LOCAL CODE FOR COLOR, SIZE, REFLECTIVITY, AND HEIGHT.
 2. SIGNS TO BE PLACED AS SHOWN ON THE PLANS.
 3. FOR SIGNS NOT PROTECTED BY A STANDARD PARKING BUMPER OR BEHIND THE CURB PLACE STEEL POLE IN BOLLARD PER THE HANDICAP PARKING SIGN DETAIL.



- NOTES:
1. CONTRACTOR TO PROVIDE SIGNED AND SEALED FOUNDATION AND WALL SHOP DRAWINGS FOR SUBMISSION TO AHJ PRIOR TO ORDERING MATERIAL.
 2. FINISH TO BE STUCCO AND PAINTED TO MATCH EXISTING PRIMARY WALL COLOR.
 3. CONTRACTOR TO PROVIDE GEOTECHNICAL REPORT AND ALL MANUFACTURER FOR PREPARATION OF FOUNDATION DESIGN AT COLUMNS.
 4. ALL CONCRETE TO BE 3000 PSI FOR PROPOSED SETTINGS AT COLUMNS.
 5. MASONRY FENCE TO BE 6' TALL MEASURED FROM GRADE TO TOP OF WALL/FENCE PANELS.
 6. MANUFACTURER TO PROVIDE COLUMN-FIT DETAIL.
 7. WIND LOAD DESIGN SHALL CONFORM TO 2014 IBC SECTION 1807.10, FOR WIND LOAD OF 170 MPH-3 SECOND GUST, EXPOSURE "C", ASD DESIGN.







TABLE OF SIDEWALK JOINTS	
TYPE	LOCATION
'A'	100' MAX. SPACING, P.C./P.T. OF CURVES, JUNCTION OF EXISTING AND NEW SIDEWALKS.
'B'	5'-0" CENTER TO CENTER
'C'	WHERE SIDEWALK ABUTS CONCRETE CURBS, DRIVEWAYS AND SIMILAR STRUCTURES.






TABLE OF SIDEWALK THICKNESS	
LOCATION	T"
PEDESTRIAN ONLY AREAS	4"
DRIVEWAYS AND OTHER TRAFFIC AREAS	6"

NOTE: ALL SIDEWALK STREET CROSSINGS MUST MEET THE REQUIREMENTS OF THE AMERICAN DISABILITIES ACT (ADA) COMPLIANCE GUIDE. TRANSITIONS FROM RAMPS TO WALKS, GUTTERS, OR STREETS SHALL BE FLUSH AND FREE OF ABRUPT CHANGES.



Order Plans @

WWW.LDINING.COM



Kimley»Horn							
© 2020 KIMLEY-HORN AND ASSOCIATES, INC. 445 24TH STREET, SUITE 200, VERO BEACH, FL 32960 PH: 772-794-4100 WWW.KIMLEY-HORN.COM CA 0000066							
LICENSED PROFESSIONAL		CHRISTOPHER J. HOLLEN, P.E.					
KHA PROJECT		147654001					
DATE		10/22/19					
SCALE		AS SHOWN					
DESIGNED BY		DFD					
DRAWN BY		DFD					
CHECKED BY		CJH					
FLORIDA LICENSE NUMBER		74685					
MISCELLANEOUS DETAILS							
PUBLIC STORAGE APOPKA		FLORIDA					
2431 S. ORANGE BLOSSOM TRAIL		Public Storage					
SEMINOLE COUNTY		SHEET NUMBER					
C-101		DATE					