

GENERAL NOTES:

- 1. CONCRETE FOUNDATIONS AND FLOOR SLAB ARE TO BE SUPPLIED AND INSTALLED BY OTHERS... WEDGE ANCHORS FOR INTERIOR AND EXTERIOR FOOTINGS SUPPLIED AND INSTALLED BY BETCO.

REINFORCING STEEL:

- 1. REINFORCING STEEL SHALL BE NEW BILLET STEEL, DEFORMED BARS CONFORMING TO ASTM A-63, GRADE 60 (Fy=60,000 PSI).

FOUNDATIONS:

- 1. THE FOUNDATION DESIGN IS BASED ON AN ALLOWABLE SOIL BEARING PRESSURE OF 2000 PSF PER THE SOILS REPORT BY GILES ENGINEERING ASSOCIATES, INC. DATED DECEMBER 6, 2018.

CONSTRUCTION AND SAFETY:

- 1. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR ALL SAFETY REGULATIONS, PROGRAMS AND PRECAUTIONS RELATED TO ALL WORK ON THIS PROJECT.

CONCRETE:

- 1. SUBMIT WRITTEN REPORTS OF EACH PROPOSED CONCRETE DESIGN MIX NOT LESS THAN 15 DAYS PRIOR TO THE START OF WORK.

STRUCTURAL STEEL:

- 1. ALL STRUCTURAL STEEL SHALL CONFORM TO THE FOLLOWING: WIDE FLANGE SHAPES ASTM A992, 50-65 KSI

Professional Engineer Seal for Reed N. Self, No. 59926, State of Florida, License No. 12099/2020. Includes a table for Revisions and a signature line.

BETCO logo and address: 228 COMMERCE BLVD. STATESVILLE, NC 28625 (800)654-7813

Project Information: PROJECT NAME: PUBLIC STORAGE - PS#28091, PROJECT ADDRESS: APOPKA, FLORIDA, OWNER: JANUS INTERNATIONAL, SHEET TITLE: BUILDING NOTES, PROJECT NO.: FL20057, DRAWING NUMBER: CS2 of 2