

EXPLANATION FOR REUSE
 THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF SGA DESIGN GROUP, P.C. AND ARE TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OF THIS DRAWING FOR ANY OTHER PROJECT WITHOUT THE WRITTEN CONSENT OF SGA DESIGN GROUP IS STRICTLY PROHIBITED. THIS DRAWING SHALL NOT BE CONSIDERED FINAL OR VALID UNLESS IT IS SIGNED AND SEALED BY THE PROFESSIONAL ENGINEER OF RECORD.

CONSULTANTS

Walmart
 LELAND, NC
 1112 NEW POINT BOULEVARD
 STORE NO. 4273-26
 19566015 - PHOTO
 2020 SPRB

ISSUE BLOCK

CHECKED BY: RO/AVT
 DRAWN BY: MS
 PROTO CYCLE: 02/28/20
 DOCUMENT DATE: 04/08/20

THE REQUIRED COPY OF THIS DRAWING IS TO BE KEPT AT THE OFFICE OF THE DESIGNER OR HIS EMPLOYEE. THIS DRAWING IS TO BE KEPT FOR THE PURPOSE OF PROVIDING COORDINATION AND ASSESSING RISKY MANAGEMENT. THIS DRAWING SHALL NOT BE CONSIDERED FINAL OR VALID UNLESS IT IS SIGNED AND SEALED BY THE PROFESSIONAL ENGINEER OF RECORD.

PARTIAL LIFE SAFETY PLAN

SHEET: LS1

WWW.LDILine.com

Order Plans @

EGRESS ANALYSIS

GATE A	1,000 OCCUPANTS
GATE B	1,000 OCCUPANTS PROPOSED
VESTIBULE-GM	1,653 OCCUPANTS
VESTIBULE-GR	1,653 OCCUPANTS
CORRIDOR	440 OCCUPANTS

GATE B
 1507.15 = 1,000 OCCUPANTS
 ENTRY GATES FREE-WHEEL IN EVENT OF ALARM BEING SET OFF DURING POWER FAILURE

GATE A
 1507.15 = 1,000 OCCUPANTS
 ENTRY GATES FREE-WHEEL IN EVENT OF ALARM BEING SET OFF DURING POWER FAILURE

VESTIBULE-GR
 2487 EGRESS PROVIDED AT NARROWEST POINT.
 2487.15 = 1,653 OCCUPANTS

VESTIBULE-GM
 2487 EGRESS PROVIDED AT NARROWEST POINT.
 2487.15 = 1,653 OCCUPANTS

ALL OCCUPANT EQUATIONS ROUNDED DOWN TO THE NEXT WHOLE PERSON

CORRIDOR
 867 EGRESS PROVIDED AT NARROWEST POINT.
 867.15 = 440 OCCUPANTS