

**MTL STUD WELDING NOTE:**  
 WELD TRUSS w/ 3/32" OR 1/8" A55 TYPE  
 6023 OR 1014 ROD WITH A WELDING HEAT  
 OF 60° TO APPROPRIATE DEPENDING ON  
 GAGE OF MATERIAL AND FIT.

COORDINATE ALL OFFSET HEIGHTS  
 AND SECTIONS w/ ARCH

COORDINATE ALL DIMENSIONS w/  
 ARCHITECTURAL DRAWINGS

SEE ARCH FOR SHEATHING

**METAL STUD FASTENING NOTES:**  
 (UNQ)

- METAL STUDS SHALL BE CONNECTED TO STRUCTURAL STEEL w/ (2) Ø11" x FDE's
- METAL STUDS SHALL BE CONNECTED TO METAL STUDS / CLIP ANGLES w/ 7/8" (2) NO. 3-14 SCREWS
- CONTINUOUS TRACK SHALL BE CONNECTED TO STRUCTURAL STEEL w/ (2) Ø11" x FDE's AT 24" O.C.
- CONTINUOUS TRACK / STUDS SHALL BE CONNECTED TO CMU w/ (2) 1/4" x TAPCONS AT 24" O.C.
- CONNECT SHEATHING TO METAL STUDS w/ NO. 10-14 SCREWS AT 6" O.C.
- 1/4 GA. CLIP ANGLE SHALL BE CONNECTED TO CMU w/ (2) 1/4" x TAPCONS

PUBLIC PROTOTYPE  
 BASIS OF DESIGN  
**20M**  
 EXPANDED  
 RECEIVED: 08/14/18

CORPORATE OFFICES, FACILITIES DESIGN  
 BOX 407, LAKELAND, FL 33802  
 (813) 690-1995

PHYSICAL ADDRESS:  
 3300 AIRPORT RD., LAKELAND, FL 33811

**Publix**  
 SUPER MARKETS

FISHER AND ASSOCIATES, LLC.  
 ARCHITECTS  
 PLANNERS  
 INTERIOR DESIGNERS

608 BELLEFRONTO CLEARWATER, FL 33764 727-464-6488

WALL SECTIONS  
 EAST COBB PUBLIX - #1745  
 EAST COBB CROSSING SHOPPING CENTER  
 ROSEMELL ROAD  
 MARIETTA, GA 30062

RELEASED FOR:  
 BID  
 PERMIT 07/16/20  
 CONSTR.

REVISIONS:


VAN GLADSTED  
 PE 2350

**S-3.1**

Issue Date: 04-01-20  
 Project No.: 20-133

