

NOTE:
G.C. SHALL FIELD VERIFY EXISTING GRADES ENSURE GRADING NOTED AT DOCK / PAD IS ACHIEVABLE PRIOR TO CONCRETE POUR. CONTACT ARCHITECT PRIOR TO STARTING WORK IF NOTED GRADING CANNOT BE ACHIEVED. RECEIVING PAD MUST HAVE MINIMUM 1% SLOPE AWAY FROM THE BUILDING.

NOTE:
NO COLD PATCH ASPHALT PERMITTED.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE DURING FIXTURE WEIGHING.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.


NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.

NOTE:
G.C. SHALL COORDINATE & PROVIDE PROPANE FORK LIFT FOR HFT USE THROUGHOUT THE CONSTRUCTION OF THIS PROJECT.



FLOOR PLAN NOTES

- REFER TO GENERAL NOTES ON SHEET A0.2 FOR ADDITIONAL INFORMATION.
- HFT GENERAL CONTRACTOR TO VISIT SITE AND VERIFY EXISTING CONDITIONS PRIOR TO SUBMITTING PROPOSALS AND COMMENCING WORK.
- HFT GENERAL CONTRACTOR IS TO PROVIDE FULL TIME SUPERVISION OF PROJECT. NOTIFY HFT PROJECT MANAGER OF TYPICAL WORK HOURS.
- HFT GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATION AND TIMING OF ALL HFT VENDOR INSTALLATIONS. COORDINATE WITH HFT PROJECT MANAGER FOR LIST AND MILESTONE TIMING.
- HFT GENERAL CONTRACTOR IS RESPONSIBLE FOR UNLOADING AND HANDLING ALL OWNER SUPPLIED MATERIAL AND SPECIFICALLY ALL PACKING MATERIALS AT THE JOB SITE.
- HFT GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR QUALITY AND FIT OF ALL MATERIALS, INCLUDING, BUT NOT LIMITED TO, ALL REFURBISHED MATERIALS. ALL REFURBISHED MATERIALS TO APPEAR NEW.
- HFT GENERAL CONTRACTOR TO COORDINATE WITH HFT'S FIXTURE MANUFACTURE TO ENSURE FINISHES TO MATCH.
- IF THE CONTRACTOR CONSIDERS ANY SURFACE UNSUITABLE FOR A PROPER FINISH, HE SHALL NOTIFY HFT AND ARCHITECT OF THE CONDITION AND NOT COMMENCE WORK UNTIL DIRECTED BY HFT OR ARCHITECT.
- HFT GENERAL CONTRACTOR TO NOTIFY OWNER OF ANY DAMAGES/ SHORTAGES WITHIN 48 HOURS OF RECEIPT OR BEAR RESPONSIBILITY FOR REPLACEMENT OF SUCH.
- ALL WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH THE FINISHED INSTALLATION SPECIFICATIONS AND PROCEDURES OF THE MANUFACTURER OF THE MATERIAL USED.
- PROTECT OTHER WORK AND MERCHANDISE AS REQUIRED TO PREVENT DAMAGE.
- PROVIDE A CLEAN SMOOTH CONCRETE SURFACE FOR PROPER INSTALLATION OF ALL FLOOR FINISHES.
- APPLICATIONS OF PAINT SHALL BE ONE COAT PRIMER AND TWO TOPS PART "N.D.". PRIMER SHALL BE SPECIFIED OR RECOMMENDED BY PAINT MANUFACTURER. THE TYPE TO BE USED AS RECOMMENDED BY WALL COVERING MANUFACTURER. THE TYPE OF INSTALLATION.
- GENERAL CONTRACTOR SHALL BE RESPONSIBLE TO INSPECT ALL WALL COVERING FOR QUALITY AND DEFECTS PRIOR TO INSTALLATION.
- ALL SURFACES TO RECEIVE FINISHES OR WALL COVERINGS AS SELECTED SHALL BE PROPERLY PREPARED AND SIZED AS RECOMMENDED BY WALL COVERING MANUFACTURER FOR THE TYPE OF INSTALLATION TO BE SUPPLIED BY HFT GENERAL CONTRACTOR. THE TYPE TO BE USED AS RECOMMENDED BY WALL COVERING MANUFACTURER. THE TYPE OF INSTALLATION.
- HFT GENERAL CONTRACTOR IS RESPONSIBLE FOR INSTALLATION OF BLOCKING FOR ALL WALL AND CEILING SUPPORTED ITEMS IN STORE. REVIEW ITEMS THOROUGHLY. COORDINATE WITH VENDOR AS NECESSARY.
- HFT GENERAL CONTRACTOR TO ENSURE TIGHT, SECURE, AND PROPER FASTENING OF ALL STANDARDS TO MET STUDS.
- ALL DIMENSIONS ARE FROM FACE OF GYP. BD. U.N.O.
- ALL INTERIOR DOORS ARE 6" OFF WALL U.N.O.
- EXPOSED WALLS TO UNDERSIDE OF STRUCTURE SHALL BE BUILT TIGHTLY AROUND STRUCTURE, PIPING, ETC.

300 SERIES FLOOR PLAN KEY NOTES

- AUTOMATIC BI-PARTING DOOR PACKAGE. SEE SHEETS A5.0 AND A5.1 FOR ADDITIONAL INFORMATION.
- CONCRETE PAD WITH LOADING ZONE STRIPING. SEE SHEET A5.0 AND CIVIL DRAWINGS FOR ADDITIONAL INFORMATION.
- STRUCTURAL CROSS BRACING. SEE P.E.M.B. DRAWINGS FOR ADDITIONAL INFORMATION. CROSS BRACING TO BE INSET WITHIN GIRTS FOR HFT FIXTURE INSTALLATION.
- ELECTRICAL PANELS AND EQUIPMENT. MAINTAIN A 3'-0" CLEARANCE IN FRONT OF ELECTRICAL EQUIPMENT - REFER TO ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 4'-0" X 8'-0" FIRE RATED GLASS BLOCK TO HOUSE ALL ELECTRICAL AND OWNER'S EQUIPMENT - REFER TO ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 4'-0" WIDE X 3'-0" HIGH ONE WAY GLASS W/ 2" H.M. FRAME CENTERED IN WALL FACING CASH WRAP AREA. BTM. OF WINDOW TO BE @ 40" A.F.F. SEE A5.0 FOR ADDITIONAL INFORMATION.
- SEE FIXTURE PLAN ON A1.2 FOR FIXTURE LAYOUT & ADDITIONAL NOTES.
- SEE FINISH PLAN ON A1.3 FOR ALL FLOOR, WALL AND CEILING FINISHES.
- CONCRETE SLAB: ENSURE A SMOOTH AND LEVEL SLAB. PREPARE SLAB TO RECEIVE FINISHES. SEE SHEET A0.3 AND STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
- 6"Ø STEEL PIPE BOLLARD. SEE DETAIL 304.1 FOR ADDITIONAL INFORMATION.
- 8"Ø STEEL PIPE BOLLARD. SEE DETAIL 304.1 FOR ADDITIONAL INFORMATION.
- 6"Ø BOLT DOWN BOLLARD PROVIDED BY HFT. SEE SHEET A1.12 FOR ADDITIONAL INFORMATION.
- ACCESS LADDER AND ROOF HATCH ABOVE. LOCKING GUARD BY O'KEEFES. SEE P.E.M.B. DRAWINGS FOR ADDITIONAL INFORMATION.
- OVERHEAD DOOR. SEE P.E.M.B. AND STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION.
- HOLLOW METAL MAN DOOR AND FRAME. SEE SHEET A5.0 FOR ADDITIONAL INFORMATION.
- LINE OF CANOPY ABOVE. SEE SHEETS A2.0 AND A3.0 FOR ADDITIONAL INFORMATION.
- CONCRETE SIDEWALK. SEE CIVIL DRAWINGS FOR ADDITIONAL INFORMATION.
- FROST SLAB @ CENTER LINE OF DOOR. AS REQUIRED. SEE CIVIL DRAWINGS FOR ADDITIONAL INFORMATION.
- ACCESSIBLE CONCRETE ENTRY WALK. SEE CIVIL DRAWINGS FOR ADDITIONAL INFORMATION.
- APPROXIMATE LOCATION OF GAS METER AND EQUIPMENT. SEE CIVIL AND MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- APPROXIMATE LOCATION OF WATER MAIN. SEE CIVIL AND PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- APPROXIMATE LOCATION OF ELECTRICAL EQUIPMENT. MAINTAIN A 3'-0" CLEARANCE IN FRONT OF ELECTRICAL EQUIPMENT. SEE CIVIL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- FIRE RISER. SEE CIVIL AND PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION.
- STEEL COLUMNS ALONG PERIMETER OF BUILDING. TO BE FLUSH WITH GIRTS FROM FINISH FLOOR TO 8'-6" A.F.F. SEE SHEET A3.1 AND P.E.M.B. DRAWINGS FOR ADDITIONAL INFORMATION. STEEL STRUCTURE TO BE PRIME GRAY PER SCHEDULE ON SHEET A1.3.
- G.C. TO PROVIDE 3-5/8" 20 GA. METAL STUDS AT 16" O.C. BETWEEN GIRTS FROM SLAB TO UNDERSIDE OF DECK AT DIMENSIONS INDICATED. PROVIDE (1) LAYER OF 5/8" GYP. BOARD WITH CONTROL JOINTS AT 30'-0" O.C. MAX. SEE SHEET A1.3 AND DETAIL 304.1 FOR ADDITIONAL INFORMATION.
- STEEL COLUMN. P.E.M.B. DRAWINGS FOR ADDITIONAL INFORMATION. PRIME GRAY PER SCHEDULE ON SHEET A1.3.


WALL LEGEND

SYMBOL	DESCRIPTION
[Symbol]	PREFABRICATED METAL BUILDING EXTERIOR WALLS.
[Symbol]	SEE WALL TYPES, SHEET A4.1, FOR ADDITIONAL INFORMATION.
[Symbol]	WALL TYPE DESIGNATION. SEE SHEET A4.1 FOR ADDITIONAL INFORMATION.

NOTE:
1. ALL WALLS BRACED TO STRUCTURE ABOVE @ 4'-0" O.C. MAX.
2. ALL WALLS TO BE PAINTED TO 6" ABOVE CEILING, TO UNDERSIDE OF DECK (IF CEILING IS OPEN TO STRUCTURE), AND BEHIND ALL WALL FIXTURES BY CONTRACTOR.

CONCRETE SALES FLOOR PRE-INSTALLATION CONFERENCE:
AT LEAST 21 DAYS PRIOR TO THE START OF THE CONCRETE SLAB CONSTRUCTION, THE GENERAL CONTRACTOR SHALL CONDUCT A MEETING TO REVIEW THE PROPOSED CONCRETE MIX DESIGNS AND DISCUSS THE REQUIRED METHODS AND PROCEDURES TO ACHIEVE THE REQUIREMENTS OF THIS SPECIFICATION. THE GENERAL CONTRACTOR SHALL SEND A PRE-CONCRETE CONFERENCE AGENDA TO ALL ATTENDEES 10 DAYS PRIOR TO THE SCHEDULED DATE OF THE CONFERENCE. GO TO CONTACT PHILIP BRANDT, EUGLIO CHEMICAL (877) 438-2826 / philip@eugliochemical.com TO SCHEDULE THE MEETING. SEE BID DOCUMENTS FOR FURTHER INFORMATION.

FLOOR PLAN
SCALE 1/8" = 1'-0"



ARCHITECTS, INC.
17710 Detroit Avenue Lakewood, Ohio 44107
Phone (216) 321-5134 Fax (216) 521-14824
www.aiaarchitects.com

HARBOR FREIGHT TOOLS

705 WYATT ROAD NORTHWEST
CLEVELAND, TN 37312

DO NOT SCALE THESE DRAWINGS

#	DATE	TYPE	BULLETIN #
1	07/22/20		
2			
3			
4			
5			
6			
7			
8			
9			
10			

FLOOR PLAN

DATE 06/02/20
JOB NO. 19155

A1.1

SHEET NO.