


TRAP PRIMER DETAIL




PRESSURE REDUCING STATION DETAIL
NOT TO SCALE

PLUMBING FIXTURE SCHEDULE									
MARK	FIXTURE	S	W	V	OV	HW	REMARKS	MFR.	MODEL
P1	WATER CLOSET, FLUSH TANK, ADA	4"		2"	1/2"		SPHON JET, FLOOR MTD. SUPPLY: SEAT:	KOHLER McGURE OLENITE	K-3439 169 9566-86
P2	LAVATORY, ADA FAUCET W/ 05 GPM AERATOR		H/4"	2"	1/2"	1/2"	WALL MOUNTED FAUCET: STOPS: P-TRAP: DRAIN: ADA TRIM INSULATION	KOHLER McGURE McGURE KOHLEK OFFSET GRID EDC	K-2005 K-15999-5 2165 2072 K-12065 K & W7
P3	SINGLE COMPARTMENT SINK		H/4"	2"	1/2"	1/2"	COUNTER MOUNTED FAUCET: SUPPLIES: P-TRAP: DRAIN:	JUST KOHLEK McGURE McGURE JUST	SL-1921-A-ER K-15010-A 2165 2072 K-12065
P4	DOUBLE COMPARTMENT SINK		H/4"	2"	1/2"	1/2"	COUNTER MOUNTED FAUCET: SUPPLIES: P-TRAP: DRAIN:	JUST KOHLEK McGURE McGURE JUST	SL-1921-A-G K-15010-A 2165 2072 K-12065

WATER HEATER SCHEDULE						
HEATER NO.	TYPE	STORAGE CAPACITY (GAL.)	INPUT	RECOVERY RISE (GPH)	LOCATION	REMARKS
WH-1	ELECTRIC	-	120V	40 F.G.D.	AS SHOWN	SEE NOTE 1
WH-2	ELECTRIC	10	240V	80 F.G.D.	AS SHOWN	SEE NOTE 2

- 1. CHROMIUM 5-70.
- 2. A. O. SUPER DENT.



2 WASTE & VENT RISER DIAGRAM
P-2.0 SCALE: NONE

Order Plans @ www.LDOnline.com



ARCHITECTURE
ENGINEERING

3680 Pleasant Hill Road
Suite 200
Duluth, Georgia 30096
p 770.622.9858
f 770.622.9535
www.hillfoleyrossi.com

Sealed: 06-12-2020



Suite 101 - Village Podiatry Centers
Sugar Hill Professional Park,
4749 Nelson Brogdon Blvd., Bldg. 300 Suite 101
Sugar Hill, GA, 30518
Owner:
DR. CLIFF JOHNSON
Phone: 678-643-1742

NOT ISSUED FOR
CONSTRUCTION

ISSUED / REVISIONS:

DATE DESCRIPTION:

DETAILS &
SCHEDULES

P201

HFR 20-164.00

GRANADE ENGINEERING GROUP, LLC
Consulting Engineers
12345 Greenmont Walk • Alpharetta, Georgia 30009
Phone: 678-520-8663 GEG #20117