



Order Plans @

**WATER AND SEWER CONSTRUCTION NOTES:**

- CONTRACTOR SHALL VERIFY LOCATIONS, INVERT ELEVATIONS, AND SIZES OF ALL UTILITY MAINS AND LINES PRIOR TO INSTALLATION OF UTILITY MAINS.
- ALL WATER MAIN & SANITARY SEWER CONSTRUCTION AND INSTALLATION SHALL BE IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, AND THE CITY OF McDONOUGH PUBLIC WORKS DEPARTMENT STANDARDS AND SPECIFICATIONS.
- THE CONTRACTOR SHALL NOTIFY THE CITY OF McDONOUGH PUBLIC WORKS DEPARTMENT 24 HOURS PRIOR TO CONSTRUCTION (770-898-3566).
- WATER MAINS MATERIALS SHALL BE IN ACCORDANCE WITH THE FOLLOWING:  
 4" - 6" DUCTILE IRON - PRESSURE CLASS 350  
 2" - 3" TYPE K COPPER  
 SANITARY SEWER MAIN AND LATERALS:  
 DUCTILE IRON PRESSURE CLASS 350
- FIRE HYDRANTS CITY OF McDONOUGH STANDARD.
- PORTABLE WATER MAINS SHALL BEAR THE NATIONAL SANITATION FOUNDATION SEAL OF APPROVAL.
- CONTRACTOR SHALL FURNISH AND INSTALL ALL ITEMS NECESSARY TO COMPLETE THE WATER SERVICE AND SEWER SYSTEMS AS REQUIRED BY THE PLANS AND SPECIFICATIONS. CONTRACTOR SHALL PAY ALL COSTS FOR WATER CONNECTIONS AND WATER METER. COORDINATE CONNECTION TO EXISTING MAINS WITH CITY OF McDONOUGH PUBLIC WORKS DEPARTMENT (770-898-3566).

GRAPHIC SCALE IN FEET

REVISIONS/ISSUANCES	
NO.	DATE DESCRIPTION

**GEORGIA**  
Professional Corporation  
Call before you dig

**KEYPLAN**

**CARTER**  
Engineering Group  
6310 Peachtree Road, Suite 200  
Atlanta, GA 30324  
(404) 219-2600

**STATE OF GEORGIA**  
REGISTERED PROFESSIONAL ENGINEER  
DESIGN PROFESSIONAL #2061  
ISSUED 11/2017 EXPIRES 11/2020

**STATE OF GEORGIA**  
REGISTERED ARCHITECT

**Manley Spangler Smith Architects**  
A Professional Corporation

525 East Taylor St.  
P.O. Box 880  
Coffey, Georgia 30224  
Office 770.277.5473  
Fax 770.228.3442

PROJECT:  
**HENRY COUNTY SCHOOLS - DISTRIBUTION CENTER**

CLIENT:  
**HENRY COUNTY BOARD OF EDUCATION**

SHEET TITLE:  
**SITE WATER AND SANITARY SEWER PLAN SECTOR 2**

© 2020 Manley Spangler Smith Architects, PC  
PROJECT NUMBER: 201627  
DATE: 08.13.20  
SCALE: 1" = 20'  
DRAWN BY: BCS  
CHECKED BY: DLC

SHEET NO.: **C5.2**