




STUD SIZE	SA4	SA6	SA8	-	-
ACTUAL DIMENS ON 'X'	3 5/8"	6	8	-	-
FIRE RATING	1-HR (UL #K419)	1-HR (UL #K419)	1-HR (UL #K419)	-	-
ACOUSTICAL RATING (W/ BATTS)	50 STC (SA-870717)	49 STC (SA-870717)	49 STC (SA-870717)	-	-



STUD SIZE	SE4	-	-	-	-
ACTUAL DIMENS ON 'X'	6 1/8"	-	-	-	-
FIRE RATING	2-HR (UL #K419)	-	-	-	-
ACOUSTICAL RATING (W/ BATTS)	58 STC (USG-840818)	-	-	-	-



STUD SIZE	SC2	SC4	SC6	SC8	-
ACTUAL DIMENSION 'X'	2 1/4"	4 1/4"	6 5/8"	8 5/8"	-
FIRE RATING	-	-	-	-	-
ACOUSTICAL RATING (W/ BATTS)	-	-	-	-	-



STUD SIZE	SC7/8	-	-	-	-
ACTUAL DIMENSION 'X'	1 1/2"	-	-	-	-
FIRE RATING	-	-	-	-	-
ACOUSTICAL RATING (W/ BATTS)	-	-	-	-	-


GENERAL PARTITION NOTES

1. PLAN DIMENSIONS ARE FACE OF STUD, CMJ OR FINISH FACE OF EXISTING WALL CONSTRUCTION UNLESS SPECIFICALLY NOTED OTHERWISE.
2. GYPSUM WALL BOARD LAYERS ON RATED WALLS SHALL BE CONTINUOUS THROUGH ALL INTERSECTIONS WITH NON-RATED WALLS. REFER TO FIRE WALL PRIORITY DIAGRAM.
3. REFERENCE ALL FLOOR PLANS AND LIFE SAFETY PLANS FOR RATED WALL LOCATIONS AND RATINGS.
4. PROVIDE TYPE A MOLD AND MOISTURE RESISTANT GYPSUM BOARD IN ALL TOILET AND JANITOR ROOMS. *Architect's note: verify with specs & edit as required for specific project.
5. PROVIDE CEMENT BOARD IN ALL WET SHOWER AREA WALLS WITH TILE FINISH. *Architect's note: verify with specs & edit as required for specific project.
6. PROVIDE IMPACT RESISTANT GYPSUM BOARD UP TO 4'-0" IN ALL LOBBIES, CORRIDORS, & STAIRWELLS. *Architect's note: verify with specs & edit as required for specific project.
7. AT ALL UL-RATED WALLS THAT EXTEND TO THE STRUCTURE ABOVE, FILL VOIDS SOLID WITH MINERAL WOOL INSULATION WHERE WALL IS FRAMED AROUND BEAMS, BR. JOISTS, SLABS, AND ROOF DECK. MAINTAIN SCHEDULED SOUND RATINGS. AT ALL SOUND RATED WALLS PROVIDE FLEXIBLE SEALANT OR AN ACOUSTICAL GASKET BETWEEN THE STC-RATED SYSTEM AND ALL SIMILAR SURFACES (E. PENETRATING) AND ALSO BETWEEN THE SYSTEM AND SIMILAR SURFACES WHERE PERIMETER RELIEF IS REQUIRED. ALL OPENINGS THROUGH THE SYSTEM AND ITS ENTIRE PERIMETER SHALL BE SEALED AIRTIGHT TYPING GYPSUM BOARD WALL AND WALL-CELING INTERSECTIONS PROVIDES AN ADEQUATE AIR SEAL AT THESE LOCATIONS.
8. AT ALL JOINTS AT TOP OF ALL FIRE RATED PARTITIONS, PROVIDE A UL LISTED FIRE RESISTIVE JOINT SYSTEM TO MATCH FIRE RESISTIBLE ASSEMBLY AND THAT IS ALSO COMPATIBLE WITH JOINT FINISHES. DO NOT COMPLETE JOINT SYSTEM PRODUCT INFORMATION TO NEW SYSTEMS.
9. PROVIDE CONTINUOUS ICE AND WATER SHEETING BETWEEN ALL STUD TO CONCRETE OR DECK AT TOP AND BOTTOM OF ALL WALLS WHERE CONDITIONS SPACES EXIST ABOVE OR BELOW. ALL WALLS SHALL BE CONNECTED TO THE STRUCTURE ABOVE. *Architect's note: verify with specs & edit as required for specific project.
10. ANY PORTION OF GYPSUM BOARD THAT BELIEVES WEAKENS STRUCTURE OR SHOWS SIGNS OF MOISTURE DAMAGE, ROT, OR OTHER DETERIORATION IS TO BE REMOVED IMMEDIATELY AND REPLACED WITH NEW GYPSUM BOARD.
11. MANY INTERIOR PARTITIONS HAVE FINISHES, SUCH AS WALL TILES OR WOOD FINISHING. SEE FINISH SCHEDULE AND DETAIL SHEETS FOR ADDITIONAL INFORMATION.
12. ALL CONCRETE BLOCK (IN FIRE RATED WALLS) MUST BEAR THE UL CLASSIFICATION GENERAL CONSTRUCTION. WALL VERIFY SPACING AND GAUGE OF INTERIOR STUDS, LIMITING HEIGHTS AND ALLOWABLE DEFLECTION FOR SPECIFIC APPLICATIONS BASED ON MANUFACTURER'S REQUIREMENTS. AT A MINIMUM STUDS SHALL BE 20 GAUGE GREATER.
13. GENERAL CONTRACTOR SHALL COORDINATE ROOF DRAIN LINE LOCATIONS WITH INSULATION.
14. SOUND ATTENUATION BLANKET IS REQUIRED AT ALL INTERIOR PARTITIONS AND SHALL RUN FULL HEIGHT OF PARTITION UNLESS NOTED OTHERWISE. SOUND ATTENUATION BATT SHALL BE MADE OF MINERAL WOOL OR OTHER APPROVED MATERIAL.
15. IT IS NOT THE INTENT OF THE DOCUMENTS TO IDENTIFY EACH INDIVIDUAL WALL WITH A WALL TAG. MINOR WALLS OR OTHER WALLS NOT TAGGED WILL BE OF THE SAME WALL TYPE AS ADJACENT WALLS.
16. GENERAL CONTRACTOR IS TO COORDINATE AND PROVIDE ALL REQUIRED BLOCKING WITHIN THE WALLS. THIS INCLUDES BUT IS NOT LIMITED TO ALL MILLWORK, CASEWORK, GRAB BARS, LOCK MONITORS, AND TOILET PARTITIONS.
17. GYPSUM BOARD ON WALLS SHALL BE APPLIED WITH A MINIMUM 1/4" GAP BETWEEN THE GYPSUM BOARD AND THE FLOOR AND SHALL NOT BE APPLIED OVER OTHER BUILDING MATERIALS WHERE CONDITIONS EXIST THAT ARE FAVORABLE TO MOLD GROWTH.


CONTROL JOINT NOTES

- CMJ:**
1. LOCATE CMJ CONTROL JOINTS AS FOLLOWS:
 - A. ON ONE SIDE OF ALL WALL OPENINGS SMALLER THAN 6'-0" IN WIDTH (1'-4" FROM ROUGH OPENING)
 - B. ON BOTH SIDES OF ALL WALL OPENINGS LARGER THAN 6'-0" IN WIDTH (1'-4" FROM ROUGH OPENING)
 - C. SO THAT NO SINGLE LENGTH IS GREATER THAN 30'-0"
 - D. NO CLOSER THAN 4'-0" AND NO FARTHER THAN 10'-0" FROM CORNERS.
 - E. WHEREVER ABRUPT CHANGES IN WALL HEIGHTS OR THICKNESS OCCUR.
 - F. ADDITIONAL LOCATIONS WHERE ADVISED BY MASONRY CONTRACTOR.
 2. MASONRY CONTRACTOR TO VERIFY LOCATION OF ALL CONTROL JOINTS WITH ARCHITECT PRIOR TO START OF CONSTRUCTION.
- GYPSUM BOARD:**
1. PROVIDE CONTROL JOINTS IN WIDTHS NO GREATER THAN 20'-0" BUT NO LESS THAN 16'-0". INSTALL CONTROL JOINTS ACCORDING TO ASTM C 840 AND IN SPECIFIC LOCATIONS APPROVED BY ARCHITECT FOR VISUAL EFFECT. SUBMIT CONTROL JOINT LOCATION PLAN TO ARCHITECT FOR REVIEW PRIOR TO INSTALLATION.

WALL TAG LEGEND



- WALL FRAMING PRIORITY:**
- PARTITIONS SHALL BE PRIORITIZED BASED ON FIRE AND SMOKE RATING. PARTITIONS SHALL BE CONSTRUCTED SUCH THAT HIGHER PRIORITY IS FRAMED BEFORE LOWER PRIORITY. LOWER PRIORITY PARTITIONS SHALL BE FRAMED TIGHT TO BUT NOT INTERRUPT HIGHER PRIORITY CONSTRUCTION (SEE THE EXAMPLE BELOW).
- | 2 HOUR FIRE RATED WITH SMOKE BARRIER | PRIORITY 1 (HIGHEST) |
|--------------------------------------|----------------------|
| 2 HOUR FIRE RATED | PRIORITY 2 |
| 1 HOUR FIRE RATED WITH SMOKE BARRIER | PRIORITY 3 |
| 1 HOUR FIRE RATED | PRIORITY 4 |
| NONE RATED | PRIORITY 5 (LOWEST) |



AIKEN COUNTY
 AIKEN PUBLIC LIBRARY & NORTH WING
 RENOVATION
 314 CHESTERFIELD ST. S. AIKEN, SC

SHEET ISSUE

NO.	DATE	DESCRIPTION	BY
A	01/27/2020	3D PRICING SET	
B	03/05/2020	DO SET	
D	04/10/2020	PERMIT SET	
E	07/02/2020	ISSUED FOR BIDS	

ISSUED FOR BIDS 07/02/2020

PRINCIPAL IN CHARGE: DRM
 PROJECT ARCHITECT: TA
 DRAWN BY: JTP

SHEET TITLE:
**PARTITION TYPES -
 METAL STUD**

SHEET NO. PROJ. NO.
 A002 018477.01

Order Plans @ www.LDILine.com