



FOR SITE ACCESSIBILITY PLAN

REVISED JULY 28, 2016

SITE LEGEND

- ACCESSIBLE AREAS BELOW SEE REQUIREMENTS BELOW
- PROJECT BOUNDARY
- CW** CROSSWALK TO MEET ADA SPECIFICATIONS AND FDOT INDEX 304 AND 1734B. MAX CROSS SLOPE 2%. SEE REQUIREMENTS BELOW.
- SWR** RAMPS TO MEET ADA SPECIFICATIONS, FDOT INDEX 304 & FLORIDA ACCESSIBILITY CODE 4.1.2 (1). SEE REQUIREMENTS BELOW.

THIS DETAIL SHOULD BE REMOVED FROM SITE DETAILS AND PLACED ON THE SITE ACCESSIBILITY PLAN, SEE EXAMPLE FOR CREATING A SITE ACCESSIBILITY PLAN

ACCESSIBILITY REQUIREMENTS

1. GENERAL: ALL PEDESTRIANS USE AREAS (INCLUDING SIDEWALK AROUND BUILDINGS) TO MEET AMERICANS WITH DISABILITIES ACT AND FLORIDA ACCESSIBILITY CODE SPECIFICATIONS.
2. ACCESSIBLE ROUTES, AS REQUIRED BELOW, SHOULD MEET THE FOLLOWING:
 - a. MAXIMUM DESIGN CROSS SLOPE: 1:48 (2.08%)
 - b. MAXIMUM DESIGN LONGITUDINAL SLOPE: 1:20 (5%)
 - c. MINIMUM WIDTH: 36"
 - d. RAMP MAXIMUM RISE (NO RAIL): 6"
 - e. RAMP MAXIMUM SLOPE: 1:12
3. EMERGENCY EXITS: MINIMUM 60% OF EMERGENCY EXITS TO BE AN ACCESSIBLE ROUTE, AS DEFINED ABOVE, FROM BUILDING.
4. HANDICAP PARKING & LOADING:
 - a. TO FULL NUMBER OF SPACES: 50 SPACES
 - b. REQUIRED HANDICAP SPACES: 2 SPACES
 - c. PROVIDED HANDICAP SPACES: 2 SPACES
 - d. MINIMUM REQUIRED NUMBER OF SPACES PER FLORIDA ACCESSIBILITY CODE & AMERICANS WITH DISABILITIES ACT
 - e. MINIMUM DESIGN CROSS SLOPE: 1:48 (2.08%)
5. GAS PUMPS: AN ACCESSIBLE ROUTE, AS DEFINED ABOVE, IS REQUIRED FROM THE MAIN ENTRANCE TO THE NEAREST FUELING POSITION.
6. EMERGENCY STOPS: AN ACCESSIBLE ROUTE, AS DEFINED ABOVE, IS REQUIRED FROM THE BUILDING AND CANOPY TO THE NEAREST EMERGENCY STOP.
7. PEDESTRIAN CONNECTIONS TO PUBLIC TO BE AN ACCESSIBLE ROUTE, AS DEFINED ABOVE.
8. HANDICAP OUTDOOR DINING TABLE:
 - a. WHEELCHAIR DINING POSITION MAXIMUM DESIGN CROSS SLOPE: 1:48 (2.08%)
 - b. ACCESSIBLE ROUTES, AS DEFINED ABOVE, ARE REQUIRED FROM THE HANDICAP SPACE AND THE MAIN ENTRANCE TO THE WHEELCHAIR DINING POSITION
9. AIR PUMP:
 - a. 16'X20' ACCESSIBLE AREA REQUIRED ADJACENT TO AIR PUMP
 - b. ACCESSIBLE AREA MAXIMUM DESIGN CROSS SLOPE: 1:48 (2.08%)
 - c. AIR PUMP SHOULD BE WITHIN 10' OF AN ACCESSIBLE ROUTE, AS DEFINED ABOVE.
 - d. AIR PUMP MAXIMUM HEIGHT RELATIVE TO ACCESSIBLE ROUTE: 48"
10. DRIVEWAY CONNECTIONS ACROSS SIDEWALKS:
 - a. RAMPS TO MEET REQUIREMENTS, AS DESCRIBED ABOVE UNDER ACCESSIBLE ROUTES.
 - b. CROSSWALKS ACROSS DRIVEWAYS TO BE AN ACCESSIBLE ROUTE AS DESCRIBED ABOVE.

AS-BUILT CHECKLIST

- CONTRACTOR TO COMPLETE AND PROVIDE TO ENGINEER MINIMUM 10 DAYS PRIOR TO C.O.
- TO BE COMPLETED BY CONTRACTOR & PROVIDED TO ENGINEER PRIOR TO ENGINEER'S REVIEW
- NOT TO BE USED FOR ISSUES, DEFICIENCIES, ETC ADJACENT TO INITIAL BOXES.

	CONTRACTOR	ENGINEER
1. GENERAL	<input type="checkbox"/>	<input type="checkbox"/>
2. ACCESSIBLE ROUTES	<input type="checkbox"/>	<input type="checkbox"/>
3. EMERGENCY EXITS	<input type="checkbox"/>	<input type="checkbox"/>
4. HANDICAP PARKING & LOADING	<input type="checkbox"/>	<input type="checkbox"/>
5. GAS PUMPS	<input type="checkbox"/>	<input type="checkbox"/>
6. EMERGENCY STOPS	<input type="checkbox"/>	<input type="checkbox"/>
7. PEDESTRIAN CONNECTIONS TO PUBLIC	<input type="checkbox"/>	<input type="checkbox"/>
8. HANDICAP OUTDOOR DINING TABLE	<input type="checkbox"/>	<input type="checkbox"/>
9. AIR PUMP	<input type="checkbox"/>	<input type="checkbox"/>
10. DRIVEWAY CONNECTIONS ACROSS SIDEWALKS	<input type="checkbox"/>	<input type="checkbox"/>

CONTRACTOR CERTIFICATION:

I CERTIFY THAT THE ITEMS INITIALED ABOVE HAVE BEEN VERIFIED TO MEET THE REQUIREMENTS SPECIFIED ABOVE.

COMPANY NAME: _____
 NAME OF SIGNATOR: _____
 TITLE: _____
 SIGNATURE: _____
 DATE: _____

ENGINEER REVIEW:

DESIGN:
 THE ACCESSIBLE AREAS SHOWN ON THIS PLAN WERE DESIGNED TO MEET THE ACCESSIBILITY REQUIREMENTS SPECIFIED ABOVE.

AS BUILT:
 BASED ON REVIEW OF THE AS-BUILT SURVEY PROVIDED BY _____ DATED _____
 IT IS OUR OPINION THAT THE ITEMS INITIALED ABOVE MEET THE REQUIREMENTS SPECIFIED ABOVE.

COMPANY NAME: _____
 NAME OF SIGNATOR: _____
 TITLE: _____
 LICENSE NUMBER: _____

SIGNATURE, SEAL, DATE: _____

NOTES:

1. SITE PLAN: SEE SITE PLAN FOR AIR PUMP LOCATION, DIMENSIONS, ETC.
2. GRADING PLAN: SEE GRADING PLAN FOR GRADING DESIGN.
3. SITE DETAILS: SEE SITE DETAILS SHEET FOR ACCESSIBILITY AND OTHER DETAILS.
4. ARCHITECTURAL PLANS: ARCHITECTURAL PLAN REFERENCES ARE FOR INFORMATIONAL PURPOSES ONLY. REFER TO ARCHITECTURAL PLANS FOR ACTUAL LOCATIONS AND SPECIFICATIONS.

BOHLER ENGINEERING

15 YEARS OF SITE CIVIL AND CONSULTING ENGINEERING
 SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES

• BIRMINGHAM, AL • BALTIMORE, MD • CHARLOTTE, NC
 • PHILADELPHIA, PA • RICHMOND, VA • ATLANTA, GA
 • NEW YORK, NY • HOUSTON, TX • DENVER, CO
 • NEW YORK, NY • BOULDER, CO • DALLAS, TX
 • NEW YORK, NY • BOULDER, CO • DALLAS, TX
 • NEW YORK, NY • BOULDER, CO • DALLAS, TX

REVISIONS

REV	DATE	COMMENT	BY

811 KNOW WHAT'S BELOW ALWAYS CALL 811 BEFORE YOU DIG

www.callsunshine.com

EXHIBIT

PROJECT No: FL170084
 DRAWN BY: JRT
 CHECKED BY: ASZ
 DATE: 2/27/20
 SCALE: AS NOTED
 CAD ID: EXO

Wawa FOR BRIGHTWORK REAL ESTATE

LOCATION OF SITE
 1004 EDGEWOOD AVE NORTH
 JACKSONVILLE, FL 32254
 CITY OF JACKSONVILLE

BOHLER ENGINEERING

3820 NORTHDALE BLVD., SUITE 300B
 TAMPA, FLORIDA 33624
 Phone: (813) 812-4100
 Fax: (813) 812-4101
 FLORIDA BUSINESS CERT. OF AUTH. NO. 16790
 LICENSE NO. 16790

SHEET TITLE: **PRE-ADA EXHIBIT**

SHEET NUMBER: **1**