



- GENERAL NOTES**
- RIGID INSULATION SHALL BE TWO LAYERS WITH JOINTS STAGGERED (OFF SET) AND TOTAL THICKNESS AS REQUIRED TO MEET THE MINIMUM R-VALUE AS SHOWN ON THE ROOF PLAN.
 - OUTLETS SHALL BE CONTINUOUS (NO SEAMS).
 - COORDINATE ALL PLUMBING PENETRATIONS WITH THE PLUMBING DRAWINGS.
 - COUNTER SINK ALL SCREWS AT TOP OF PARAPET PLATE LOCATIONS TO PREVENT ROOF MEMBRANE DAMAGE AND TEAR.
 - (+) NOTATIONS ON ROOF PLAN INDICATE ADDITIONAL THICKNESS OF TAPERED INSULATION ADDED TO THE BASE INSULATION THICKNESS. DRECT WATER TO SCUPPERS AND/OR ROOF DRAINS.
 - CONTRACTOR TO UTILIZE TAPERED INSULATION AT ALL CRICKETS. SQUARE EDGES WILL NOT BE ACCEPTABLE.
 - CONTRACTOR TO PROVIDE CRICKETS ON UP-HILL SIDE OF ALL EQUIPMENT CURBS. CRICKETS SHALL SLOPE 1/2" = 1'-0" FROM CENTER ROOF AND EXTEND TO THE OUTSIDE EDGE OF THE CURB.
 - LIGHT FIXTURES ON OVERHANGS SHALL NOT BE MOUNTED WITHIN 1'-0" OF ROOF DRAINS.

- ROOF PLAN NOTES**
- WALKWAY PAD NOTES**
- ROOF WALKWAY PADS SHALL BE WHITE WITH YELLOW SAFETY TRIM BE A MAXIMUM OF 10'-0" IN LENGTH AND FULLY WELDED TO THE PERIMETER.
 - EDGE OF WALKWAY PADS SHALL BE A MINIMUM 2" FROM SEAMS. DO NOT INSTALL WALKWAY PADS OVER CRICKETS.
 - WALKWAY PADS SHALL BE INSTALLED AT EDGES OF CRICKETS.
 - EXTEND ROOF WALKWAY PADS FROM ALL LADDER TO ALL EQUIPMENT. LIGHT FIXTURES, ELECTRICAL SURFACES, EXHAUST FANS, AND ACCESSORIES, VENT LOCATIONS IN THE FIELD.
 - DO NOT CUT OR DESTROY WALKWAY PADS WITH AN APPROVED ADHESIVE TO 12" X 12" WALKWAY PERIMETER TO THE ROOF MEMBRANE (SEE 8M3). GENERAL INSTRUCTION TO PLACE THREE (3) LOOSE WALKWAY PADS TO MATCH LOTTO SATELLITE DISH VENDOR.

NOTE:
1. ALL PRESSURE TREATED LUMBER.
2. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION AND ATTACHMENT PER PROJECT WIND SPEED REQUIREMENTS.

1925 Prospect Ave.
Orlando, FL 32814
P (407) 661-9100
F (407) 661-9101
www.c-p.com

Chhabri & Peterson
Architects Engineers Planners

CLIENT NAME
WAWA
280 WEST BALTIMORE PIKE
WAWA, PENNSYLVANIA 19083

PROJECT NAME
WAWA F85L 2019.01 STORE #6351 - CMM

1004 EDGEWOOD AVE.
JACKSONVILLE, FL 32254

SHEET TITLE
ROOF PLAN

Revision	Number	Description	Date
1	1	ISSUED FOR PERMIT	08/09/2020
2	2	REVISED FOR COMMENTS	09/02/2020
3	3	REVISED FOR COMMENTS	09/02/2020
4	4	REVISED FOR COMMENTS	09/02/2020
5	5	REVISED FOR COMMENTS	09/02/2020

PROJECT NO. 2173780
DATE 08/09/2020
DRAWN BY WAWA
CHECKED BY CA

A3