



1 STAMPED CONCRETE LAYOUT
A11 3/16" = 1'-0"

TYP. STAMPED PATTERN SPECS

STAMPED COLOR-INTEGRATED CONCRETE: INCRETE COLOR-INTEGRATED CONCRETE "DESERT TAN" WITH THE FOLLOWING TREATMENT:
 1. 100% BROADCAST DRY SHAKE HARDENER "DESERT TAN" FOLLOWED BY
 2. 180% 40# BROADCAST DRY SHAKE HARDENER "COLOS" THEN HARD TROWEL
 3. USE RELEASE POWDER "SLASH" KEEP COLOR IN GROUT JOINTS AND HIGHLIGHTS
 4. APPLY INCRETE CLEAR SEAL PER MFR'S RECOMMENDATIONS - 2 COATS, WITH UL-TRA-Grip ADDED TO SECOND COAT.

STAMPED PATTERN: SLATE (USE INCRETE 24"X24" NOTCHED OLDE ENGLISH ASHLAR SLATE THINLINE STAMP TOOL) WITH CONTROL JOINT AT BORDERS.

STAMPED, COLOR-INTEGRATED CONCRETE

2 TYP. STAMPED PATTERN SPECS
A11 3/16" = 1'-0"

GENERAL DESCRIPTION

- USE SPECIFIED COLOR-INTEGRATED CONCRETE FOR ALL DEPTH AS INDICATED.
- REFER TO CIVIL DRAWINGS FOR SPECIFICATIONS FOR CONCRETE WORK.
- REFER TO CIVIL DRAWINGS AND SPECIFICATIONS FOR CONTROL JOINT SPACING. COLOR-INTEGRATED CONCRETE SHALL ALSO RECEIVE CLEAR CONTROL JOINTS.
- ALL ADA CROSSWALKS, WALKING CURBS AND EVERYWHERE THAT NORMALLY RECEIVES A BROADCAST BRICK PATTERN SHALL RECEIVE THE SLATE PATTERN AS SPECIFIED. REFER TO SPECIFICATIONS.

FIELD VERIFICATION AND COORDINATION IS REQUIRED. NOTIFY ARCHITECT OF ANY DISCREPANCY.

INSTALLER SHALL CREATE A JOBSITE SAMPLE MOCK-UP AND SEND PHOTOS TO ARCHITECT FOR APPROVAL PRIOR TO INSTALLATION.

COMPLEX AT BOLLARDS AND OTHER GAPS WITHIN THE COLORED CONCRETE SHALL BE "CAPITOL TAN" SRAIFLEX COLOR AT NON-COLORED CONCRETE AREAS SHALL BE AS PER SPECIFICATIONS.

PLANTER SPECIFICATIONS

24" X 24" X 25": ALLIED MOLDED PRODUCTS LLC - BOULEVARD #15LP-2425, Color: Benjamin Moore #OC-1 Natural Water
 24" X 48" X 24": ALLIED MOLDED PRODUCTS LLC - BOULEVARD #1RECLP-482424, Color: Benjamin Moore #OC-1 Natural Water

Order Plans @ www.LDILine.com

1925 Prospect Ave.
Orlando, FL 32814
P (407) 661-9100
F (407) 661-9101
www.ep.com

Chapci & Peterson
Architects Planners

CLIENT NAME
WAWA
280 WEST BALTIMORE PIKE
WAWA, PENNSYLVANIA 19063

PROJECT NAME
WAWA F85L 2019.01 STORE #6351 - CMM
1004 EDGEWOOD AVE.
JACKSONVILLE, FL 32254

SHEET TITLE
ARCHITECTURAL HARDSCAPE PLAN

No.	Description	Date
1	PRELIMINARY	06/09/2020
2	REVISED	06/09/2020
3	REVISED	06/09/2020
4	REVISED	06/09/2020
5	REVISED	06/09/2020
6	REVISED	06/09/2020
7	REVISED	06/09/2020
8	REVISED	06/09/2020
9	REVISED	06/09/2020
10	REVISED	06/09/2020

PROJECT NO. 212780	DATE 06/09/2020	DRAWN WAWA	CHECKED CA
-----------------------	--------------------	---------------	---------------