


Order Plans @ www.LDILine.com

Speaker Schedule - Theater (Sys A)

| Speaker | Type | Device Aiming Angles | | | Horn Rotate | Vibration Isolation | Comments |
|---------------|--------|----------------------|----------|--------|-------------|---------------------|---------------|
| | | Swing | Pitch | Rotate | | | |
| LEFT CLUSTER | | L 4° | Dwn 9.5° | | | n/r | |
| SUB - A11 | Type 2 | - | - | - | - | | |
| LSP - A11 | Type 1 | - | D 9.5° | - | - | | 0° to SUBS |
| LSP - A12 | Type 1 | - | D 10.5° | - | - | | 1° to LSP-A01 |
| LSP - A13 | Type 1 | - | D 12.5° | - | - | | 2° to LSP-A02 |
| LSP - A14 | Type 1 | - | D 14.5° | - | - | | 2° to LSP-A03 |
| RIGHT CLUSTER | | R 4° | Dwn 9.5° | | | n/r | |
| SUB - A21 | Type 2 | - | - | - | - | | |
| LSP - A21 | Type 1 | - | D 9.5° | - | - | | 0° to SUBS |
| LSP - A22 | Type 1 | - | D 10.5° | - | - | | 1° to LSP-A01 |
| LSP - A23 | Type 1 | - | D 12.5° | - | - | | 2° to LSP-A02 |
| LSP - A24 | Type 1 | - | D 14.5° | - | - | | 2° to LSP-A03 |



1 LOUDSPEAKER LAYOUT - MAIN CLUSTER (SYS A)

Scale: 6" = 1'-0"

Merck & Hill
 CONSULTING ENGINEERS
 Acoustical Technology
 1995 North Park Pl, Ste 450
 (770) 837-0185

FLEISCHMANGARCIA
 ARCHITECTURE
 2810 W. GARDNER BLVD
 TAMPA, FLORIDA 33609
 (813) 255-1194
 www.fleischmangarcia.com

HILLSBOROUGH COUNTY
 NEW TAMPA PERFORMING ARTS
 CENTER
 8550 HUNTERS VILLAGE RD.
 TAMPA FL, 33647

THIS DESIGN AND DRAWING IS THE SOLE PROPERTY OF FLEISCHMANGARCIA. NO PART OF THIS WORK MAY BE REPRODUCED WITHOUT PRIOR WRITTEN PERMISSION FROM FLEISCHMANGARCIA.

CERTIFY TO THE BEST OF MY KNOWLEDGE THAT THESE DRAWINGS COMPLY WITH ALL RELEVANT BUILDING CODES.

PERMIT SET

FGA PROJECT NUMBER
 19048

ISSUE DATE
 04-15-2020

| REVISIONS | |
|-----------|-------|
| NO | NOTES |
| | |
| | |
| | |

SHEET NAME
 A/V SYSTEMS -
 SYS A / DETAILS

SHEET NUMBER
 AV1.08