



KEYNOTES AND COLOR SCHEDULE ARE FOR EXTERIOR ELEVATIONS ON SHEETS A2.1 AND A2.2, BUT, ALL NOTES DO NOT APPLY TO EACH ELEVATION ON BOTH SHEETS.

**KEYNOTES**

- 1 PREFINISHED METAL COPING.
- 2 DRYSTACK ADHERED MANUFACTURED STONE VENEER.
- 3 FACE BRICK - UTILITY AND CLOSURE.
- 4 FACE BRICK SOLDIER COURSE - MODULAR.
- 5 CAST STONE SILL. ALIGN JOINTS WITH MULLION CENTERLINES AND AS DIMENSIONED.
- 6 GLASS IN PREFINISHED ALUM. STOREFRONT FRAMING SYSTEM. SEE GLASS SCHEDULE FOR GLASS TYPES.
- 7 PRIMED FIBER CEMENT BOARD HARDIE PANEL VERTICAL SIDING WITH MODERATE CONTACT JOINT. (HARDIE SIERRA B PANELS). PAINT.
- 8 EIFS CORNICE MOULDING OR ACCENT TRIM.
- 9 PREFINISHED, PRE-ENGINEERED STANDING SEAM METAL AWNING WITH OPEN ENDS AND BOTTOM.
- 10 PREFINISHED METAL CANOPY / CLADDING.
- 11 PREFINISHED ORNAMENTAL LIGHT FIXTURE. 1/2 FIXTURE AT 12'-0" AFF.
- 12 RIGID FRAME DOCK SHELTER.
- 13 DOCK BUMPER AND LEVELER.
- 14 PREFINISHED OVERHEAD COILING DOOR.
- 15 EXPOSED CONCRETE FOUNDATION WALL - PAINT WHERE TAGGED WITH COLOR FROM COLOR SCHEDULE.
- 16 FACE BRICK ROWLOCK COURSE - MODULAR.
- 17 CONCRETE RAMP.
- 18 INTERNALLY ILLUMINATED WALL SIGN / LOGO. SIGN AREA TO COMPLY WITH ORDINANCE REQUIREMENTS. (125 S.F. FOR SIGN / LOGO ON NORTH AND SOUTH ELEVATIONS. AGGREGATE AREA OF 250 S.F.) SEE ELECTRICAL DRAWINGS FOR POWER REQUIREMENTS. SIGN INSTALLED BY TENAX (NIC).
- 19 HOLLOW METAL DOOR AND FRAME - PAINT.
- 20 STEEL PIPE GUARD RAIL / HAND RAIL - PAINT.
- 21 PREFINISHED AUTOMATIC PARTING DOOR SYSTEM.
- 22 PREFINISHED METAL ACCENT TRIM.
- 23 15 5/8" x 15 5/8" RECESSED ENGINEERED CAST STONE MEDALLION. PROVIDE CONT. BACKER ROD AND SEALANT ON FOUR SIDES. CUT BRICK AS REQUIRED TO ACCOMMODATE MEDALLION.
- 24 STUCCO WALL COVERING.
- 25 FABRIC AWNING WITH OPEN ENDS AND BOTTOM.
- 26 CONTROL JOINT; TYPICAL FOR ALL MARKED C.J. SEE DETAIL 15/A5.1
- 27 PREFINISHED FIBER CEMENT TRIM BOARD IN (SMOOTH TEXTURE) WITH CONCEALED HARDIE TRIM FLAT TABS (HARDIE; 5/4 X 7 1/4").
- 28 STUCCO WALL COVERING BEYOND (CONCEALED BY AWNING).
- 29 JOINT BETWEEN HARDIE TRIM BOARD (MAX 12' LENGTH). APPLY FINISH ON FIELD CUT SURFACES, IYP.
- 30 PREFINISHED Z - FIBER CEMENT FLASHING/TRIM (FRY REGLET; FCP-HGZ)
- 31 PREFINISHED FIBER CEMENT BOARD VERTICAL PANEL (HARDIE PANEL) WITH SELECT CEDARMILL TEXTURE AND MODERATE CONTACT JOINT.
- 32 PREFINISHED METAL COUNTERFLASHING.
- 33 PREFINISHED FIBER CEMENT BOARD CUSTOM COLONIAL LAP SIDING WITH SMOOTH FINISH AND MODERATE CONTACT JOINT.
- 34 SPLIT-FACE CONCRETE BLOCK WITH APPLIED INTEGRALLY COLORED WATERPROOF TEXTURED ACRYLIC COATING.
- 35 PREFINISHED BLACK 6'-0" HIGH COMMERCIAL ORNAMENTAL STEEL FENCE WITH (1) 3'-4" WIDE SINGLE SWING GATE AND (2) 58.75" LEAF WIDTH EA. DOUBLE SWING GATE (122" CLEAR OPENING). DESIGN REFERENCE: MAJESTIC 3-RAIL FENCE AND GATES WITH 2.5" X 12 GA. SQUARE POSTS WITH STANDARD FLAT CAP AND 42" DEEP CONC. FOOTING (AEGIS PLUS BY AMERISTAR FENCE PRODUCTS); NO SINGLE SWING GATE @ SIM.
- 36 5/4 X 7 1/4" PREFINISHED SMOOTH FIBER CEMENT TRIM BOARD. 5/4 X 11 1/4" TRIM BOARD @ SIM.
- 37 EXPOSED STEEL BEAM. PAINT TO MATCH [W].
- 38 PREFINISHED Z - FIBER CEMENT FLASHING/TRIM (FRY REGLET; SPECIAL SHAPE)
- 39 PREFINISHED METAL CLADDING ON GABLE FEATURE ELEMENT.
- 40 PREFINISHED METAL SLEEK OUTSIDE CORNER TRIM, TYPICAL (OCS; FCP-LPO/SCNR BY FRY REGLET).
- 41 PREFINISHED METAL COPING / FLASHING.
- 42 8'-0" x 8'-0" x 5/8" TREATED PLYWOOD SUBSTRATE FOR WALL SIGN.
- 43 7 5/8" x 7 5/8" RECESSED ENGINEERED CAST STONE MEDALLION. PROVIDE CONT. BACKER ROD AND SEALANT ON FOUR SIDES. CUT BRICK AS REQUIRED TO ACCOMMODATE MEDALLION.

**COLOR SCHEDULE**

- |   |   |
|---|---|
| <b>A</b> COBBLE STONE (JAMES HARDIE)  | <b>T</b> CLEAR ANODIZED   |
| <b>B</b> #112 SANDSTONE (JAMES HARDIE) - NOT USED.  | <b>U</b> HARTFORD GREEN (BERRIDGE) - NOT USED.                      |
| <b>C</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>V</b> HARTFORD GREEN (BERRIDGE)                                  |
| <b>D</b> WOODSTOCK BROWN (JAMES HARDIE)   | <b>W</b> COLONIAL RED (BERRIDGE)                                    |
| <b>E</b> SAIL CLOTH (JAMES HARDIE).   | <b>X</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                    |
| <b>F</b> FOREST GREEN (SUNBRELLA FIRE-SIST).  | <b>Y</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                    |
| <b>G</b> #840 KHAKI MATT; (REDLAND BRICK - HARMAR PLANT)                                    | <b>Z</b> MATCH #113 AMARILLO WHITE (DRYWIT)                         |
| <b>H</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AA</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>I</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AB</b> #075M-079-IV; LACE-COSTAL IVORY (PINEAPPLE GROVE DESIGNS) |
| <b>J</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AC</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>K</b> CARMEL MOUNTAIN PROLEDGE BY (CORONADO); ALTERNATE: CHABLIS (PROLEDGE BY CORONADO). | <b>AD</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>L</b> BUFF   | <b>AE</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>M</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AF</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>N</b> MATCH SAIL CLOTH (JAMES HARDIE)  | <b>AG</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>O</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AH</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>P</b> TERRA COTTA (SUNBRELLA FIRE-SIST)  | <b>AI</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>Q</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AJ</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.                   |
| <b>R</b> #103 NATURAL WHITE (DRYWIT) - NOT USED.  | <b>AK</b> MATCH WOODSTOCK BROWN (JAMES HARDIE)                      |
|   | <b>AL</b> #165M-079-N; LACE-COSTAL IVORY (PINEAPPLE GROVE DESIGNS)  |

**GLASS SCHEDULE**

MARK	DESCRIPTION
①	1" INSULATING LOW-E TEMPERED GLASS; VE1-42 (VIRACON)
②	1/4" TEMPERED GLASS WITH CERAMIC FRIT ON SURFACE #2; V933 WARM GRAY (VIRACON)
③	1" INSULATING LOW-E TEMPERED GLASS WITH CERAMIC FRIT ON SURFACE #2; V933 WARM GRAY (VIRACON)



Rev. No.	Description	Date
▲	ISSUED FOR BID AND PERMIT	03/29/19
▲	ISSUED FOR BID	05/30/19
▲	RE-ISSUED FOR BID AND PERMIT	10/16/20

**Salem Gate**  
**Anchor 2B AND RETAIL 2C**

1454 AND 1460 OLD SALEM ROAD  
 CONYERS, GEORGIA

EXTERIOR ELEVATIONS - ANCHOR 2B, KEYNOTES AND SCHEDULES

Date:	03/29/19	Sheet No.:	A2.1 (2)
Project No.:	18.110	Scale:	L.P. H.Z.