


LINTEL SCHEDULE		
MK	SIZE	REMARK
L-1	WBx10	
L-2	WT6x26	
L-3	WT6x31	
L-4	WT6x30	
L-5	WT6x27	
L-6	WT6x27	
L-7	W24x104	

1 SCHEDULE
S5.1 SCALE: 1" = 1'-0"




2 SECTION
S5.1 SCALE: 1" = 1'-0"

CMU JAMB SCHEDULE			
CMU OPENING WIDTH	W'	VERTICAL REINFORCEMENT	REMARKS
3'-4"	0'-8"	2- #5 @ 8" o.c.	-
4'-0"	0'-8"	2- #5 @ 8" o.c.	-
6'-8"	1'-4"	2- #5 @ 8" o.c.	-
8'-0"	1'-4"	2- #5 @ 8" o.c.	-
10'-0"	1'-4"	2- #5 @ 8" o.c.	-


NOTE:
SEE ARCH DWG'S FOR OPENING LOCATIONS.
* USE 'W' = 1'-4" @ 8" CMU WALLS

3 SCHEDULE
S5.1 SCALE: 1" = 1'-0"




NOTES:
1. JOINT SHALL BE CONTINUOUS WITHOUT INTERRUPTION FROM FOUNDATION TO TOP OF WALL.
2. HORIZONTAL REINFORCING AND BOND BEAMS SHALL BE DISCONTINUOUS AT WALL JOINT.
3. DO NOT LOCATE OVER OPENING.
4. DO NOT LOCATE WITHIN JAMB OR PILASTER (SEE 2/SS.1, 3/SS.1, ETC.)
5. SEE GENERAL NOTES ON S1.1 FOR SPACING REQUIREMENTS & ADD'L INFO.
6. COORD. LOCATION OF JOINTS WITH ARCH DWGS & FOUNDATION PLAN.


4 SECTION
S5.1 SCALE: 1/2" = 1'-0"




5 SECTION
S5.1 SCALE: 1/2" = 1'-0"




6A STEEL LINTEL FOR CMU + BRICK
S5.1 SCALE: 1/2" = 1'-0"



6B STEEL LINTEL SECTION
S5.1 SCALE: 3/4" = 1'-0"




7 SECTION
S5.1 SCALE: 1" = 1'-0"




NOTE:
HORIZONTAL JOINT REINFORCING NOT SHOWN FOR CLARITY. PROVIDE PREFABRICATED CORNER REINFORCING.

8 SECTION
S5.1 SCALE: 1" = 1'-0"



NOTE:
HORIZONTAL JOINT REINFORCING NOT SHOWN FOR CLARITY. PROVIDE PREFABRICATED JEE REINFORCING.

9 SECTION
S5.1 SCALE: 1" = 1'-0"



10 BEAM BEARING PERPENDICULAR TO CMU
S5.1 SCALE: 1" = 1'-0"

Order Plans @ WWW.LDILine.com

© 2009 DZ&A ASSOCIATES, INC.
THE ARCHITECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL BE RESPONSIBLE FOR ALL CORRECTIONS, SUPPLEMENTARY AND OTHER NOTICES, INCLUDING COPYRIGHTS.

No.	Description	Date
▲	ISSUED FOR BID AND PERMIT	10/16/20