

GENERAL ASSOCIATED NOTES

CORRIDORS & AISLES

THE TERM CORRIDOR SHALL INCLUDE EXTERIOR EXIT BALCONIES AND ANY COVERED OR ENCLOSED EXIT PASSAGEWAY, INCLUDING WALKWAYS, TURNPLATES AND WALLS, PARTITIONS, RAILS, COUNTERS, AND OTHER SIMILAR SPACE DIVIDERS NOT OVER 5'-9" IN HEIGHT ABOVE THE FLOOR SHALL NOT BE CONSIDERED TO FORM CORRIDORS.

FLOORS & LEVELS

NOTE: LEVEL AREA IS DEFINED AS "A SPECIFIED SURFACE THAT DOES NOT HAVE A SLOPE IN ANY DIRECTION EXCEEDING 1/4 INCH IN ONE FOOT FROM THE HORIZONTAL (2.083% GRADIENT)".

SANITARY FACILITIES (GENERAL)

1. SANITARY FACILITIES THAT SERVE BUILDINGS, FACILITIES OR PORTIONS OF BUILDINGS OR FACILITIES THAT ARE REQUIRED TO BE ACCESSIBLE TO PERSONS WITH DISABILITIES ARE REQUIRED TO BE ACCESSIBLE.

SINGLE ACCOMMODATION SANITARY FACILITIES

NOTE: SINGLE ACCOMMODATION SANITARY FACILITY IS DEFINED AS "A ROOM THAT HAS NOT MORE THAN ONE OF EACH TYPE OF SANITARY FIXTURE, IS INTENDED FOR USE BY ONLY ONE PERSON AT A TIME, HAS NO PARTITION AROUND THE TOILET, AND HAS A DOOR THAT CAN BE LOCKED ON THE INSIDE BY THE ROOM OCCUPANT".

PASSENGER DROP-OFF & LOADING ZONES

1. WHEN PROVIDED, PASSENGER DROP-OFF AND LOADING ZONES SHALL BE LOCATED ON AN ACCESSIBLE ROUTE OF TRAVEL.

PEDESTRIAN GRADE SEPARATIONS

1. PEDESTRIAN RAMPS ON PEDESTRIAN GRADE SEPARATIONS SHALL COMPLY WITH THE REQUIREMENTS FOR RAMPS.

ELECTRICAL

1. THE CENTER OF JUNCTION BOXES FOR RECEPTACLE CIRCUITS SHALL BE INSTALLED AT AN ACCESSIBLE LOCATION WITH THE CLEARANCES AND REACH RANGE REQUIREMENTS OF BUILDING CODE.

MULTIPLE ACCOMMODATION SANITARY FACILITIES

NOTE: MULTIPLE ACCOMMODATION SANITARY FACILITY IS DEFINED AS "A ROOM THAT HAS MORE THAN ONE SANITARY FIXTURE, IS INTENDED FOR THE MAXIMUM NUMBER OF TIME PERIODS THAT THE FACILITY USUALLY IS PROVIDED WITH PRIVACY COMPARTMENTS OR SCREENS SHIELDING SOME FIXTURES FROM VIEW".

PEDESTRIAN GRADE SEPARATIONS

1. PEDESTRIAN RAMPS ON PEDESTRIAN GRADE SEPARATIONS SHALL COMPLY WITH THE REQUIREMENTS FOR RAMPS.

DINING, BANQUET & BAR FACILITIES

1. EACH AREA WHERE A DIFFERENT TYPE OF FUNCTIONAL ACTIVITY OCCURS SHALL BE ACCESSIBLE TO PERSONS WITH DISABILITIES.

GRAB BARS

1. GRAB BARS SHALL BE LOCATED ON EACH SIDE, OR ON ONE SIDE AND THE BACK OF THE ACCESSIBLE TOILET STALL OR COMPARTMENT.

CONTROLS & OPERATING MECHANISMS & ELECTRICAL

1. CONTROLS AND OPERATING MECHANISMS REQUIRED TO BE ACCESSIBLE REFER TO CODE.

LOCKERS

1. AT LEAST ONE AND NOT LESS THAN 1% OF ALL LOCKERS SHALL BE MADE ACCESSIBLE TO PERSONS WITH DISABILITIES.

FIXED OR BUILT-IN SEATING

1. WHERE FIXED OR BUILT-IN SEATING, TABLES, OR COUNTERS ARE PROVIDED TO AN ACCESSIBLE AREA, INCLUDING EMPLOYEE AREAS, 5% BUT NEVER LESS THAN 1 MUST BE ACCESSIBLE.

ENTRANCES & EXITS

NOTE 1: EXITS IN EXCESS OF THOSE REQUIRED BY CODE AND WHICH ARE MORE THAN 48" ABOVE GRADE ARE NOT REQUIRED TO BE ACCESSIBLE.

ASSEMBLY OCCUPANCIES

1. ASSEMBLY AREAS WITH AUDIO-AMPLIFICATION SYSTEMS SHALL HAVE A LISTENING SYSTEM COMPLYING WITH ADA 4.33 TO ASSIST A REASONABLE NUMBER OF PEOPLE, BUT NO FEWER THAN TWO, WITH SEVERE HEARING LOSS.

RAMPS

NOTE: ANY PATH OF TRAVEL SHALL BE CONSIDERED A RAMP IF ITS SLOPE IS GREATER THAN 1/4" RISE IN 20" OF HORIZONTAL RUN.

HAZARDS & PROTRUDING OBJECTS

1. ABRUPT CHANGES IN LEVEL, EXCEPT BETWEEN A WALK OR SIDEWALK AND AN ADJACENT STREET OR DRIVEWAY, EXCEEDING 4" IN ANY DIRECTION, DIMENSION, SUCH AS AT CURBS OR POINTS LOCATED IN OR ADJACENT TO WALKS, SIDEWALKS, OR OTHER PEDESTRIAN WAYS, SHALL BE IDENTIFIED BY WARNING CURBS PROJECTING AT LEAST 6" IN HEIGHT ABOVE THE WALK OR SIDEWALK SURFACE TO WARN THE BLIND OF A POTENTIAL DROP OFF.

EMPLOYEE WORK AREAS & WORK STATIONS

NOTE 1: GENERAL EMPLOYEE AREAS ARE "THOSE AREAS COMMONLY USED BY MULTIPLE EMPLOYEES, SUCH AS RESTROOMS, BREAK ROOMS, CONFERENCE AND MEETING SPACE, ETC." EVEN WHEN THESE AREAS ARE RESTRICTED FOR EMPLOYEE USE ONLY, THEY MUST COMPLY WITH ADA ACCESSIBILITY REQUIREMENTS.

STORAGE FACILITIES & AREAS

1. IF FIXED STORAGE FACILITIES SUCH AS CABINETS, SHELVES, CLOSETS, OR DRAWERS ARE PROVIDED WHERE ACCESS IS REQUIRED, AT LEAST ONE OF EACH TYPE SHALL BE ACCESSIBLE IN TERMS OF CLEAR SPACE, REACH RANGES, AND HARDWARE.

ANTHONY ARCHITECTURE, LLC
1615 WEST STREET
KEY WEST, FL 33040
305-366-2846
ANTHONY D. SARNO
ARCHITECT OF RECORD

SEAL:
ANTHONY ARCHITECTURE, LLC
ANTHONY D. SARNO
REGISTERED ARCHITECT
FLORIDA
EXPIRES 12/31/2021

Anthony (Individual): Registration # 9870
Expiration Date: June 30, 2021


ANTHONY ARCHITECTURE, LLC
ANTHONY D. SARNO
REGISTERED ARCHITECT
FLORIDA
EXPIRES 12/31/2021

Anthony Architecture, LLC: Registration # 01646
Expiration Date: August 31, 2021

STIPULATION FOR REUSE:
THIS DRAWING WAS PREPARED FOR THE PROJECT DESCRIBED HEREIN. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF THE ARCHITECT. ANY UNAUTHORIZED REUSE OR MODIFICATION OF THIS DRAWING IS PROHIBITED AND WILL BE CONSIDERED A VIOLATION OF THE ARCHITECT'S PROFESSIONAL ETHICS AND MAY BE SUBJECT TO LEGAL ACTION.

Submissions:
DATE: _____
PHASE: _____

7-ELEVEN, INC.
3200 HACKBERRY ROAD, IRVING, TEXAS 75063
7-ELEVEN #41635
1101 LOUDEN ROAD,
MYRTLE BEACH, SC 29575



JOB NUMBER: 20009
CHECKED BY: AS
DRAWN BY: KC
DATE: 9/11/20

TITLE:
ACCESSIBILITY NOTES

SHEET:
A1.1

FOLLOW ALL LOCAL JURISDICTION CODES