

DIVISION 13 - SPECIAL CONSTRUCTION - NOT USED

DIVISION 14 - CONVEYING SYSTEMS - NOT USED

DIVISION 22 - PLUMBING - REFER TO PLUMBING SHEETS

DIVISION 23 - HEATING, VENTILATION AND AIR CONDITIONING - REFER TO MECHANICAL SHEETS

DIVISION 26 - ELECTRICAL - REFER TO ELECTRICAL SHEETS

SECTION 26.2416 - PANELBOARDS

A. CVS/PHARMACY HAS ENTERED INTO A NATIONAL ACCOUNT AGREEMENT WITH THE MANUFACTURERS LISTED BELOW FOR FURNISHING THE ELECTRICAL SWITCHGEAR SPECIFIED IN THIS SECTION.

1. WEDENBACH - BROWN CO., INC. AT (781) 769-9868, CVS@WBLIGHT.COM OR CVSSUPPORT@WBLIGHT.COM.

1.1 AREAS: AL, AR, AZ, CA.

INSTRUCTIONS FOR THE GENERAL CONTRACTOR ENVIRONMENT OF CARE

THE ENVIRONMENT OF CARE INSTRUCTIONS IS INTENDED TO PROVIDE A CLEAN, SAFE WORKING ENVIRONMENT WITHIN THE MINUTE CLINIC'S THROUGHOUT CONSTRUCTION PHASES OF THE HEALTHHUB PROGRAM.

- NO WORK WITHIN THE HEALTHHUB PROGRAM SCOPE IS TO BE DONE INSIDE EXISTING OCCUPIED EXAM ROOMS DURING NORMAL OPERATIONAL HOURS. IF THE ROOMS ARE UNOCCUPIED, PLEASE DISCUSS WITH THE HEALTHCARE SERVICE PROVIDER BEFORE UTILIZING SAID SPACE DURING HOURS OF OPERATION.

THE FOLLOWING CONSTRUCTION PROCEDURES DURING THE HOURS OF OPERATION SHOULD BE NOTED:

- DOORS TO CLINIC ROOMS CANNOT BE BLOCKED.
- ACCESS TO THE REGISTRATION KIOSK DESK CANNOT BE BLOCKED DURING OPERATING HOURS.
- WAITING AREAS SHOULD BE DUSTED AND FREE FROM ANY DEBRIS. THESE DESIGNATED AREAS MAY HAVE TO SHIFT LOCATIONS BASED ON CONSTRUCTION PRIORITIES.
- TO PREVENT AIRBORNE DUST FROM DISPERSING INTO PHARMACY AND RETAIL SPACES WITH THE USE OF PLASTIC SHEETING OR OTHER DUST BARRIERS. IMPLEMENT BEFORE CONSTRUCTION BEGINS.
- REMOVE OR ISOLATE HVAC SYSTEM IN AREAS WHERE WORK IS BEING PERFORMED. BLOCK OFF AND SEAL AIR VENTS.
- SEAL UNUSED DOORS WITH DUCT TAPE TO HELP REDUCE DUST WITHIN THESE SPACES.
- PLACE TACKY MAT AT ENTRANCE AND EXIT OF WORK AREA AND CHANGE FREQUENTLY OR WHEN INEFFECTIVE.
- ALL WORK SURFACES MUST BE WIPED DOWN WITH DISINFECTANT. FLOORS SHOULD BE MOPPED OR VACUUMED AND FREE FROM DUST AND DEBRIS.
- CONTAIN CONSTRUCTION WASTE BEFORE TRANSPORT IN TIGHTLY COVERED CONTAINERS. TAPE MAY BE USED TO ENSURE A TIGHT COVER.
- REMOVE ISOLATION OF HVAC SYSTEM IN AREAS WHEN WORK HAS BEEN COMPLETED.

COMMUNICATION

- PLEASE COMMUNICATE ANY ANTICIPATED LOSS OF ELECTRICAL POWER OR LOSS OF WATER TO YOUR ASSIGNED MINUTECLINIC HEALTHCARE BUSINESS PARTNER, MINUTECLINIC SET-UP COORDINATOR (IF PRESENT ON SITE), OR MINUTECLINIC PROVIDER (WHEN PRESENT).
- ELECTRICAL POWER IS 100% REQUIRED FOR OUR CLINICS TO STAY OPEN.
- WE ARE ABLE TO STAY OPEN WITH LOSS OF WATER. HOWEVER, WE WILL NOT BE ABLE TO OFFER CERTAIN SERVICES THAT REQUIRE THE USE OF WATER. THEREFORE SHUT OFF NOTICE IS NECESSARY TO ENSURE WE APPROPRIATELY REFER THESE SELECT PATIENTS TO AN ALTERNATE SITE OF CARE.
- ANY LOUD NOISE NEAR OCCUPIED EXAM ROOMS NEEDS TO BE COMMUNICATED PRIOR TO THE WORK BEGINNING AS EXTREME NOISE LEVELS MAY IMPACT THE PROVIDER'S ABILITY TO COMMUNICATE APPROPRIATELY TO THEIR PATIENT, AS WELL AS COMPLETE A THOROUGH ASSESSMENT. THESE NOISE LEVELS COULD RESULT IN CLINIC CLOSURE, IF CONSTRUCTION IS COMPLETED DURING REGULAR CLINIC HOURS.

Order Plans @ www.LDILine.com



HEALTH HUB/Rx CONSULTATION


STORE NUMBER: 4176

11 RIVER RIDGE DRIVE, OAKLEY PLAZA ASHEVILLE, NC 28803

CAP CODE: 90

CS PROJECT NUMBER: 146740

ARCHITECT OF RECORD:




110 S. BRIDGE ST. SUITE 2000 ASHEVILLE, NC 28803
P: 704.259.8100 F: 704.259.8106

www.littleonline.com

This drawing and the design shown are the property of Little Overhead Architectural Consulting. The reproduction, copying or alteration of this drawing without their written consent is prohibited and any infringement will be subject to legal action.

© Little 2020



DEVELOPER:



SEAL:



REVISIONS:

DRAWING BY: JC

CVS PROJECT MANAGER: RJ

DATE: 11-02-2020

JOB NUMBER: 121-14217-08

TITLE:

SPECIFICATIONS

SHEET NUMBER:

G3.2

COMMENTS: