

**CODE DATA (2018 North Carolina Building Code)**

- USE AND OCCUPANCY CLASSIFICATION (302)  
 MERCANTILE GROUP - M (309.1)  
 STORAGE GROUP - S-2 (311.3)  
 BUSINESS GROUP - B (302.1.1)  
 BUSINESS GROUP - B (304.1)  
 Nonseparated Occupancies (508.3)
- CONSTRUCTION TYPE:  
 TYPE IIB CONSTRUCTION (NON-SPRINKLED)  
 NON-COMBUSTIBLE
- BUILDING HEIGHT (TABLE 504.3): NO CHANGE
- BUILDING AREA (506.2)  
 Building Floor Area (FIRE AREA) 8,250  
 Canopies & Overhangs Area 409  
 TOTAL GROUND FLOOR AREA: 8,659
- DESIGN OCCUPANT LOAD (1004.1)  
 Retail/Sales (60 sf/occ.) 8,250 sf / 137.5 occ.  
 Pharmacy (100 sf/occ.) 1,124 sf / 11.24 occ.  
 Receiving (300 sf/occ.) 1,344 sf / 4.48 occ.  
 Offices & Misc Support (100 sf/occ.) 1,859 sf / 18.59 occ.  
 Group Sales Room (100 sf/occ.) 1,000 sf / 10.00 occ.  
 TOTAL OCCUPANT LOAD 162.81 occ.
- EXITS  
 A. Egress Width (1005)  
 Required 162 x 0.20" = 32"  
 Provided 196"  
 B. Min. Door Width (1006.1): 32" Clear  
 Number of Exits (TABLE 1006.3.1)  
 From Floor No. Required No. Provided  
 Ground Floor 2 3  
 D. Travel Distance (TABLE 1017.2)  
 Allowable 200'-0" L.F.  
 Provided 191'-10" L.F.  
 F. Min. Corridor Width (1020.2): 44"  
 G. Max. Dead End Corridor Distance (1020.4): 20'-0"
- FIRE PROTECTION SYSTEMS  
 A. Sprinkler System (903.2.7): Required No Provided No  
 B. Standpipe System (905): Required No Provided No  
 C. Fire & Smoke Detection (907): Required Yes Provided Yes  
 D. Fire Alarm (907.2.7): Required Yes Provided Yes  
 E. Smoke Vents (910): Required No Provided No  
 F. Portable Fire Extinguisher (906): Required Yes Provided Yes
- MINIMUM NUMBER OF PLUMBING FACILITIES (Table 2902.1):  
 Total Occupancy Load: 162 (81 Men/81 Women)  
 Required:  
 Water Closets (1 per 500): 1 Men's / 1 Women's  
 Lavatories (1 per 750): 1 Men's / 1 Women's  
 Drinking Fountains (1 per 1,000): 1 Hi-Lo Electric Water Cooler  
 Service Sink (1 required): 1 Service Sink
- ACCESSIBILITY (TABLE 1109.11):  
 Required Number of Sales/Service Counters to be Accessible.
 

	Total No.	Min. No. Required	No. Provided
A - Customer Service	5	1	1
B - Pharmacy - Drop-Off	3	1	1
C - Pharmacy - Consult	1	1	1
D - Pharmacy - Pick-Up	2	1	1
E - Photolab - Pick-Up	4	1	1
F - HealthHUB - Pick-Up	1	1	1
- EMPLOYEE WORK AREAS (2010 ADA STANDARDS 203.9)  
 The following spaces are considered to be employee work areas and are only required to be accessible to the extent required by section 203.9 of the 2010 ADA Standards for Accessible Design:  
 CHECKOUT (Employee Side)  
 PHOTOLAB (Employee Side)  
 MANAGER OFFICE  
 RECEIVING AREA  
 PHARMACY (Employee Side)

**SYMBOL LEGEND**

- ACCESSIBLE AREA OR EXIT
- ROOM OCCUPANCY LOAD
- EXIT CAPACITY
- ACTUAL
- ALLOWABLE
- MAXIMUM TRAVEL DISTANCE FROM FARTHEST POINT
- PROVIDE LISTED AND LABELED DRY-CHEMICAL UL-RATED FIRE EXTINGUISHER
- ILLUMINATED EXIT SIGN ABOVE THE DOOR
- CHECKOUT OR TRANSACTION COUNTER OF A UNIQUE DESIGN
- TACTILE EXIT SIGNAGE WITH 18"x18" CLEAR SPACE CENTERED ON TACTILE CHARACTERS, SEE DETAIL 3/64 FOR MOUNTING LOCATIONS
- TACTILE EMERGENCY EXIT SIGNAGE WITH 18"x18" CLEAR SPACE CENTERED ON TACTILE CHARACTERS, SEE DETAIL 3/64 FOR MOUNTING LOCATIONS
- X HR FIRE RATED WALL




**HEALTH HUB/Rx CONSULTATION**  
**STORE NUMBER:** 4176


11 RIVER RIDGE DRIVE, OAKLEY PLAZA  
 ASHEVILLE, NC 28803  
 CAP CODE: 90

**CS PROJECT NUMBER:** 146740

**ARCHITECT OF RECORD:**




*The drawings and the design shown on the drawings of Little Architecture are the property of Little Architecture. No reproduction, copying or alteration of this drawing without the prior written consent of Little Architecture is permitted. Any reproduction and use is subject to legal action.*



**DEVELOPER:**



**SEAL:**



**REVISIONS:**

**DRAWING BY:** JC  
**CVS PROJECT MANAGER:** RJ  
**DATE:** 11-02-2020  
**JOB NUMBER:** 121-14217-08  
**TITLE:**

**CODE INFORMATION & ACCESSIBILITY COMPLIANCE**  
**SHEET NUMBER:**

**COMMENTS:**

**G4**