

- NOTES**
1. VERIFY ALL WORK AND MEASUREMENTS IN FIELD BETWEEN CVS PROJECT MANAGER AND GENERAL CONTRACTOR PRIOR TO ANY WORK BEING DONE.
  2. COORDINATE LOCATION OF FLOOR FINISH TRANSITIONS WITH MERCHANDISE PLAN.
  3. PROVIDE TRANSITION STRIP BETWEEN ALL FLOOR TYPES.
- LEGEND**
- XXXX FINISH DESIGNATION - REFERENCE FINISH SCHEDULE.
  - Ⓢ KEY NOTE DESIGNATION
  - ▨ NEW CARPET TILE AS SCHED. (RETAIL)
  - ▨ NEW CUSHION BACK CARPET TILE
  - ▨ DRIVE AISLE CARPET TILE
  - ⊗ DRIVE AISLE NODE & CENTERLINE
  - ▨ NEW RIBBED CARPET TILE (ENTRANCE)
  - ↔ LUXURY VINYL TILE
  - SEALED CONCRETE

- NOTES BY SYMBOL**
- 1 DEMOLISH EXISTING CARPET AND WALLBASE AND INSTALL NEW AS SHOWN/SCHEDULED.
  - 2 DEMOLISH EXISTING LVT AND WALLBASE AND INSTALL NEW AS SHOWN/SCHEDULED.
  - 3 BEFORE INSTALLING ANY NEW CARPET, REMOVE EXISTING VCT FLOORING AND PREPARE SURFACE FOR NEW CARPET TILES. INSTALL NEW CARPET DRIVE AISLE AS SHOWN/SCHEDULED.
  - 4 SAND/PAINT EXISTING COLUMNS AS SHOWN/SCHEDULED.
  - 5 DEMOLISH EXISTING FRP, WALL PAPER, AND WALL TRIM AS SHOWN/SCHEDULED.
  - 6 MC LOGO, 9" FROM FACE OF DOORS (DRIVE AISLE) OR 4" FROM FACE OF DOORS (NO DRIVE AISLE).
  - 7 NEW AND EXISTING LVT MUST REQUIRE AN RH MOISTURE TEST, RE: LVT MOISTURE MITIGATION ON SHEET A4.
  - 8 PATCH CARPET AS GONDOLA MOVES ARE MADE.

**LVT MOISTURE MITIGATION**

FOR QUESTIONS RELATED TO FLOORING INSTALL AND MITIGATION STEPS, PLEASE CONTACT THE BELOW APPROVED INSTALLER:

ANDREA HAGEMAN  
INSIDE EDGE  
ahageman@ieca.com  
851.389.4212

**PROCESS:**

- GC IS RESPONSIBLE FOR CONCRETE SLAB MOISTURE AND RELATIVE HUMIDITY (RH) TESTING REQUIRED FOR ALL PROJECTS.
- TESTING TO BE CONDUCTED IN AREAS WHERE LVT TO BE INSTALLED. MAXIMUM OF 4 PROBES PER TYPICAL LOCATION (LARGER STORES MAY REQUIRE FURTHER PROBES).
- HIGHEST MOISTURE TESTING RESULT FOR THE ENTIRE STORE SHOULD BE USED AS THE BASIS FOR BELOW MOISTURE MITIGATION STEPS RELATED TO ADHESIVE TYPE AND OTHER MITIGATION SELECTION.
- PRODUCT SPECIFICATIONS OR EQUIVALENT TO BE APPROVED BY SPM FOR ALL PROJECTS.

**RH VALUE RANGE FOR LVT:**

90% <RH	90%-98% RH	98%-100% RH
XL BRANDS HYDRASIX*	SPRAYLOCK 6500 PLATINUM	TRAXX100 SCHONOX EPA AQUA-TEX**

1 FINISH PLAN  
A4 1/8" = 1'-0"  
REFERENCED NORTH




HEALTH HUB/Rx CONSULTATION  
STORE NUMBER: 4176

11 RIVER RIDGE DRIVE, OAKLEY PLAZA  
ASHEVILLE, NC 28803  
CAP CODE: 90

CS PROJECT NUMBER: 146740

ARCHITECT OF RECORD:



DEVELOPER:



SEAL:



REVISIONS:

DRAWING BY: JC  
CVS PROJECT MANAGER: RJ  
DATE: 11-02-2020  
JOB NUMBER: 121-14217-08  
TITLE:

FINISH FLOOR PLAN  
SHEET NUMBER:

A4

COMMENTS: