


| MARK | TH | DESCRIPTION |
|------|-------|---------------------------------------|
| ◇ | 1/4" | CLEAR TEMPERED GLASS |
| ◇ | 9/16" | TINTED LAMINATED GLASS |
| ◇ | 5/16" | CLEAR FIRELITE PLUS LAMINATED GLASS |
| ◇ | 1/4" | ONE-WAY VISION PRIVACY TEMPERED GLASS |

GLAZING SCHEDULE K14


| SECOND FLOOR INTERIOR OPENINGS (CONTINUED) | | | | | | | | | | | | |
|--|-------------|-----|-------|-------|--------|------|------|------|------|---------|------|-----|
| OPNG NO | FIRE RATING | HDW | DOOR | | FRAME | | | | | REMARKS | | |
| | | | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | | SILL | MUL |
| 220 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 221 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 222 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 223 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 224 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 225 | 15 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 226 | 24 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |
| 227 | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | L8 | |

A. DOOR THICKNESS = 1 3/4", TYPICAL.
 B. WOOD DOORS ARE SOLID CORE, TYPICAL.
 C. REFER TO "PA" DRAWINGS FOR FURTHER INFORMATION ON WIND SPEED DESIGN CRITERIA.
 D. DIMENSIONS VERTICALLY LOCATING GLAZED OPENINGS ARE FROM FINISH SUBSTRATE.
 E. WHEN FINISH ELEVATIONS ON OPPOSITE SIDES OF A DOOR ARE DIFFERENT, FRAME SHALL EXTEND PAST THE HIGHER FLOOR ELEVATION TO THE LOWER FLOOR ELEVATION.
 F. FRAME AND LOUVER PROFILES ARE INTENDED TO BE GENERIC, NOT REPRESENT A PARTICULAR MANUFACTURER OR PRODUCT.

OPENING SCHEDULE K9



FRAME TYPES E9



DOOR TYPES A9

| OPNG NO | FIRE RATING | HDW | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | SILL | MUL | THR | SHGC | U-VALUE | R-VALUE |
|---------|-------------|-----|-------|-------|--------|------|------|------|------|------|-----|-----|------|---------|---------|
| X224 | 25 | N | 3'-0" | 7'-0" | 2 | HM | K13 | E9 | A9 | | | | | | |
| X225 | | | | | | | ALUM | K13 | E9 | A9 | | | 0.39 | 1.06 | |

FIRST FLOOR INTERIOR OPENINGS

| OPNG NO | FIRE RATING | HDW | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | SILL | MUL | THR | REMARKS |
|---------|-------------|-----|-------|-------|--------|------|------|------|------|------|-----|-----|---------|
| 101 | 14 | E | 3'-0" | 7'-0" | 11 | HM | L8 | L8 | L8 | L8 | | | |
| 102 | 10 | C | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 103 | 22 | E | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 103A | | | | | | | ALUM | L5 | L5 | L5 | | | |
| 103B | | | | | | | HM | E5 | E5 | K1 | | | |
| 103C | | | | | | | HM | L14 | L14 | J14 | | | |
| 104 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | G8 |
| 105 | 1 HR | 9 | C | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | | | |
| 108 | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | L11 |
| 109 | 15 | C | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 109A | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 110 | 19 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 111 | 17 | C | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 112 | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 113 | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 114 | 11 | K | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 115 | 24 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 116 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 117 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 118 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 119 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 120 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 121 | 1 HR | 9 | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | | | J10 |
| 122A | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122B | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122C | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122D | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122E | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122F | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122G | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 122H | 1 HR | J | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | A5 | | | J10 |
| 123 | 1 HR | 12 | B | 3'-0" | 7'-0" | 2 | HM | A1 | E1 | E1 | | | |
| 124 | 1 HR | 12 | B | 3'-0" | 7'-0" | 2 | HM | A1 | E1 | E1 | | | |
| 125 | 1 HR | 12 | B | 3'-6" | 7'-0" | 2 | HM | A1 | E1 | E1 | | | |
| 126 | 1 HR | 12 | B | 3'-6" | 7'-0" | 2 | HM | A1 | E1 | E1 | | | |

SECOND FLOOR INTERIOR OPENINGS

| OPNG NO | FIRE RATING | HDW | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | SILL | MUL | THR | REMARKS |
|---------|-------------|-----|-------|-------|--------|------|------|------|------|------|-----|-----|---------|
| 201A | 1 HR | 8 | C | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | | | |
| 201B | 11 | C | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 202 | 19 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 203 | 23 | G | 2'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 204 | 23 | G | 2'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 205 | 23 | G | 2'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 206 | 18 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 207 | 1 HR | 8 | C | 3'-0" | 7'-0" | 2 | HM | A5 | A5 | A5 | | | |
| 208 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 209 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 210 | 22 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 211 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 212 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 213 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 214 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 215 | 20 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 217 | 20 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |
| 218 | 21 | A | 3'-0" | 7'-0" | 1 | HM | L8 | L8 | L8 | L8 | | | |

OPENING SCHEDULE A5

| OPNG NO | FIRE RATING | HDW | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | SILL | MUL | THR | SHGC | U-VALUE | R-VALUE |
|---------|-------------|------|--------|--------|--------|------|------|------|------|------|-----|-----|------|---------|---------|
| X101 | 1 | F | 3'-0" | 7'-0" | 5 | ALUM | D5 | G5 | A5 | J10 | | | 0.39 | 1.06 | |
| X102 | | | | | | | ALUM | K13 | E9 | A9 | | | 0.39 | 1.06 | |
| X103 | | | | | | | ALUM | K13 | E9 | A9 | | | 0.39 | 1.06 | |
| X104 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X105 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X106 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X107 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X108 | | | | | | | ALUM | E1 | A1 | | | | | | |
| X109 | | | | | | | ALUM | E1 | A1 | | | | | | |
| X110 | 5 | B | 3'-0" | 7'-0" | | | HM | A13 | E13 | J8 | | | | | 1.64 |
| X111 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X112 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X113 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X114 | 26 | H | 14'-0" | 16'-4" | | | K5 | K9 | | | | | | | |
| X115 | 3 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J10 | | | | | | 1.64 |
| X116 | 3 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X117 | 4 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X118 | 6 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X119 | 2 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X120 | 2 | B | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X121 | 5 | D | 3'-0" | 7'-0" | 2 | HM | A8 | A12 | J10 | | | | | | 1.64 |
| X122 | 5 | D | 3'-0" | 7'-0" | 2 | HM | A8 | A12 | J10 | | | | | | 1.64 |
| X123 | 4 | ALUM | K13 | E9 | A9 | | | | | | | | 0.39 | 1.06 | |
| X124 | 4 | ALUM | K13 | E9 | A9 | | | | | | | | 0.39 | 1.06 | |
| X125 | 4 | ALUM | K13 | E9 | A9 | | | | | | | | 0.39 | 1.06 | |
| X126 | 4 | ALUM | K13 | E9 | A9 | | | | | | | | 0.39 | 1.06 | |
| X127 | 2 | B | 3'-6" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X128 | 3 | D | 3'-0" | 7'-0" | 2 | HM | A13 | E13 | J8 | | | | | | 1.64 |
| X129 | 8 | ALUM | D5 | G5 | A13 | | | | | | | | 0.39 | 1.06 | |
| X130 | 12 | ALUM | F13 | F13 | F13 | | | | | | | | | | |
| X131 | 15 | ALUM | E1 | E1 | A1 | | | | | | | | | | |
| X132 | 16 | ALUM | E1 | E1 | A1 | | | | | | | | | | |

SECOND FLOOR EXTERIOR OPENINGS

| OPNG NO | FIRE RATING | HDW | TYPE | WIDTH | HEIGHT | TYPE | MATL | JAMB | HEAD | SILL | MUL | THR | SHGC | U-VALUE | R-VALUE |
|---------|-------------|-----|------|-------|--------|------|------|------|------|------|-----|-----|------|---------|---------|
| X201 | | | | | | | ALUM | D5 | G5 | A13 | | | 0. | | |