

KEYED NOTES

1. NEW GAS SERVICE TO THE NEAREST POINT OF CONNECTION. ALL MATERIAL AND INSTALLATION BY COVINGTON UTILITY DIVISION AT THE CONTRACTOR'S EXPENSE. THE CONTRACTOR SHALL CONTACT COVINGTON UTILITY DIVISION AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE.
2. NEW GAS SERVICE. ALL MATERIAL AND INSTALLATION BY COVINGTON UTILITY DIVISION AT THE CONTRACTOR'S EXPENSE.
3. NEW GAS METER. ALL MATERIAL AND INSTALLATION BY COVINGTON UTILITY DIVISION AT THE CONTRACTOR'S EXPENSE.
4. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATION AND CONTINUATION OF GAS SERVICE.
5. NEW WATER SERVICE POINT OF CONNECTION, PER COVINGTON UTILITY DIVISION SPECIFICATIONS. THE CONTRACTOR SHALL CONTACT COVINGTON WATER DIVISION AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE.
6. NEW 1.5" TYPE K COPPER DOMESTIC WATER SERVICE WITH 36" MINIMUM COVER.
7. NEW DOMESTIC AND IRRIGATION METERS TO BE LOCATED INSIDE BUILDING AND SIZED BY COVINGTON WATER DIVISION. REFER TO PLUMBING PLANS FOR DETAIL. THE CONTRACTOR SHALL CONTACT COVINGTON UTILITY DIVISION AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE.
8. NEW 1" PVC IRRIGATION WATER SERVICE WITH 36" MINIMUM COVER. FINAL IRRIGATION SERVICE LINE SIZE SHALL BE VERIFIED BY THE IRRIGATION DESIGN/BUILD CONTRACTOR PRIOR TO THE START OF CONSTRUCTION. CONTINUATION AND LAYOUT OF THE IRRIGATION SERVICE LINE BY THE IRRIGATION DESIGN/BUILD CONTRACTOR.
9. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATION AND CONTINUATION OF WATER SERVICE.
10. NEW ELECTRIC SERVICE TO THE NEAREST POINT OF CONNECTION. ALL MATERIAL AND INSTALLATION BY COVINGTON UTILITY DIVISION AT THE CONTRACTOR'S EXPENSE. THE CONTRACTOR SHALL CONTACT COVINGTON UTILITY DIVISION AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE.
11. NEW PRIMARY UNDERGROUND ELECTRIC SERVICE. COVINGTON UTILITY DIVISION SHALL SIZE CONDUIT AND PROVIDE AND PULL CONDUCTOR AT THE CONTRACTOR'S EXPENSE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING THE CONDUIT.
12. NEW GROUND MOUNTED TRANSFORMER (PER COVINGTON UTILITY DIVISION STANDARDS). COVINGTON UTILITY DIVISION TO PROVIDE AND INSTALL THE TRANSFORMER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING THE CONCRETE PAD (COVINGTON UTILITY DIVISION STANDARDS).
13. NEW SECONDARY UNDERGROUND ELECTRIC SERVICE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL MATERIAL AND INSTALLATION.
- 13A. NEW ELECTRIC SERVICE FROM EXISTING POLE SIGN.
14. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATION AND CONTINUATION OF ELECTRIC SERVICE.
15. NEW COMMUNICATIONS SERVICE TO THE NEAREST POINT OF CONNECTION. ALL MATERIAL AND INSTALLATION BY THE LOCAL PROVIDER CHOSEN BY OWNER AT THE CONTRACTOR'S EXPENSE. THE CONTRACTOR SHALL CONTACT THE LOCAL PROVIDER CHOSEN BY OWNER AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE.
16. NEW COMMUNICATION SERVICE CONDUIT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING THE CONDUIT AND PULLWIRE. ALL OTHER MATERIAL AND INSTALLATION BY THE LOCAL PROVIDER CHOSEN BY OWNER AT THE CONTRACTOR'S EXPENSE.
17. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATION AND CONTINUATION OF COMMUNICATIONS SERVICE.
18. NEW SANITARY SERVICE TO THE NEAREST POINT OF CONNECTION. ALL MATERIAL AND INSTALLATION BY COVINGTON UTILITY DIVISION AT THE CONTRACTOR'S EXPENSE. THE CONTRACTOR SHALL CONTACT COVINGTON UTILITY DIVISION AS SOON AS POSSIBLE TO ACCOMMODATE REQUIRED LEAD TIME FOR DESIGN AND COORDINATION OF THE NEW SERVICE. INVERT EL. 714.91+/-
19. NEW 6" PVC SANITARY SEWER SERVICE WITH 2.00% MINIMUM SLOPE AND 36" MINIMUM COVER.
20. NEW SANITARY SEWER CLEANOUT. REFER TO DETAIL ON SHEET C8.2.
21. NEW GREASE INTERCEPTOR. REFER TO ARCHITECTURAL PLANS FOR DETAIL.
22. REFER TO ARCHITECTURAL PLANS FOR CONTINUATION OF SANITARY SEWER SERVICE TO BUILDING. INVERT EL. 719.70
23. NEW ROOF DRAIN DISCHARGE POINT IN FACE OF CURB. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS OF ROOF DRAINS.
24. THE CONTRACTOR SHALL MAINTAIN 18" MINIMUM VERTICAL CLEARANCE AT ALL UTILITY CROSSINGS.


Order Plans

UNRECORDED

USER: Lrnsley, D:\lrsley, TME: C6.0
 DRAWING: S:\VBS\2003\20-0033\CADD\C-Plan\PlotSheets\C-PLAN_UTILITY_20-0033.dwg

NO	REVISION DESCRIPTION	DATE

CLIENT:
ARCVISION, INC.
 1850 CRAIG ROAD, SUITE 300
 ST. LOUIS, MO 63146
 (314) 415-2400



TACO BELL
 6151 HWY 278 NE, NW
 COVINGTON, GA 30014
UTILITY PLAN



DESIGN/CALC BY	CAW
DRAWN BY	CAW
CHECKED BY	CAW
DRAWING SCALE	AS SHOWN
DATE	11-05-2020
Job Number	20-0033
Sheet Number	C6.0