

TYP. ENTRANCE / EXIT DOOR N.T.S. | **17**



NOTE:
1. EXTERIOR DOOR PRESSURE CANNOT EXCEED 8.5 LBS (GC TO DOOR PRESSURE TO MINIMUM ALLOWABLE BY AHJ).
2. INTERIOR DOOR PRESSURE CANNOT EXCEED 5 LBS.
3. 60% OF PUBLIC ENTRANCES MUST BE ACCESSIBLE (100% IN CA)

EXTERIOR DOOR REQUIREMENTS 3/8" = 1'-0" | **13**



TRUNCATED DOMES 3/8" = 1'-0" | **18**



BOTTOM RAIL (EXTERIOR DOOR) 3" = 1'-0" | **14**



EXTERIOR PATH OF TRAVEL N.T.S. | **2**

KEY NOTES

1. WHEN DOOR SWINGS ONTO LANDING 42" MIN. PLUS DOOR WIDTH
2. MAXIMUM HORIZONTAL DISTANCE OF EACH RAMP & RUN VARY
3. HANDRAILS NOT REQUIRED ON WALKING SURFACES WITH RUNNING SLOPES LESS THAN 1:20



RAMPS N.T.S. | **16**



ACCESSIBLE PARKING STALL N.T.S. | **11**

ACCESSIBLE PARKING SIGN N.T.S. | **12**



CURB RAMPS N.T.S. | **3**



CURB RAMPS N.T.S. | **4**

Order Plans
WWW.DTLine.com
COORDINATE WITH CIVIL
© VWV

FREDERICK J. GOGLIA
ARCHITECT, NCARB, RDI
950 CRAIG ROAD, SUITE 300 ST. LOUIS, MO 63146
PH: (314) 415-2400 FAX (314) 415-2300 www.arcvi.com

CONTRACT DATE:	11/17/20
BUILDING TYPE:	ENDEAVOR MED 40
PLAN VERSION:	SEPT 2020
BRAND DESIGNER:	200109
SITE NUMBER:	297222
STORE NUMBER:	003717
ARCVISION:	200188

TACO BELL
6151 HWY 278 NW
COVINGTON, GA 30014

TACO BELL
ENDEAVOR
"GO MOBILE"

ACCESSIBILITY REQUIREMENTS

ADA1.1