


FINISH SCHEDULE													
No.	ROOM	WALL		CHAIRRAIL		CROWN		BASEBOARD		FLOOR	CEILING		REMARKS
		Type	Color	Type	Color	Type	Color	Type	Color		Type	Color	
100	NEW OFFICE	PD	WF1	-	-	-	-	RI	-	LVT	ACT	-	-
104	NEW OFFICE	PD	WF1	-	-	-	-	RI	-	LVT	ACT	-	-
105	WORK AREA	PD	WF1	-	-	-	-	RI	-	LVT	ACT	-	-
126	NEW OBSERVATION	PB	WF2	-	-	-	-	-	-	EPOXY	ACT	-	-
127	NEW KENNEL	PB	WF2	-	-	-	-	-	-	EPOXY	ACT	-	-

NOTES:
1.
2.

LEGEND	
WALL	
PD	= PAINTED DRYWALL
UD	= UNPAINTED DRYWALL
PB	= PAINTED CMU
CHAIR RAIL MOLDING	
W1	= WOOD CHAIR RAIL - RB-8806 W/ RB-8803
CROWN MOLDING	
W2	= WOOD CROWN - RB47
BASEBOARD MOLDING	
R1	= RUBBER BASEBOARD (COLOR TBD)
CB1	= CERAMIC COVE BASE (COLOR TO MATCH CT1)
W3	= WOOD BASE - SPLIT BASE
W3S	= WOOD BASE - 3" SPLIT BASE WITH SHOE
FLOOR	
EPO	= 100% POLYURETHANE RESIN-TRED "O"
EP	= MEDIUM PROFILE AGGREGATES OR EQUIVALENT
LVT	= LUXURY VINYL TILE - MANNINGTON PLANK
PLK	= PLANKWAY" COLOR TBD
CT1	= CERAMIC TILE - \$8/SF ALLOWANCE (COLOR TBD)
CT2	= CERAMIC TILE - \$8/SF ALLOWANCE (COLOR TBD)
SC	= SEALED CONCRETE
CEILING	
ACT	= ACOUSTICAL TILE
PD	= PAINTED DRYWALL
COLOR	
TBD	= TO BE DETERMINED
WF1	= LATEX FLAT - COLOR TBD
WF2	= FLAT (BLOCK FILLER & TOP COAT)
SG1	= SEMI-GLOSS TRIM - COLOR PURE WHITE
ST1	= STAIN - COLOR TBD
CF	= CEILING WHITE - FLAT FINISH

WINDOW SCHEDULE										
Mark	Frame				Glazing					Remarks
	Width	Height	Material	Mullion	Pane	Insul	Tint	U-Factor	SHGC	
G1	3'-0"	6'-8"	METAL	AS SHOWN	DOUBLE	LOW-E	NONE	0.35	0.50	
G2	3'-0"	1'-2"	METAL	AS SHOWN	DOUBLE	LOW-E	NONE	0.35	0.50	TRANSOM
G3	3'-0"	3'-0"	METAL	AS SHOWN	SINGLE	-	ONE WAY	-	-	ONE WAY GLASS


NOTES:
1. MANUFACTURER TO BE SELECTED BY CONTRACTOR AND SUBMITTED TO OWNER FOR APPROVAL.



DOOR SCHEDULE											
No.	Door				Frame				Hardware	Remarks	
	Width	Height	Lable	Swing	Material	Type	Type	Depth			
101	3'-0"	6'-8"	-	RH	W	3	HM	7 3/4"	1	-	
102	3'-0"	6'-8"	-	LH	W	3	HM	5 3/4"	1	-	
104	3'-0"	6'-8"	-	LH	HM	2	HM	7 3/4"	3	-	
105	3'-0"	6'-8"	-	LH	HM	1	HM	7 3/4"	3	BLANK ON OUTSIDE	
106	3'-0"	6'-8"	-	LH	HM	1	HM	7 3/4"	3	BLANK ON OUTSIDE	
107	3'-0"	6'-8"	-	LH	HM	1	HM	7 3/4"	3	BLANK ON OUTSIDE	
108	3'-0"	6'-8"	-	LH	HM	2	HM	5 3/4"	2	-	
109	3'-0"	6'-8"	-	LH	HM	1	HM	7 3/4"	3	BLANK ON OUTSIDE	

LEGEND:
HM = HOLLOW METAL W = WOOD (SOLID CORE)

NOTES:
1. ALL HARDWARE TO BE COMMERCIAL GRADE BRUSHED STEEL - SCHLAGE.
2. PROVIDE FLOOR OR WALL DOORSTOPS FOR ALL DOORS AS APPROPRIATE.
3. SELF-CLOSING DEVICES (SEE LEGEND ABOVE) SHALL MEET THE REQUIREMENTS OF THE NFPA 101, 7.2.1.4.
4. ALL FIRE RATED DOORS SHALL RECEIVE SELF-CLOSING DEVICES AND POSITIVE LATCHES PER THE NFPA 101, SEC 8.4.1.1.
5. KEYING TO MATCH OWNER'S SECURED KEY SYSTEM




HARDWARE	
SET #1	
HINGE BB	
LOCKSET - KEYED	
WALL STOP	
SILENCERS	
SET #2	
HINGE BB	
LOCKSET - PUSH/PULL HANDLE	
CLOSER	
SILENCERS	
SET #3	
HINGE BB	
LOCKSET - PANIC BAR	
DEADBOLT	
CLOSER	
SILENCERS	
SET #4	
HINGE BB	
LOCKSET - PRIVACY	
CLOSER	
WALL STOP	
SILENCERS	

Order Plans @ www.LDILine.com



issue date/revisions



project name
ANIMAL CONTROL ADDITION
1506 ROCKBRIDGE ROAD
CONYERS, GA 30012

sheet title
INTERIOR ELEVATION & SCHEDULES

drawn by
MJAI
checked by

project no.

date
1-24-20
sheet no.
A1.2