

DOOR SCHEDULE											NOTES			
DOOR					FRAME									
NUMBER	TYPE	SIZE (NOMINAL)	MATL	LOUVER	UC	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL	JAMB DETAIL	SILL DETAIL	FIRE RATING	HW SET
100A	G	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G1	STL	1	A	3	3	--	--	2.0
100B	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	3	--	--	3.0
121	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	3	A	11	12	--	--	--	9.0
123	F	3'-0" x 7'-0" x 1'-3/4"	WD	--	--	WD	2	A	3	3	--	--	--	12.0
128	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	11	12	--	--	--	5.0
A100	FG2	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G2	STL	--	A	10	10	--	--	1.0
B510	F	2'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	7.0
B100	FG2	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G2	STL	--	A	10	10	--	--	1.0
C100	FG2	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G2	STL	--	A	10	10	--	--	1.0
C100A	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	--	A	--	--	--	--	--	6.0
C100B	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	--	A	--	--	--	--	--	6.0
CD102	G	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G2	STL	1	A	3	3	--	--	12.0
CD104	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	13.0
CD105	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	1/3 HR	8.0
D100	FG2	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	G2	STL	--	A	10	10	--	--	1.0
EF101	F	2'-8" x 7'-0" x 1'-3/4"	STL	--	--	STL	2	A	3	3	--	--	--	4.0
EF104	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	9.0
EF107	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	10.0
EF102A	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	9.0
EF108	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	1/3 HR	11.0
EF109	F	3'-0" x 7'-0" x 1'-3/4"	STL	--	--	STL	1	A	3	3	--	--	--	9.0

DOOR SCHEDULE - EXISTING											NOTES			
DOOR					FRAME									
NUMBER	TYPE	SIZE (NOMINAL)	MATL	LOUVER	UC	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL	JAMB DETAIL	SILL DETAIL	FIRE RATING	HW SET
K115	F	3'-0" x 7'-0" x 1'-3/4"	WD	--	--	STL	--	A	--	--	--	--	--	7.0

DOOR AND FRAME GENERAL NOTES

A. UNLESS INDICATED OTHERWISE, ALL DETAIL NUMBERS IN THE DOOR AND FRAME SCHEDULE FOR HEAD, JAMB AND SILL CONDITIONS REFER TO DRAWINGS A3.1.1

B. DOOR AND FRAME DETAILS INDICATE GENERAL CHARACTERISTICS OF DOOR AND FRAME SIZES AND COMPONENTS AND MAY NOT INDICATE EXACT FIELD CONDITIONS OR REQUIREMENTS. COORDINATE DETAILS WITH OTHER DRAWINGS AND SPECS TO DETERMINE ALL COMPONENTS (E.G., SEALANTS, ANCHORS, HARDWARE, LINTELS, CLIPS) REQUIRED FOR COMPLETE AND FUNCTIONAL INSTALLATION.

C. DOOR SWINGS ON FLOOR PLANS TAKE PRECEDENCE OVER SWINGS INDICATED ELSEWHERE (E.G., ELEVATIONS).

DOOR AND FRAME DETAIL KEYNOTES

REPRESENTED BY [n]

APPLIES TO DRAWINGS A3.1.1

- ANCHORAGES, REINFORCING, SPECIFIC PARTITION CONSTRUCTION AND/OR LINTELS ARE NOT SHOWN FOR CLARITY.
- REFER TO FRAME SECTION IN DOOR SCHEDULE FOR TYPE.
- SEALANT, ALL SIDES - TOOL TO 90°.
- BACKBEND RETURN @ GB LOCATIONS ONLY.
- 9/16" @ MAS, 1/2" @ GB.
- 1/4" @ JAMBS, UNO, DIMENSION @ HEAD & SILL VARIES.
- BULLNOSE @ CMU JAMBS & SILLS.
- 0" @ GB LOCATIONS; 1/16" @ MAS LOCATIONS.
- WINDOW FILM
- BALLISTIC RATED GLAZING AND FRAME WITH SPEAK HOLES

DOOR, FRAME AND GLAZING TYPE GENERAL NOTES

REFER TO DWG A3.1.1 FOR GLAZING TYPE LEGEND AND NOTATION

REFER TO DWG A3.1.1 FOR DETAILS

REFER TO DWG A3.1.1 FOR KEYNOTE LEGEND


GLAZING TYPES

REPRESENTED BY [n]


G1 BALLISTIC RATED GLAZING - REFER TO DIVISION 08 SECTION 'FIXED TRANSACTION SECURITY WINDOWS'

G2 SECURITY GLAZING TYPE SG-02 - REFER TO DIVISION 11 SECTION 'SECURITY GLASS AND GLAZING'


NOTES:
1. GLAZE ALL OPENINGS IN FRAMES UNLESS SPECIFICALLY INDICATED OTHERWISE
2. ALL GLAZING SHALL BE SAFETY GLASS UNLESS INDICATED OTHERWISE




8 HEAD DETAIL - LOUVER
3" = 1'-0"




5 INTERIOR BETWEEN THE JAMB - BUTTED HEAD/JAMB/SILL
6" = 1'-0"




12 JAMB DETAIL AT EXISTING WALL
3" = 1'-0"




9 JAMB DETAIL - LOUVER
1'-0"




4 INTERIOR BETWEEN THE JAMB - PROJECTED HEAD/JAMB/SILL
6" = 1'-0"




11 HEAD DETAIL AT EXISTING WALL
3" = 1'-0"




10 HEAD/JAMB DETAIL AT NEW DOORS
3" = 1'-0"



3 INTERIOR WRAP HEAD/JAMB/SILL
6" = 1'-0"




1 INTERIOR WINDOW TYPE ELEVATIONS



2 LOUVER TYPES


1. ALL FRAME/JAMB DEPTHS, OTHER THAN WRAP CONDITIONS, SHALL BE UNO.
2. ALL FRAME/JAMB DEPTHS AT WRAP CONDITIONS SHALL BE SIZED TO SUIT PARTITION.
3. DOORS, PANELS, GLAZING, STOPS, AND OTHER FRAME INFILLS ARE NOT SHOWN IN FRAME SECTIONS AS THEY VARY - PROVIDE SAME WHERE INDICATED.

STEEL FRAME SECTIONS



MANEUVERING CLEARANCE AT DOORS

DOOR FRAME TYPES



A3.1.1 - DOOR TYPE ELEVATIONS

MOSELEY ARCHITECTS

6210 ARDREY HILL ROAD • THE HUB AT WAVERLY, SUITE 425 • CHARLOTTE, NC 28277
PHONE (704) 540-3755 FAX (704) 540-3754
MOSELEYARCHITECTS.COM



MARION COUNTY LEC
591492
MARION COUNTY
2715 EAST HWY 76, MULLINS, SC 29574

PROJECT NO:	591492
DATE:	OCTOBER 30, 2020
REVISIONS:	
DATE:	DESCRIPTION:

DOOR AND FRAME SCHEDULE

A3.1.1

Order Plans

11/22/2020 8:10:28 AM